

Diagnostic Interview Schedule for Children: Parent

Grade 3/Year 4

Fast Track Project Technical Report

**Jennifer Godwin
December 31, 2003**

Table of Contents

- I. Scale Description
- II. Report Sample
- III. Scaling
- IV. Differences Between Groups
- V. Recommendations for Use
- VI. Item and Scale Means and SD's
- VII. Item and Scale Correlations

Citation

Instrument

Shaffer, D. and Fisher, P. (1991). *NIMH - Diagnostic Interview Schedule for Children: Parent Informant (Interview about Child)*. New York: New York State Psychiatric Institute.

Shaffer, D., Fisher, P., Lucas, C., Comer, J. (2003). *Scoring Manual: Diagnostic Interview Schedule for Children (DISC-IV)*. New York: Columbia University.

Report

Godwin, J. (2003). *Diagnostic Interview Schedule for Children: Parent (Technical Report)* [On-line]. Available: <http://www.fasttrackproject.org/>

Maumary-Gremaud, A. (2000). *Diagnostic Interview Schedule for Children: Parent (Technical Report)*.

Data Sources

Raw: p4y

Scored: cds4

I. Scale Description

The NIMH Diagnostic Interview Schedule for Children Version 2.3 (DISC) assesses DSM-III-R psychiatric symptoms and diagnoses in children and adolescents aged 6 to 17 years by interviewing parents.¹ The DISC was designed to be given by lay interviewers for epidemiological research. Fast Track administered this measure using laptop computers (Computerized DISC, or CDISC).

Item Responses

The DISC items are organized by diagnosis. Parents are asked if their children experienced specific symptoms related to a disorder during the past 6 months.² If a parent reports that a child experienced a given symptom, additional follow-up questions are asked.

The one exception is conduct disorder. Symptoms of conduct disorder are recorded for the previous 6 months and the previous year. Consequently, the dataset contains 2 criterion count variables, one for the previous 6 months and one for the previous year. The dataset contains only one diagnosis indicator

¹ The corresponding measures in years 7 and 10 assess symptoms and diagnoses defined by the DSM-IV.

² In years 7 and 10, symptoms are reported for the previous month and the previous year.

corresponding to the previous year.

The possible responses to most of the DISC questions are “No” (0), “Yes” (1), “Not Applicable” (8), or “Don’t Know” (9). During the scoring process, the “Don’t Know” responses are recoded as “No”. Parent responses capture whether the parent knows that their child has experienced a symptom. If a parent does not know if their child experienced the symptom, symptom should be coded “No”.

Fast Track collected data on the following disorders in year 4/grade 3:

- Attention Deficit/Hyperactivity Disorder (ADHD)
- Agoraphobia
- Avoidant Disorder
- Conduct Disorder
- Dysthymia
- Eating Disorders (Anorexia Nervosa and Bulimia)
- Generalized Anxiety
- Hypomania
- Major Depression
- Mania
- Nocturnal Enuresis
- Obsessive Compulsive (OC) Disorder
- Oppositional Defiance (OD) Disorder
- Other Elimination Disorder
- Overanxious Disorder
- Panic Disorder
- Separation Anxiety (SA)
- Simple Phobia
- Social Phobia
- Substance Abuse
- Tic Disorder.

II. Report Sample

The explanatory analyses in this report are conducted on the Cohort 1 normative (n=387) and high-risk control samples (n=155, N=463 with overlap) in grade 3/year 4. Fifty students are missing the entire measure (11% of the sample), including 43 from the normative sample (11% of the sample) and 8 from the high-risk control sample (8% of the sample). The respondents who did not complete the measure include 9 students from Durham (7%), 11 from Nashville (10%), 9 from Penn State (7%), and 21 from Seattle (19%).

III. Scaling

The DISC group at Columbia University and New York State Psychiatric Institute (overseen by David Shaffer, M.D., Prudence Fisher, Ph.D., and John Piacentini, Ph.D) constructed the scoring programs that correspond to the DSM-III-R. The variables names were changed to match the Fast Track format. The three types of summary scores are described below.

Criterion Counts

The scoring program combines the symptom (item) responses to determine whether a child meets a particular DSM-III-R criterion. Multiple symptoms are often used to determine whether one criterion is satisfied. The criterion count variable describes the total number of criteria a child meets for each disorder.

Diagnosis Indicators

The individual symptom responses are also used to determine whether a child meets the DSM- III-R specification for a diagnosis. The diagnosis variable equals 1 if the child meets the diagnosis criteria for a given disorder and 0 otherwise.

Impairment Indicators

The DISC also includes a series of questions designed to determine whether experiencing the symptoms associated with a particular diagnosis impaired the child's ability to participate in normal daily activities. Based on these questions, the scoring program creates an additional indicator variable for meeting the requirements of a diagnosis and experiencing an impairment.³

IV. Differences Between Groups

T-tests for equality of means were conducted between the high-risk control and the low-risk normative samples for the year and month criteria counts for each disorder.

Mean criterion counts differed at the 0.05 significance level for the high-risk control and low-risk normative samples for the following disorders:

6 Months: ADHD-H
ADHD-I
ADHD-Combined
Conduct Disorder
Dysthymia
Generalized Anxiety
Major Depression
Major Depression/Dysthymia – Non-overlapping
Oppositional Defiance (OD) Disorder
Overanxious Disorder
Separation Anxiety (SA)

Year: Conduct Disorder

Chi-Square tests of independence between the high-risk control and the low-risk normative sample were conducted for the year and month diagnosis and diagnosis plus impairment variables. The results for many of the tests, however, are questionable given the low frequency of diagnoses for many disorders. A test may not be valid if fewer than 5 respondents in a sample (normative or control) were expected to meet the diagnosis criteria (or the diagnosis plus impairment criteria). An * indicates that fewer than 5 respondents in both samples were expected to meet the criteria, while an ** indicates that fewer than 5 respondents in one sample were expected to meet the criteria.

The hypothesis of independence between risk category (high-risk control and normative) and diagnosis was rejected at the 0.05 significance level for the following disorders:

6 Months: ADHD-H**
ADHD-Combined
ADHD-Any
Conduct Disorder
Major Depression*
Obsessive Compulsive (OC) Disorder*
Oppositional Defiance (OD) Disorder
Social Phobia

Year: Conduct Disorder

The table also includes the results for the indicators for diagnosis plus impairment.

As expected, the students in the high-risk control group showed higher instance of diagnosis and larger criterion counts than the low-risk students in the normative sample.

³ Years 7 and 10 include alternative measures of impairment.

Comparison of Means for Normative and Control for Continuous Score Variables								
Variable		Normative		Control		DF	t Value	Pr > t
		Mean	Std Dev	Mean	Std Dev			
ADHD-H: 6 mo. Criterion Count	(cds4hcs)	1.29	2.10	3.13	2.95	218	6.61	<.0001
ADHD-I: 6 mo. Criterion Count	(cds4ics)	1.37	2.12	2.75	2.92	221	5.01	<.0001
ADHD-Combined: 6 mo. Criterion Count	(cds4zcs)	2.66	3.75	5.89	5.36	216	6.40	<.0001
Conduct Disorder: 6 mo. Criterion Count	(cds4ccm)	0.30	0.75	0.78	1.58	175	3.47	0.0007
Conduct Disorder: Year Criterion Count	(cds4ccy)	0.31	0.76	0.91	1.64	174	4.08	<.0001
Dysthymia: 6 mo. Criterion Count	(cds4dcs)	1.11	1.27	1.61	1.56	241	3.33	0.0010
Eating Disorder: 6 mo. Criterion Count	(cds4ecs)	0.15	0.45	0.26	0.83	186	1.45	0.1486
GA: 6 mo. Criterion Count	(cds4gcs)	0.57	2.02	1.37	3.11	205	2.78	0.0059
Major Depression: 6 mo. Criterion Count	(cds4rcs)	0.24	0.67	0.72	1.37	178	3.90	0.0001
Maj.Dep/Dys.: Nonoverlapping 6 mo. CC	(cds4drs)	1.17	1.35	1.87	1.93	216	3.85	0.0002
Mania/Hyp: 6 mo. Criterion Count	(cds4mns)	0.05	0.38	0.07	0.44	252	0.51	0.6090
Obsessive Compulsive: 6 mo. Criterion Count	(cds4bcs)	0.06	0.36	0.07	0.37	410	0.20	0.8418
Oppositional Defiant Disorder: 6 mo. Criterion Count	(cds4ocs)	0.27	0.88	1.37	2.40	161	5.31	<.0001
Overanxious Disorder: 6 mo. Criterion Count	(cds4wcs)	0.69	1.10	1.06	1.23	410	3.14	0.0018
Panic Disorder: 6 mo. Criterion Count	(cds4pcs)	0.04	0.61	0.16	1.07	190	1.29	0.1990
SA Disorder: 6 mo. Criterion Count	(cds4xcs)	1.19	1.46	1.56	1.75	246	2.16	0.0318
Simple Phobia: 6 mo. Criterion Count	(cds4scs)	2.36	2.51	2.67	2.60	411	1.17	0.2433
Social Phobia: 6 mo. Criterion Count	(cds4lcs)	1.31	2.52	1.66	2.94	251	1.23	0.2214
Substance Abuse: 6 mo. Criterion Count	(cds4ucs)	0.00	0.06	0.00	0.00	269	-1.00	0.3182
Tic Disorder: 6 mo. Criterion Count	(cds4vcs)	0.05	0.25	0.11	0.40	203	1.66	0.0989

Chi Square Test for Normative and Control for Dichotomous Score Variables								
Variable		Percent Diagnosed		DF	N	Chi Square Statistic	P-value	N
		Normative	Control					
ADHD-H: 6 mo. Diagnosis	(cds4hds)	0.01	0.06	1	412	7.3250	0.0068	**
ADHD-I: 6 mo. Diagnosis	(cds4ids)	0.03	0.06	1	412	2.4534	0.1173	
ADHD-Combined: 6 mo. Diagnosis	(cds4zds)	0.02	0.13	1	412	18.5378	<.0001	
ADHD-Any: 6 mo. Diagnosis	(cds4yds)	0.06	0.24	1	412	28.3316	<.0001	
Agoraphobia: 6 mo. Diagnosis	(cds4ads)	0.01	0.01	1	413	0.1576	0.6914	*
Agoraphobia: 6 mo. Impairment	(cds4als)	0.01	0.01	1	413	0.0015	0.9694	*
Avoidant Disorder: 6 mo. Diagnosis	(cds4jds)	0.04	0.04	1	412	0.0054	0.9415	
Avoidant Disorder: 6 mo. Impairment	(cds4jls)	0.03	0.03	1	412	0.0180	0.8932	**
Conduct Disorder: Year diagnosis	(cds4cdy)	0.02	0.10	1	412	13.5636	0.0002	
Dysthymia: 6 mo. Diagnosis	(cds4dds)	0.01	0.01	1	412	0.0017	0.9670	*
Dysthymia: 6 mo. Impairment	(cds4dls)	0.00	0.01	1	412	0.2147	0.6431	*
Eating Disorder: 6 mo. Diagnosis	(cds4eds)	0.00	0.00	1	412	.	.	
GA: 6 mo. Diagnosis	(cds4gds)	0.01	0.03	1	412	2.7951	0.0946	*

Chi Square Test for Normative and Control for Dichotomous Scored Variables								
Variable	Percent Diagnosed		DF	N	Chi Square Statistic	P-value	N	
	Normative	Control						
GA: 6 mo. Impairment (cds4gls)	0.01	0.02	1	412	1.4610	0.2268	*	
Hypomania: 6 mo. Diagnosis (cds4nds)	0.00	0.01	1	412	0.2147	0.6431	*	
Major Depression: 6 mo. Diagnosis (cds4rds)	0.00	0.01	1	412	1.3873	0.2389	*	
Major Depression: 6 mo. Impairment (cds4rls)	0.00	0.01	1	412	3.8214	0.0506	*	
Mania: 6 mo. Diagnosis (cds4mds)	0.00	0.00	.	412	.	.	.	
Nocturnal Enuresis: 6 mo. Diagnosis (cds4qds)	0.11	0.11	2	412	0.1680	0.9194	.	
Nocturnal Enuresis: 6 mo. Impairment (cds4qls)	0.00	0.00	.	412	.	.	.	
Obsessive Compulsive: 6 mo. Diagnosis (cds4bds)	0.01	0.01	1	412	0.0017	0.9670	*	
Oppositional Defiant Disorder: 6 mo. Diagnosis (cds4ods)	0.02	0.18	1	412	36.2257	<.0001	.	
OD, No conduct Disorder: 6 mo. Diagnosis (cds4ods)	0.02	0.10	1	412	13.5636	0.0002	.	
Other Elimination Disorder: 6 mo. Diagnosis (cds4kds)	0.01	0.01	1	410	0.4788	0.4890	*	
Other Elimination Disorder: 6 mo. Impairment (cds4kls)	0.01	0.01	1	411	0.1629	0.6865	*	
Overanxious Disorder: 6 mo. Diagnosis (cds4wds)	0.03	0.03	1	412	0.0180	0.8932	**	
Overanxious Disorder: 6 mo. Impairment (cds4wls)	0.02	0.01	1	412	0.3237	0.5694	**	
Panic Disorder: 6 mo. Diagnosis (cds4pds)	0.00	0.00	.	413	.	.	.	
Panic Disorder: 6 mo. Impairment (cds4pls)	0.00	0.00	.	413	.	.	.	
SA Disorder: 6 mo. Diagnosis (cds4xds)	0.04	0.06	1	411	1.0667	0.3017	.	
SA Disorder: 6 mo. Impairment (cds4xls)	0.02	0.06	1	411	3.3538	0.0671	**	
Simple Phobia: 6 mo. Diagnosis (cds4sds)	0.15	0.20	1	413	1.1789	0.2776	.	
Simple Phobia: 6 mo. Impairment (cds4sls)	0.01	0.04	1	413	2.9810	0.0842	**	
Social Phobia: 6 mo. Diagnosis (cds4lds)	0.09	0.14	1	413	2.6759	0.1019	.	
Social Phobia: 6 mo. Impairment (cds4lls)	0.06	0.13	1	413	6.4629	0.0110	.	
Substance Abuse: 6 mo. Diagnosis (cds4uds)	0.00	0.00	.	412	.	.	.	
Tic Disorder: 6 mo. Diagnosis (cds4vds)	0.03	0.05	1	412	1.0259	0.3111	.	
Tic Disorder: 6 mo. Impairment (cds4vls)	0.02	0.02	1	412	0.0332	0.8553	**	

V. Recommendations for Use

It is recommended that the analyst use categorical-type analyses when examining diagnosis and diagnosis plus impairment variables and continuous-type analyses for criterion count variables. There have been numerous studies using the CDISC that the analyst can refer to for comparison of results and method used.

Analysts should refer to the numerous previous studies that have used the CDISC for examples of methods used to analyze these data.

VI. Scale Means and SD's

Descriptive Statistics - High Risk Control Sample						
Variable	Label	N	Mean	Std Dev	Minimum	Maximum
cds4hcs	ADHD-H: 6 mo. Criterion Count	142	3.13	2.95	0.00	9.00
cds4hds	ADHD-H: 6 mo. Diagnosis	142	0.06	0.23	0.00	1.00
cds4ics	ADHD-I: 6 mo. Criterion Count	142	2.75	2.92	0.00	9.00
cds4ids	ADHD-I: 6 mo. Diagnosis	142	0.06	0.23	0.00	1.00
cds4zcs	ADHD-Combined: 6 mo. Criterion Count	142	5.89	5.36	0.00	18.00
cds4zds	ADHD-Combined: 6 mo. Diagnosis	142	0.13	0.33	0.00	1.00
cds4yds	ADHD-Any: 6 mo. Diagnosis	142	0.24	0.43	0.00	1.00
cds4ads	Agoraphobia: 6 mo. Diagnosis	142	0.01	0.08	0.00	1.00
cds4als	Agoraphobia: 6 mo. Impairment	142	0.01	0.08	0.00	1.00
cds4jds	Avoidant Disorder: 6 mo. Diagnosis	142	0.04	0.20	0.00	1.00
cds4jls	Avoidant Disorder: 6 mo. Impairment	142	0.03	0.17	0.00	1.00
cds4ccm	Conduct Disorder: 6 mo. Criterion Count	142	0.78	1.58	0.00	11.00
cds4ccy	Conduct Disorder: Year Criterion Count	142	0.91	1.64	0.00	11.00
cds4cdy	Conduct Disorder: Year diagnosis	142	0.10	0.30	0.00	1.00
cds4dcs	Dysthymia: 6 mo. Criterion Count	142	1.61	1.56	0.00	6.00
cds4dds	Dysthymia: 6 mo. Diagnosis	142	0.01	0.08	0.00	1.00
cds4dls	Dysthymia: 6 mo. Impairment	142	0.01	0.08	0.00	1.00
cds4ecs	Eating Disorder: 6 mo. Criterion Count	142	0.26	0.83	0.00	5.00
cds4eds	Eating Disorder: 6 mo. Diagnosis	142	0.00	0.00	0.00	0.00
cds4gcs	GA: 6 mo. Criterion Count	142	1.37	3.11	0.00	14.00
cds4gds	GA: 6 mo. Diagnosis	142	0.03	0.17	0.00	1.00
cds4gls	GA: 6 mo. Impairment	142	0.02	0.14	0.00	1.00
cds4nds	Hypomania: 6 mo. Diagnosis	142	0.01	0.08	0.00	1.00
cds4rcs	Major Depression: 6 mo. Criterion Count	142	0.72	1.37	0.00	7.00
cds4rds	Major Depression: 6 mo. Diagnosis	142	0.01	0.12	0.00	1.00
cds4rls	Major Depression: 6 mo. Impairment	142	0.01	0.12	0.00	1.00
cds4drs	Maj.Dep/Dys.: Nonoverlapping 6 mo. CC	142	1.87	1.93	0.00	10.00
cds4mds	Mania: 6 mo. Diagnosis	142	0.00	0.00	0.00	0.00
cds4mns	Mania/Hyp: 6 mo. Criterion Count	142	0.07	0.44	0.00	4.00
cds4qds	Nocturnal Enuresis: 6 mo. Diagnosis	142	0.11	0.38	0.00	2.00
cds4qls	Nocturnal Enuresis: 6 mo. Impairment	142	0.00	0.00	0.00	0.00
cds4bcs	Obsessive Compulsive: 6 mo. Criterion Count	142	0.07	0.37	0.00	3.00
cds4bds	Obsessive Compulsive: 6 mo. Diagnosis	142	0.01	0.08	0.00	1.00
cds4ocs	Oppositional Defiant Disorder: 6 mo. Criterion Count	142	1.37	2.40	0.00	8.00
cds4ods	Oppositional Defiant Disorder: 6 mo. Diagnosis	142	0.18	0.39	0.00	1.00
cds4ods2	OD, No conduct Disorder: 6 mo. Diagnosis	142	0.10	0.30	0.00	1.00
cds4kds	Other Elimination Disorder: 6 mo. Diagnosis	142	0.01	0.08	0.00	1.00
cds4kls	Other Elimination Disorder: 6 mo. Impairment	142	0.01	0.08	0.00	1.00

Descriptive Statistics - High Risk Control Sample						
Variable	Label	N	Mean	Std Dev	Minimum	Maximum
cds4wcs	Overanxious Disorder: 6 mo. Criterion Count	142	1.06	1.23	0.00	5.00
cds4wds	Overanxious Disorder: 6 mo. Diagnosis	142	0.03	0.17	0.00	1.00
cds4wls	Overanxious Disorder: 6 mo. Impairment	142	0.01	0.12	0.00	1.00
cds4pcs	Panic Disorder: 6 mo. Criterion Count	142	0.16	1.07	0.00	8.00
cds4pds	Panic Disorder: 6 mo. Diagnosis	142	0.00	0.00	0.00	0.00
cds4pls	Panic Disorder: 6 mo. Impairment	142	0.00	0.00	0.00	0.00
cds4xcs	SA Disorder: 6 mo. Criterion Count	142	1.56	1.75	0.00	9.00
cds4xds	SA Disorder: 6 mo. Diagnosis	141	0.06	0.25	0.00	1.00
cds4xls	SA Disorder: 6 mo. Impairment	141	0.06	0.23	0.00	1.00
cds4scs	Simple Phobia: 6 mo. Criterion Count	142	2.67	2.60	0.00	10.00
cds4sds	Simple Phobia: 6 mo. Diagnosis	142	0.20	0.40	0.00	1.00
cds4sls	Simple Phobia: 6 mo. Impairment	142	0.04	0.20	0.00	1.00
cds4lcs	Social Phobia: 6 mo. Criterion Count	142	1.66	2.94	0.00	15.00
cds4lds	Social Phobia: 6 mo. Diagnosis	142	0.14	0.35	0.00	1.00
cds4lls	Social Phobia: 6 mo. Impairment	142	0.13	0.33	0.00	1.00
cds4ucs	Substance Abuse: 6 mo. Criterion Count	142	0.00	0.00	0.00	0.00
cds4uds	Substance Abuse: 6 mo. Diagnosis	142	0.00	0.00	0.00	0.00
cds4vcs	Tic Disorder: 6 mo. Criterion Count	142	0.11	0.40	0.00	2.00
cds4vds	Tic Disorder: 6 mo. Diagnosis	142	0.05	0.22	0.00	1.00
cds4vls	Tic Disorder: 6 mo. Impairment	142	0.02	0.14	0.00	1.00

Descriptive Statistics - Normative Sample						
Variable	Label	N	Mean	Std Dev	Minimum	Maximum
cds4hcs	ADHD-H: 6 mo. Criterion Count	343	1.68	2.42	0.00	9.00
cds4hds	ADHD-H: 6 mo. Diagnosis	343	0.02	0.14	0.00	1.00
cds4ics	ADHD-I: 6 mo. Criterion Count	343	1.64	2.37	0.00	9.00
cds4ids	ADHD-I: 6 mo. Diagnosis	343	0.03	0.17	0.00	1.00
cds4zcs	ADHD-Combined: 6 mo. Criterion Count	343	3.33	4.30	0.00	18.00
cds4zds	ADHD-Combined: 6 mo. Diagnosis	343	0.04	0.20	0.00	1.00
cds4yds	ADHD-Any: 6 mo. Diagnosis	343	0.09	0.29	0.00	1.00
cds4ads	Agoraphobia: 6 mo. Diagnosis	344	0.01	0.11	0.00	1.00
cds4als	Agoraphobia: 6 mo. Impairment	344	0.01	0.09	0.00	1.00
cds4jds	Avoidant Disorder: 6 mo. Diagnosis	343	0.04	0.20	0.00	1.00
cds4jls	Avoidant Disorder: 6 mo. Impairment	343	0.02	0.15	0.00	1.00
cds4ccm	Conduct Disorder: 6 mo. Criterion Count	343	0.41	1.14	0.00	11.00
cds4ccy	Conduct Disorder: Year Criterion Count	343	0.46	1.18	0.00	11.00
cds4cdy	Conduct Disorder: Year diagnosis	343	0.04	0.20	0.00	1.00
cds4dcs	Dysthymia: 6 mo. Criterion Count	343	1.23	1.38	0.00	6.00
cds4dds	Dysthymia: 6 mo. Diagnosis	343	0.01	0.08	0.00	1.00

Descriptive Statistics - Normative Sample						
Variable	Label	N	Mean	Std Dev	Minimum	Maximum
cds4dls	Dysthymia: 6 mo. Impairment	343	0.00	0.05	0.00	1.00
cds4ecs	Eating Disorder: 6 mo. Criterion Count	343	0.19	0.61	0.00	5.00
cds4eds	Eating Disorder: 6 mo. Diagnosis	343	0.00	0.00	0.00	0.00
cds4gcs	GA: 6 mo. Criterion Count	343	0.76	2.42	0.00	17.00
cds4gds	GA: 6 mo. Diagnosis	343	0.01	0.12	0.00	1.00
cds4gls	GA: 6 mo. Impairment	343	0.01	0.11	0.00	1.00
cds4nds	Hypomania: 6 mo. Diagnosis	343	0.00	0.05	0.00	1.00
cds4rcs	Major Depression: 6 mo. Criterion Count	343	0.39	1.01	0.00	7.00
cds4rds	Major Depression: 6 mo. Diagnosis	343	0.01	0.09	0.00	1.00
cds4rls	Major Depression: 6 mo. Impairment	343	0.01	0.08	0.00	1.00
cds4drs	Maj.Dep/Dys.: Nonoverlapping 6 mo. CC	343	1.34	1.60	0.00	10.00
cds4mds	Mania: 6 mo. Diagnosis	343	0.00	0.00	0.00	0.00
cds4mns	Mania/Hyp: 6 mo. Criterion Count	343	0.05	0.38	0.00	4.00
cds4qds	Nocturnal Enuresis: 6 mo. Diagnosis	343	0.12	0.40	0.00	2.00
cds4qls	Nocturnal Enuresis: 6 mo. Impairment	343	0.00	0.00	0.00	0.00
cds4bcs	Obsessive Compulsive: 6 mo. Criterion Count	343	0.08	0.39	0.00	3.00
cds4bds	Obsessive Compulsive: 6 mo. Diagnosis	343	0.01	0.09	0.00	1.00
cds4ocs	Oppositional Defiant Disorder: 6 mo. Criterion Count	343	0.50	1.43	0.00	8.00
cds4ods	Oppositional Defiant Disorder: 6 mo. Diagnosis	343	0.05	0.21	0.00	1.00
cds4ods2	OD, No conduct Disorder: 6 mo. Diagnosis	343	0.02	0.15	0.00	1.00
cds4kds	Other Elimination Disorder: 6 mo. Diagnosis	341	0.01	0.11	0.00	1.00
cds4kls	Other Elimination Disorder: 6 mo. Impairment	342	0.01	0.09	0.00	1.00
cds4wcs	Overanxious Disorder: 6 mo. Criterion Count	343	0.77	1.18	0.00	6.00
cds4wds	Overanxious Disorder: 6 mo. Diagnosis	343	0.03	0.17	0.00	1.00
cds4wls	Overanxious Disorder: 6 mo. Impairment	343	0.02	0.14	0.00	1.00
cds4pcs	Panic Disorder: 6 mo. Criterion Count	344	0.06	0.69	0.00	10.00
cds4pds	Panic Disorder: 6 mo. Diagnosis	344	0.00	0.00	0.00	0.00
cds4pls	Panic Disorder: 6 mo. Impairment	344	0.00	0.00	0.00	0.00
cds4xcs	SA Disorder: 6 mo. Criterion Count	343	1.31	1.59	0.00	9.00
cds4xds	SA Disorder: 6 mo. Diagnosis	343	0.05	0.21	0.00	1.00
cds4xls	SA Disorder: 6 mo. Impairment	343	0.03	0.18	0.00	1.00
cds4scs	Simple Phobia: 6 mo. Criterion Count	344	2.38	2.55	0.00	10.00
cds4sds	Simple Phobia: 6 mo. Diagnosis	344	0.16	0.36	0.00	1.00
cds4sls	Simple Phobia: 6 mo. Impairment	344	0.02	0.13	0.00	1.00
cds4lcs	Social Phobia: 6 mo. Criterion Count	344	1.48	2.69	0.00	15.00
cds4lds	Social Phobia: 6 mo. Diagnosis	344	0.11	0.31	0.00	1.00
cds4lls	Social Phobia: 6 mo. Impairment	344	0.08	0.27	0.00	1.00
cds4ucs	Substance Abuse: 6 mo. Criterion Count	343	0.00	0.05	0.00	1.00
cds4uds	Substance Abuse: 6 mo. Diagnosis	343	0.00	0.00	0.00	0.00

Descriptive Statistics - Normative Sample						
Variable	Label	N	Mean	Std Dev	Minimum	Maximum
cds4vcs	Tic Disorder: 6 mo. Criterion Count	343	0.06	0.28	0.00	2.00
cds4vds	Tic Disorder: 6 mo. Diagnosis	343	0.03	0.18	0.00	1.00
cds4vls	Tic Disorder: 6 mo. Impairment	343	0.02	0.14	0.00	1.00

VII. Scale Correlations

Pearson Correlation Coefficients Prob > r under H0: Rho=0 Number of Observations												
	cds4hcs	cds4hds	cds4ics	cds4ids	cds4zcs	cds4zds	cds4yds	cds4ads	cds4als	cds4jds	cds4jls	cds4ccm
cds4hcs ADHD-H: 6 mo. Criterion Count	1.000 412	0.321 0.000 412	0.659 0.000 412	0.101 0.040 412	0.913 0.000 412	0.551 0.000 412	0.612 0.000 412	0.215 0.000 412	0.169 0.001 412	0.053 0.282 411	0.081 0.102 411	0.431 0.000 412
cds4hds ADHD-H: 6 mo. Diagnosis	0.321 0.000 412	1.000 412	0.118 0.016 412	-0.032 0.515 412	0.243 0.000 412	-0.041 0.404 412	0.446 0.000 412	-0.016 0.740 412	-0.014 0.774 412	-0.034 0.486 411	-0.028 0.578 411	0.132 0.007 412
cds4ics ADHD-I: 6 mo. Criterion Count	0.659 0.000 412	0.118 0.016 412	1.000 412	0.426 0.000 412	0.908 0.000 412	0.524 0.000 412	0.678 0.000 412	0.164 0.001 412	0.131 0.008 412	0.110 0.026 411	0.118 0.017 411	0.396 0.000 412
cds4ids ADHD-I: 6 mo. Diagnosis	0.101 0.040 412	-0.032 0.515 412	0.426 0.000 412	1.000 412	0.287 0.000 412	-0.048 0.328 412	0.523 0.000 412	0.113 0.022 412	0.136 0.006 412	0.220 0.000 411	0.209 0.000 411	0.047 0.346 412
cds4zcs ADHD-Combined: 6 mo. Criterion Count	0.913 0.000 412	0.243 0.000 412	0.908 0.000 412	0.287 0.000 412	1.000 412	0.590 0.000 412	0.708 0.000 412	0.208 0.000 412	0.165 0.001 412	0.089 0.071 411	0.109 0.027 411	0.454 0.000 412
cds4zds ADHD-Combined: 6 mo. Diagnosis	0.551 0.000 412	-0.041 0.404 412	0.524 0.000 412	-0.048 0.328 412	0.590 0.000 412	1.000 412	0.669 0.000 412	0.081 0.100 412	-0.021 0.666 412	0.052 0.288 411	0.087 0.077 411	0.293 0.000 412
cds4yds ADHD-Any: 6 mo. Diagnosis	0.612 0.000 412	0.446 0.000 412	0.678 0.000 412	0.523 0.000 412	0.708 0.000 412	0.669 0.000 412	1.000 412	0.115 0.020 412	0.056 0.260 412	0.147 0.003 411	0.169 0.001 411	0.302 0.000 412
cds4ads Agoraphobia: 6 mo. Diagnosis	0.215 0.000 412	-0.016 0.740 412	0.164 0.001 412	0.113 0.022 412	0.208 0.000 412	0.081 0.100 412	0.115 0.020 412	1.000 413	0.865 0.000 413	0.228 0.000 412	0.137 0.005 412	0.135 0.006 412
cds4als Agoraphobia: 6 mo. Impairment	0.169 0.001 412	-0.014 0.774 412	0.131 0.008 412	0.136 0.006 412	0.165 0.001 412	-0.021 0.666 412	0.056 0.260 412	0.865 0.000 413	1.000 413	0.269 0.000 412	0.163 0.001 412	0.142 0.004 412
cds4jds Avoidant Disorder: 6 mo. Diagnosis	0.053 0.282 411	-0.034 0.486 411	0.110 0.026 411	0.220 0.000 411	0.089 0.071 411	0.052 0.288 411	0.147 0.003 411	0.228 0.000 412	0.269 0.000 412	1.000 412	0.798 0.000 412	0.001 0.983 411
cds4jls Avoidant Disorder: 6 mo. Impairment	0.081 0.102 411	-0.028 0.578 411	0.118 0.017 411	0.209 0.000 411	0.109 0.027 411	0.087 0.077 411	0.169 0.001 411	0.137 0.005 412	0.163 0.001 412	0.798 0.000 412	1.000 412	0.039 0.435 411
cds4ccm Conduct Disorder: 6 mo. Criterion Count	0.431 0.000 412	0.132 0.007 412	0.396 0.000 412	0.047 0.346 412	0.454 0.000 412	0.293 0.000 412	0.302 0.000 412	0.135 0.006 412	0.142 0.004 412	0.001 0.983 411	0.039 0.435 411	1.000 412
cds4ccy Conduct Disorder: Year Criterion Count	0.477 0.000 412	0.145 0.003 412	0.431 0.000 412	0.046 0.347 412	0.499 0.000 412	0.331 0.000 412	0.335 0.000 412	0.146 0.003 412	0.132 0.007 412	-0.009 0.858 411	0.029 0.556 411	0.975 0.000 412
cds4cdy Conduct Disorder: Year diagnosis	0.375 0.000 412	0.035 0.474 412	0.351 0.000 412	0.081 0.101 412	0.399 0.000 412	0.242 0.000 412	0.237 0.000 412	0.096 0.051 412	0.117 0.017 412	0.012 0.801 411	0.035 0.476 411	0.814 0.000 412
cds4dcs Dysthymia: 6 mo. Criterion Count	0.413 0.000 411	0.107 0.030 411	0.414 0.000 411	0.165 0.001 411	0.454 0.000 411	0.232 0.000 411	0.314 0.000 411	0.176 0.000 412	0.147 0.003 412	0.107 0.030 412	0.129 0.009 412	0.333 0.000 411
cds4dds Dysthymia: 6 mo. Diagnosis	0.047 0.344 411	-0.014 0.774 411	0.039 0.426 411	-0.017 0.736 411	0.047 0.338 411	0.101 0.042 411	0.056 0.261 411	-0.008 0.864 412	-0.007 0.882 412	-0.018 0.719 412	-0.014 0.774 412	0.015 0.756 411

Pearson Correlation Coefficients
Prob > |r| under H0: Rho=0
Number of Observations

	cds4hcs	cds4hds	cds4ics	cds4ids	cds4zcs	cds4zds	cds4yds	cds4ads	cds4als	cds4jds	cds4jls	cds4ccm
cds4dls Dysthymia: 6 mo. Impairment	0.083 0.091 411	-0.012 0.815 411	0.074 0.135 411	-0.014 0.783 411	0.086 0.080 411	0.132 0.008 411	0.081 0.101 411	-0.007 0.889 412	-0.006 0.904 412	-0.014 0.769 412	-0.012 0.815 412	0.002 0.965 411
cds4ecs Eating Disorder: 6 mo. Criterion Count	0.245 0.000 411	0.072 0.146 411	0.111 0.025 411	0.003 0.948 411	0.197 0.000 411	0.059 0.236 411	0.079 0.108 411	0.213 0.000 412	0.254 0.000 412	-0.004 0.930 412	-0.002 0.967 412	0.264 0.000 411
cds4eds Eating Disorder: 6 mo. Diagnosis	. .br/>411	. .br/>411	. .br/>411	. .br/>411	. .br/>411	. .br/>411	. .br/>411	. .br/>412	. .br/>412	. .br/>412	. .br/>412	. .br/>411
cds4gcs GA: 6 mo. Criterion Count	0.287 0.000 411	0.028 0.566 411	0.269 0.000 411	0.153 0.002 411	0.305 0.000 411	0.137 0.005 411	0.200 0.000 411	0.327 0.000 412	0.375 0.000 412	0.215 0.000 412	0.236 0.000 412	0.283 0.000 411
cds4gds GA: 6 mo. Diagnosis	0.240 0.000 411	0.106 0.032 411	0.185 0.000 411	-0.024 0.632 411	0.234 0.000 411	0.229 0.000 411	0.203 0.000 411	0.195 0.000 412	0.228 0.000 412	0.280 0.000 412	0.357 0.000 412	0.184 0.000 411
cds4gls GA: 6 mo. Impairment	0.219 0.000 411	0.119 0.016 411	0.139 0.005 411	-0.022 0.662 411	0.197 0.000 411	0.162 0.001 411	0.162 0.001 411	0.215 0.000 412	0.251 0.000 412	0.311 0.000 412	0.394 0.000 412	0.191 0.000 411
cds4nds Hypomania: 6 mo. Diagnosis	0.002 0.969 411	-0.012 0.815 411	-0.038 0.447 411	-0.014 0.783 411	-0.019 0.696 411	-0.017 0.725 411	-0.026 0.599 411	-0.007 0.889 412	-0.006 0.904 412	0.161 0.001 412	0.205 0.000 412	0.064 0.194 411
cds4rcs Major Depression: 6 mo. Criterion Count	0.348 0.000 411	0.099 0.045 411	0.302 0.000 411	0.129 0.009 411	0.357 0.000 411	0.211 0.000 411	0.274 0.000 411	0.084 0.088 412	0.080 0.105 412	0.099 0.044 412	0.129 0.009 412	0.435 0.000 411
cds4rds Major Depression: 6 mo. Diagnosis	0.047 0.344 411	0.163 0.001 411	0.074 0.137 411	0.136 0.006 411	0.066 0.183 411	-0.021 0.666 411	0.143 0.004 411	-0.008 0.864 412	-0.007 0.882 412	0.126 0.011 412	0.163 0.001 412	0.244 0.000 411
cds4rls Major Depression: 6 mo. Impairment	0.083 0.091 411	0.205 0.000 411	0.116 0.019 411	0.173 0.000 411	0.109 0.027 411	-0.017 0.725 411	0.188 0.000 411	-0.007 0.889 412	-0.006 0.904 412	0.161 0.001 412	0.205 0.000 412	0.281 0.000 411
cds4drs Maj.Dep/Dys.: Nonoverlapping 6 mo. CC	0.429 0.000 411	0.145 0.003 411	0.396 0.000 411	0.168 0.001 411	0.453 0.000 411	0.220 0.000 411	0.326 0.000 411	0.144 0.003 412	0.120 0.014 412	0.099 0.044 412	0.127 0.010 412	0.385 0.000 411
cds4mds Mania: 6 mo. Diagnosis	. .br/>411	. .br/>411	. .br/>411	. .br/>411	. .br/>411	. .br/>411	. .br/>411	. .br/>412	. .br/>412	. .br/>412	. .br/>412	. .br/>411
cds4mns Mania/Hyp: 6 mo. Criterion Count	0.044 0.373 411	0.052 0.291 411	-0.009 0.863 411	-0.027 0.582 411	0.020 0.688 411	-0.035 0.481 411	-0.015 0.764 411	-0.014 0.779 412	-0.012 0.809 412	0.093 0.059 412	0.128 0.009 412	0.072 0.146 411
cds4qds Nocturnal Enuresis: 6 mo. Diagnosis	0.067 0.177 411	-0.049 0.322 411	0.065 0.186 411	0.010 0.847 411	0.073 0.142 411	0.034 0.496 411	0.005 0.913 411	-0.029 0.554 412	-0.025 0.609 412	0.033 0.498 412	0.068 0.169 412	0.001 0.986 411
cds4qls Nocturnal Enuresis: 6 mo. Impairment	. .br/>411	. .br/>411	. .br/>411	. .br/>411	. .br/>411	. .br/>411	. .br/>411	. .br/>412	. .br/>412	. .br/>412	. .br/>412	. .br/>411
cds4bcs Obsessive Compulsive: 6 mo. Criterion Count	0.055 0.267 411	-0.030 0.541 411	0.076 0.126 411	0.001 0.992 411	0.072 0.148 411	0.041 0.407 411	0.015 0.765 411	0.120 0.015 412	0.143 0.004 412	0.030 0.543 412	0.054 0.278 412	0.141 0.004 411
cds4bds Obsessive Compulsive: 6 mo. Diagnosis	-0.020 0.688 411	-0.014 0.774 411	0.028 0.572 411	-0.017 0.736 411	0.004 0.934 411	-0.021 0.666 411	-0.032 0.519 411	-0.008 0.864 412	-0.007 0.882 412	-0.018 0.719 412	-0.014 0.774 412	-0.010 0.840 411

Pearson Correlation Coefficients
Prob > |r| under H0: Rho=0
Number of Observations

	cds4hcs	cds4hds	cds4ics	cds4ids	cds4zcs	cds4zds	cds4yds	cds4ads	cds4als	cds4jds	cds4jls	cds4ccm
cds4ocs Oppositional Defiant Disorder: 6 mo. Criterion Count	0.572 0.000 412	0.162 0.001 412	0.427 0.000 412	0.002 0.965 412	0.549 0.000 412	0.372 0.000 412	0.348 0.000 412	0.230 0.000 412	0.225 0.000 412	-0.000 0.995 411	0.008 0.875 411	0.569 0.000 412
cds4ods Oppositional Defiant Disorder: 6 mo. Diagnosis	0.516 0.000 412	0.181 0.000 412	0.322 0.000 412	-0.055 0.261 412	0.462 0.000 412	0.361 0.000 412	0.317 0.000 412	0.159 0.001 412	0.192 0.000 412	-0.013 0.792 411	0.010 0.844 411	0.471 0.000 412
cds4ods2 OD, No conduct Disorder: 6 mo. Diagnosis	0.371 0.000 412	0.179 0.000 412	0.208 0.000 412	-0.043 0.387 412	0.319 0.000 412	0.242 0.000 412	0.237 0.000 412	0.096 0.051 412	0.117 0.017 412	0.012 0.801 411	0.035 0.476 411	0.053 0.280 412
cds4kds Other Elimination Disorder: 6 mo. Diagnosis	0.003 0.944 409	-0.018 0.709 409	0.079 0.110 409	-0.021 0.673 409	0.045 0.367 409	0.067 0.177 409	0.027 0.580 409	-0.010 0.847 410	-0.008 0.875 410	-0.022 0.651 410	-0.018 0.710 410	-0.046 0.356 409
cds4kls Other Elimination Disorder: 6 mo. Impairment	0.012 0.802 410	-0.016 0.739 410	0.105 0.034 410	-0.019 0.696 410	0.064 0.197 410	0.081 0.102 410	0.039 0.433 410	-0.010 0.843 411	-0.009 0.864 411	-0.021 0.677 411	-0.016 0.740 411	-0.041 0.410 410
cds4wcs Overanxious Disorder: 6 mo. Criterion Count	0.307 0.000 411	0.091 0.064 411	0.311 0.000 411	0.132 0.008 411	0.339 0.000 411	0.120 0.015 411	0.207 0.000 411	0.207 0.000 412	0.186 0.000 412	0.159 0.001 412	0.208 0.000 412	0.242 0.000 411
cds4wds Overanxious Disorder: 6 mo. Diagnosis	0.151 0.002 411	0.066 0.182 411	0.184 0.000 411	0.048 0.330 411	0.184 0.000 411	0.152 0.002 411	0.169 0.001 411	0.137 0.005 412	0.163 0.001 412	0.193 0.000 412	0.253 0.000 412	0.092 0.062 411
cds4wls Overanxious Disorder: 6 mo. Impairment	0.093 0.060 411	-0.023 0.637 411	0.177 0.000 411	0.066 0.178 411	0.148 0.003 411	0.115 0.020 411	0.109 0.027 411	0.165 0.001 412	0.195 0.000 412	0.236 0.000 412	0.304 0.000 412	0.051 0.300 411
cds4pcs Panic Disorder: 6 mo. Criterion Count	0.061 0.218 412	0.097 0.050 412	0.024 0.621 412	0.110 0.025 412	0.047 0.341 412	-0.025 0.613 412	0.093 0.059 412	-0.010 0.841 413	-0.009 0.862 413	0.102 0.039 412	-0.017 0.737 412	-0.001 0.987 412
cds4pds Panic Disorder: 6 mo. Diagnosis	. .br/>412	. .br/>412	. .br/>412	. .br/>412	. .br/>412	. .br/>412	. .br/>412	. .br/>413	. .br/>413	. .br/>412	. .br/>412	. .br/>412
cds4pls Panic Disorder: 6 mo. Impairment	. .br/>412	. .br/>412	. .br/>412	. .br/>412	. .br/>412	. .br/>412	. .br/>412	. .br/>413	. .br/>413	. .br/>412	. .br/>412	. .br/>412
cds4xcs SA Disorder: 6 mo. Criterion Count	0.299 0.000 411	0.034 0.493 411	0.234 0.000 411	0.060 0.224 411	0.293 0.000 411	0.135 0.006 411	0.148 0.003 411	0.248 0.000 412	0.201 0.000 412	0.153 0.002 412	0.111 0.025 412	0.266 0.000 411
cds4xds SA Disorder: 6 mo. Diagnosis	0.262 0.000 410	0.032 0.512 410	0.120 0.015 410	0.016 0.744 410	0.211 0.000 410	0.088 0.074 410	0.089 0.073 410	0.208 0.000 411	0.246 0.000 411	0.123 0.012 411	0.103 0.038 411	0.242 0.000 410
cds4xls SA Disorder: 6 mo. Impairment	0.157 0.001 410	0.052 0.294 410	0.115 0.019 410	0.035 0.481 410	0.150 0.002 410	0.068 0.172 410	0.094 0.057 410	0.255 0.000 411	0.299 0.000 411	0.163 0.001 411	0.135 0.006 411	0.212 0.000 410
cds4scs Simple Phobia: 6 mo. Criterion Count	0.138 0.005 412	0.058 0.237 412	0.083 0.091 412	0.036 0.471 412	0.122 0.013 412	0.032 0.522 412	0.072 0.145 412	0.206 0.000 413	0.231 0.000 413	0.043 0.383 412	0.034 0.486 412	0.031 0.530 412
cds4sds Simple Phobia: 6 mo. Diagnosis	0.108 0.028 412	0.126 0.011 412	0.025 0.606 412	-0.019 0.702 412	0.074 0.134 412	-0.030 0.547 412	0.030 0.547 412	0.153 0.002 413	0.189 0.000 413	0.004 0.941 412	0.005 0.915 412	0.066 0.179 412
cds4sls Simple Phobia: 6 mo. Impairment	0.146 0.003 412	0.072 0.146 412	0.110 0.025 412	-0.031 0.535 412	0.141 0.004 412	0.163 0.001 412	0.135 0.006 412	0.145 0.003 413	0.172 0.000 413	0.047 0.346 412	0.072 0.146 412	0.159 0.001 412

Pearson Correlation Coefficients												
Prob > r under H0: Rho=0												
Number of Observations												
	cds4hcs	cds4hds	cds4ics	cds4ids	cds4zcs	cds4zds	cds4yds	cds4ads	cds4als	cds4jds	cds4jls	cds4ccm
cds4lcs Social Phobia: 6 mo. Criterion Count	0.129 0.009 412	0.052 0.289 412	0.234 0.000 412	0.129 0.009 412	0.199 0.000 412	0.135 0.006 412	0.196 0.000 412	0.206 0.000 413	0.253 0.000 413	0.444 0.000 412	0.459 0.000 412	0.209 0.000 412
cds4lds Social Phobia: 6 mo. Diagnosis	0.141 0.004 412	0.138 0.005 412	0.184 0.000 412	0.101 0.041 412	0.179 0.000 412	0.082 0.097 412	0.184 0.000 412	0.126 0.010 413	0.155 0.002 413	0.288 0.000 412	0.387 0.000 412	0.172 0.000 412
cds4lls Social Phobia: 6 mo. Impairment	0.172 0.000 412	0.173 0.000 412	0.211 0.000 412	0.134 0.007 412	0.210 0.000 412	0.079 0.108 412	0.219 0.000 412	0.153 0.002 413	0.185 0.000 413	0.343 0.000 412	0.450 0.000 412	0.188 0.000 412
cds4ucs Substance Abuse: 6 mo. Criterion Count	0.116 0.018 411	-0.008 0.869 411	-0.017 0.735 411	-0.010 0.846 411	0.056 0.260 411	-0.012 0.804 411	-0.018 0.710 411	-0.005 0.921 412	-0.004 0.932 412	-0.010 0.836 412	-0.008 0.869 412	0.199 0.000 411
cds4uds Substance Abuse: 6 mo. Diagnosis	. .br/>411	. .br/>411	. .br/>411	. .br/>411	. .br/>411	. .br/>411	. .br/>411	. .br/>412	. .br/>412	. .br/>412	. .br/>412	. .br/>411
cds4vcs Tic Disorder: 6 mo. Criterion Count	0.274 0.000 411	0.058 0.241 411	0.242 0.000 411	0.038 0.446 411	0.283 0.000 411	0.342 0.000 411	0.295 0.000 411	0.056 0.253 412	-0.020 0.685 412	-0.009 0.850 412	0.010 0.845 412	0.104 0.034 411
cds4vds Tic Disorder: 6 mo. Diagnosis	0.252 0.000 411	0.048 0.330 411	0.162 0.001 411	0.031 0.527 411	0.228 0.000 411	0.284 0.000 411	0.245 0.000 411	0.113 0.022 412	-0.017 0.736 412	0.025 0.615 412	0.048 0.329 412	0.115 0.019 411
cds4vls Tic Disorder: 6 mo. Impairment	0.202 0.000 411	0.086 0.082 411	0.114 0.021 411	0.066 0.178 411	0.174 0.000 411	0.190 0.000 411	0.217 0.000 411	0.165 0.001 412	-0.012 0.807 412	0.059 0.230 412	0.086 0.082 412	0.083 0.095 411

Pearson Correlation Coefficients												
Prob > r under H0: Rho=0												
Number of Observations												
	cds4ccy	cds4cdy	cds4dcs	cds4dds	cds4dls	cds4ecs	cds4eds	cds4gcs	cds4gds	cds4gls	cds4nds	cds4rcs
cds4hcs ADHD-H: 6 mo. Criterion Count	0.477 0.000 412	0.375 0.000 412	0.413 0.000 411	0.047 0.344 411	0.083 0.091 411	0.245 0.000 411	. .br/>411	0.287 0.000 411	0.240 0.000 411	0.219 0.000 411	0.002 0.969 411	0.348 0.000 411
cds4hds ADHD-H: 6 mo. Diagnosis	0.145 0.003 412	0.035 0.474 412	0.107 0.030 411	-0.014 0.774 411	-0.012 0.815 411	0.072 0.146 411	. .br/>411	0.028 0.566 411	0.106 0.032 411	0.119 0.016 411	-0.012 0.815 411	0.099 0.045 411
cds4ics ADHD-I: 6 mo. Criterion Count	0.431 0.000 412	0.351 0.000 412	0.414 0.000 411	0.039 0.426 411	0.074 0.135 411	0.111 0.025 411	. .br/>411	0.269 0.000 411	0.185 0.000 411	0.139 0.005 411	-0.038 0.447 411	0.302 0.000 411
cds4ids ADHD-I: 6 mo. Diagnosis	0.046 0.347 412	0.081 0.101 412	0.165 0.001 411	-0.017 0.736 411	-0.014 0.783 411	0.003 0.948 411	. .br/>411	0.153 0.002 411	-0.024 0.632 411	-0.022 0.662 411	-0.014 0.783 411	0.129 0.009 411
cds4zcs ADHD-Combined: 6 mo. Criterion Count	0.499 0.000 412	0.399 0.000 412	0.454 0.000 411	0.047 0.338 411	0.086 0.080 411	0.197 0.000 411	. .br/>411	0.305 0.000 411	0.234 0.000 411	0.197 0.000 411	-0.019 0.696 411	0.357 0.000 411
cds4zds ADHD-Combined: 6 mo. Diagnosis	0.331 0.000 412	0.242 0.000 412	0.232 0.000 411	0.101 0.042 411	0.132 0.008 411	0.059 0.236 411	. .br/>411	0.137 0.005 411	0.229 0.000 411	0.162 0.001 411	-0.017 0.725 411	0.211 0.000 411
cds4yds ADHD-Any: 6 mo. Diagnosis	0.335 0.000 412	0.237 0.000 412	0.314 0.000 411	0.056 0.261 411	0.081 0.101 411	0.079 0.108 411	. .br/>411	0.200 0.000 411	0.203 0.000 411	0.162 0.001 411	-0.026 0.599 411	0.274 0.000 411

Pearson Correlation Coefficients
Prob > |r| under H0: Rho=0
Number of Observations

	cds4ccy	cds4cdy	cds4dcs	cds4dds	cds4dls	cds4ecs	cds4eds	cds4gcs	cds4gds	cds4gls	cds4nds	cds4rcs
cds4ads Agoraphobia: 6 mo. Diagnosis	0.146 0.003 412	0.096 0.051 412	0.176 0.000 412	-0.008 0.864 412	-0.007 0.889 412	0.213 0.000 412	. . 412	0.327 0.000 412	0.195 0.000 412	0.215 0.000 412	-0.007 0.889 412	0.084 0.088 412
cds4als Agoraphobia: 6 mo. Impairment	0.132 0.007 412	0.117 0.017 412	0.147 0.003 412	-0.007 0.882 412	-0.006 0.904 412	0.254 0.000 412	. . 412	0.375 0.000 412	0.228 0.000 412	0.251 0.000 412	-0.006 0.904 412	0.080 0.105 412
cds4jds Avoidant Disorder: 6 mo. Diagnosis	-0.009 0.858 411	0.012 0.801 411	0.107 0.030 412	-0.018 0.719 412	-0.014 0.769 412	-0.004 0.930 412	. . 412	0.215 0.000 412	0.280 0.000 412	0.311 0.000 412	0.161 0.001 412	0.099 0.044 412
cds4jls Avoidant Disorder: 6 mo. Impairment	0.029 0.556 411	0.035 0.476 411	0.129 0.009 412	-0.014 0.774 412	-0.012 0.815 412	-0.002 0.967 412	. . 412	0.236 0.000 412	0.357 0.000 412	0.394 0.000 412	0.205 0.000 412	0.129 0.009 412
cds4ccm Conduct Disorder: 6 mo. Criterion Count	0.975 0.000 412	0.814 0.000 412	0.333 0.000 411	0.015 0.756 411	0.002 0.965 411	0.264 0.000 411	. . 411	0.283 0.000 411	0.184 0.000 411	0.191 0.000 411	0.064 0.194 411	0.435 0.000 411
cds4ccy Conduct Disorder: Year Criterion Count	1.000 . 412	0.799 0.000 412	0.358 0.000 411	0.035 0.480 411	0.028 0.565 411	0.286 0.000 411	. . 411	0.292 0.000 411	0.205 0.000 411	0.215 0.000 411	0.088 0.075 411	0.461 0.000 411
cds4cdy Conduct Disorder: Year diagnosis	0.799 0.000 412	1.000 . 412	0.288 0.000 411	-0.019 0.703 411	-0.015 0.756 411	0.292 0.000 411	. . 411	0.308 0.000 411	0.166 0.001 411	0.187 0.000 411	-0.015 0.756 411	0.411 0.000 411
cds4dcs Dysthymia: 6 mo. Criterion Count	0.358 0.000 411	0.288 0.000 411	1.000 . 412	0.208 0.000 412	0.162 0.001 412	0.309 0.000 412	. . 412	0.380 0.000 412	0.252 0.000 412	0.248 0.000 412	0.111 0.024 412	0.580 0.000 412
cds4dds Dysthymia: 6 mo. Diagnosis	0.035 0.480 411	-0.019 0.703 411	0.208 0.000 412	1.000 . 412	0.816 0.000 412	0.020 0.682 412	. . 412	0.086 0.081 412	-0.010 0.833 412	-0.009 0.848 412	-0.006 0.904 412	0.195 0.000 412
cds4dls Dysthymia: 6 mo. Impairment	0.028 0.565 411	-0.015 0.756 411	0.162 0.001 412	0.816 0.000 412	1.000 . 412	-0.022 0.661 412	. . 412	0.103 0.036 412	-0.008 0.864 412	-0.008 0.876 412	-0.005 0.921 412	0.006 0.895 412
cds4ecs Eating Disorder: 6 mo. Criterion Count	0.286 0.000 411	0.292 0.000 411	0.309 0.000 412	0.020 0.682 412	-0.022 0.661 412	1.000 . 412	. . 412	0.330 0.000 412	0.029 0.561 412	0.038 0.438 412	-0.022 0.661 412	0.322 0.000 412
cds4eds Eating Disorder: 6 mo. Diagnosis	. . 411	. . 411	. . 412	. . 412	. . 412	. . 412	. . 412	. . 412	. . 412	. . 412	. . 412	. . 412
cds4gcs GA: 6 mo. Criterion Count	0.292 0.000 411	0.308 0.000 411	0.380 0.000 412	0.086 0.081 412	0.103 0.036 412	0.330 0.000 412	. . 412	1.000 0.000 412	0.524 0.000 412	0.500 0.000 412	-0.024 0.628 412	0.446 0.000 412
cds4gds GA: 6 mo. Diagnosis	0.205 0.000 411	0.166 0.001 411	0.252 0.000 412	-0.010 0.833 412	-0.008 0.864 412	0.029 0.561 412	. . 412	0.524 0.000 412	1.000 0.000 412	0.912 0.000 412	-0.008 0.864 412	0.338 0.000 412
cds4gls GA: 6 mo. Impairment	0.215 0.000 411	0.187 0.000 411	0.248 0.000 412	-0.009 0.848 412	-0.008 0.876 412	0.038 0.438 412	. . 412	0.500 0.000 412	0.912 0.000 412	1.000 0.000 412	-0.008 0.876 412	0.312 0.000 412
cds4nds Hypomania: 6 mo. Diagnosis	0.088 0.075 411	-0.015 0.756 411	0.111 0.024 412	-0.006 0.904 412	-0.005 0.921 412	-0.022 0.661 412	. . 412	-0.024 0.628 412	-0.008 0.864 412	-0.008 0.876 412	1.000 . 412	0.006 0.895 412
cds4rcs Major Depression: 6 mo. Criterion Count	0.461 0.000 411	0.411 0.000 411	0.580 0.000 412	0.195 0.000 412	0.006 0.895 412	0.322 0.000 412	. . 412	0.446 0.000 412	0.338 0.000 412	0.312 0.000 412	0.006 0.895 412	1.000 . 412

Pearson Correlation Coefficients
Prob > |r| under H0: Rho=0
Number of Observations

	cds4ccy	cds4cdy	cds4dcs	cds4dds	cds4dls	cds4ecs	cds4eds	cds4gcs	cds4gds	cds4gls	cds4nds	cds4rcs
cds4rds Major Depression: 6 mo. Diagnosis	0.229 0.000 411	0.253 0.000 411	0.249 0.000 412	0.328 0.000 412	-0.006 0.904 412	0.067 0.174 412	.	0.248 0.000 412	0.228 0.000 412	0.251 0.000 412	-0.006 0.904 412	0.569 0.000 412
cds4rls Major Depression: 6 mo. Impairment	0.266 0.000 411	0.318 0.000 411	0.212 0.000 412	-0.006 0.904 412	-0.005 0.921 412	0.036 0.471 412	.	0.301 0.000 412	0.283 0.000 412	0.311 0.000 412	-0.005 0.921 412	0.464 0.000 412
cds4drs Maj.Dep/Dys.: Nonoverlapping 6 mo. CC	0.416 0.000 411	0.326 0.000 411	0.967 0.000 412	0.209 0.000 412	0.134 0.006 412	0.340 0.000 412	.	0.411 0.000 412	0.272 0.000 412	0.275 0.000 412	0.113 0.022 412	0.712 0.000 412
cds4mds Mania: 6 mo. Diagnosis
cds4mns Mania/Hyp: 6 mo. Criterion Count	0.098 0.046 411	0.027 0.583 411	0.146 0.003 412	-0.012 0.809 412	-0.010 0.843 412	-0.013 0.785 412	.	-0.026 0.602 412	-0.017 0.731 412	-0.015 0.754 412	0.690 0.000 412	0.114 0.021 412
cds4qds Nocturnal Enuresis: 6 mo. Diagnosis	0.019 0.703 411	0.025 0.617 411	0.148 0.003 412	0.122 0.013 412	-0.021 0.677 412	0.094 0.058 412	.	0.069 0.162 412	0.017 0.738 412	0.025 0.618 412	0.160 0.001 412	0.201 0.000 412
cds4qls Nocturnal Enuresis: 6 mo. Impairment
cds4bcs Obsessive Compulsive: 6 mo. Criterion Count	0.166 0.001 411	0.153 0.002 411	0.123 0.012 412	-0.016 0.752 412	-0.013 0.797 412	0.209 0.000 412	.	0.252 0.000 412	0.147 0.003 412	0.165 0.001 412	-0.013 0.797 412	0.184 0.000 412
cds4bds Obsessive Compulsive: 6 mo. Diagnosis	0.011 0.830 411	-0.019 0.703 411	0.003 0.949 412	-0.007 0.882 412	-0.006 0.904 412	-0.027 0.590 412	.	-0.006 0.899 412	-0.010 0.833 412	-0.009 0.848 412	-0.006 0.904 412	-0.006 0.897 412
cds4ocs Oppositional Defiant Disorder: 6 mo. Criterion Count	0.597 0.000 412	0.535 0.000 412	0.354 0.000 411	0.121 0.014 411	0.162 0.001 411	0.303 0.000 411	.	0.435 0.000 411	0.319 0.000 411	0.278 0.000 411	0.015 0.765 411	0.363 0.000 411
cds4ods Oppositional Defiant Disorder: 6 mo. Diagnosis	0.500 0.000 412	0.464 0.000 412	0.286 0.000 411	0.192 0.000 411	0.245 0.000 411	0.258 0.000 411	.	0.367 0.000 411	0.273 0.000 411	0.220 0.000 411	-0.020 0.686 411	0.272 0.000 411
cds4ods2 OD, No conduct Disorder: 6 mo. Diagnosis	0.090 0.068 412	-0.048 0.328 412	0.163 0.001 411	0.253 0.000 411	0.318 0.000 411	0.064 0.192 411	.	0.229 0.000 411	0.166 0.001 411	0.081 0.100 411	-0.015 0.756 411	0.061 0.217 411
cds4kds Other Elimination Disorder: 6 mo. Diagnosis	-0.030 0.541 409	-0.025 0.620 409	-0.054 0.276 410	-0.010 0.847 410	-0.008 0.875 410	0.002 0.971 410	.	-0.038 0.448 410	-0.014 0.785 410	-0.012 0.803 410	-0.008 0.875 410	-0.023 0.640 410
cds4kls Other Elimination Disorder: 6 mo. Impairment	-0.023 0.646 410	-0.022 0.659 410	-0.038 0.446 411	-0.009 0.864 411	-0.007 0.889 411	0.010 0.843 411	.	-0.034 0.493 411	-0.012 0.807 411	-0.011 0.824 411	-0.007 0.889 411	-0.016 0.749 411
cds4wcs Overanxious Disorder: 6 mo. Criterion Count	0.267 0.000 411	0.215 0.000 411	0.492 0.000 412	-0.011 0.821 412	0.011 0.825 412	0.254 0.000 412	.	0.537 0.000 412	0.368 0.000 412	0.361 0.000 412	0.011 0.825 412	0.349 0.000 412
cds4wds Overanxious Disorder: 6 mo. Diagnosis	0.132 0.008 411	0.107 0.030 411	0.259 0.000 412	-0.014 0.774 412	-0.012 0.815 412	0.195 0.000 412	.	0.345 0.000 412	0.483 0.000 412	0.532 0.000 412	-0.012 0.815 412	0.160 0.001 412
cds4wls Overanxious Disorder: 6 mo. Impairment	0.072 0.143 411	0.053 0.285 411	0.212 0.000 412	-0.012 0.807 412	-0.010 0.842 412	0.129 0.009 412	.	0.365 0.000 412	0.570 0.000 412	0.627 0.000 412	-0.010 0.842 412	0.155 0.002 412

Pearson Correlation Coefficients
Prob > |r| under H0: Rho=0
Number of Observations

	cds4ccy	cds4cdy	cds4dcs	cds4dds	cds4dls	cds4ecs	cds4eds	cds4gcs	cds4gds	cds4gls	cds4nds	cds4rcs
cds4pcs Panic Disorder: 6 mo. Criterion Count	0.018 0.719 412	-0.022 0.655 412	0.002 0.975 412	-0.009 0.862 412	-0.007 0.887 412	0.049 0.325 412	.	0.025 0.618 412	-0.012 0.805 412	-0.011 0.822 412	-0.007 0.887 412	0.072 0.144 412
cds4pds Panic Disorder: 6 mo. Diagnosis
cds4pls Panic Disorder: 6 mo. Impairment
cds4xcs SA Disorder: 6 mo. Criterion Count	0.277 0.000 411	0.265 0.000 411	0.340 0.000 412	0.056 0.261 412	0.075 0.129 412	0.272 0.000 412	.	0.433 0.000 412	0.182 0.000 412	0.203 0.000 412	0.008 0.867 412	0.353 0.000 412
cds4xds SA Disorder: 6 mo. Diagnosis	0.241 0.000 410	0.228 0.000 410	0.248 0.000 411	0.113 0.021 411	0.147 0.003 411	0.282 0.000 411	.	0.453 0.000 411	0.255 0.000 411	0.284 0.000 411	-0.016 0.749 411	0.319 0.000 411
cds4xls SA Disorder: 6 mo. Impairment	0.206 0.000 410	0.222 0.000 410	0.175 0.000 411	-0.016 0.745 411	-0.013 0.791 411	0.293 0.000 411	.	0.450 0.000 411	0.313 0.000 411	0.346 0.000 411	-0.013 0.791 411	0.330 0.000 411
cds4scs Simple Phobia: 6 mo. Criterion Count	0.037 0.451 412	0.005 0.919 412	0.122 0.013 412	0.085 0.084 412	0.070 0.159 412	0.072 0.143 412	.	0.156 0.001 412	0.137 0.005 412	0.084 0.088 412	0.001 0.988 412	-0.021 0.675 412
cds4sds Simple Phobia: 6 mo. Diagnosis	0.070 0.159 412	0.024 0.630 412	0.127 0.010 412	0.113 0.021 412	0.061 0.214 412	0.082 0.096 412	.	0.161 0.001 412	0.107 0.030 412	0.068 0.169 412	0.061 0.214 412	0.049 0.325 412
cds4sls Simple Phobia: 6 mo. Impairment	0.145 0.003 412	0.116 0.019 412	0.115 0.019 412	-0.014 0.785 412	-0.011 0.824 412	0.184 0.000 412	.	0.284 0.000 412	0.244 0.000 412	0.127 0.010 412	-0.011 0.824 412	0.174 0.000 412
cds4lcs Social Phobia: 6 mo. Criterion Count	0.221 0.000 412	0.238 0.000 412	0.244 0.000 412	0.008 0.865 412	0.029 0.559 412	0.172 0.000 412	.	0.392 0.000 412	0.273 0.000 412	0.310 0.000 412	0.029 0.559 412	0.210 0.000 412
cds4lds Social Phobia: 6 mo. Diagnosis	0.202 0.000 412	0.186 0.000 412	0.262 0.000 412	0.064 0.194 412	0.090 0.067 412	0.180 0.000 412	.	0.304 0.000 412	0.290 0.000 412	0.325 0.000 412	0.090 0.067 412	0.212 0.000 412
cds4lls Social Phobia: 6 mo. Impairment	0.227 0.000 412	0.191 0.000 412	0.249 0.000 412	0.080 0.105 412	0.108 0.028 412	0.099 0.045 412	.	0.300 0.000 412	0.337 0.000 412	0.376 0.000 412	0.108 0.028 412	0.212 0.000 412
cds4ucs Substance Abuse: 6 mo. Criterion Count	0.188 0.000 411	0.224 0.000 411	0.061 0.217 412	-0.004 0.932 412	-0.003 0.944 412	0.146 0.003 412	.	0.003 0.951 412	-0.006 0.903 412	-0.005 0.912 412	-0.003 0.944 412	0.079 0.109 412
cds4uds Substance Abuse: 6 mo. Diagnosis
cds4vcs Tic Disorder: 6 mo. Criterion Count	0.155 0.002 411	0.135 0.006 411	0.233 0.000 412	0.164 0.001 412	0.208 0.000 412	0.119 0.015 412	.	0.112 0.022 412	0.037 0.458 412	0.045 0.359 412	-0.016 0.741 412	0.156 0.002 412
cds4vds Tic Disorder: 6 mo. Diagnosis	0.157 0.001 411	0.143 0.004 411	0.249 0.000 412	0.136 0.006 412	0.173 0.000 412	0.216 0.000 412	.	0.096 0.052 412	-0.024 0.632 412	-0.022 0.663 412	-0.014 0.784 412	0.207 0.000 412
cds4vls Tic Disorder: 6 mo. Impairment	0.117 0.017 411	0.137 0.005 411	0.237 0.000 412	-0.012 0.807 412	-0.010 0.842 412	0.158 0.001 412	.	0.059 0.236 412	-0.017 0.729 412	-0.016 0.752 412	-0.010 0.842 412	0.226 0.000 412

Pearson Correlation Coefficients											
Prob > r under H0: Rho=0											
Number of Observations											
	cds4rds	cds4rls	cds4drs	cds4mds	cds4mns	cds4qds	cds4qls	cds4bcs	cds4bds	cds4ocs	cds4ods
cds4hcs ADHD-H: 6 mo. Criterion Count	0.047 0.344 411	0.083 0.091 411	0.429 0.000 411	.	0.044 0.373 411	0.067 0.177 411	.	0.055 0.267 411	-0.020 0.688 411	0.572 0.000 412	0.516 0.000 412
cds4hds ADHD-H: 6 mo. Diagnosis	0.163 0.001 411	0.205 0.000 411	0.145 0.003 411	.	0.052 0.291 411	-0.049 0.322 411	.	-0.030 0.541 411	-0.014 0.774 411	0.162 0.001 412	0.181 0.000 412
cds4ics ADHD-I: 6 mo. Criterion Count	0.074 0.137 411	0.116 0.019 411	0.396 0.000 411	.	-0.009 0.863 411	0.065 0.186 411	.	0.076 0.126 411	0.028 0.572 411	0.427 0.000 412	0.322 0.000 412
cds4ids ADHD-I: 6 mo. Diagnosis	0.136 0.006 411	0.173 0.000 411	0.168 0.001 411	.	-0.027 0.582 411	0.010 0.847 411	.	0.001 0.992 411	-0.017 0.736 411	0.002 0.965 412	-0.055 0.261 412
cds4zcs ADHD-Combined: 6 mo. Criterion Count	0.066 0.183 411	0.109 0.027 411	0.453 0.000 411	.	0.020 0.688 411	0.073 0.142 411	.	0.072 0.148 411	0.004 0.934 411	0.549 0.000 412	0.462 0.000 412
cds4zds ADHD-Combined: 6 mo. Diagnosis	-0.021 0.666 411	-0.017 0.725 411	0.220 0.000 411	.	-0.035 0.481 411	0.034 0.496 411	.	0.041 0.407 411	-0.021 0.666 411	0.372 0.000 412	0.361 0.000 412
cds4yds ADHD-Any: 6 mo. Diagnosis	0.143 0.004 411	0.188 0.000 411	0.326 0.000 411	.	-0.015 0.764 411	0.005 0.913 411	.	0.015 0.765 411	-0.032 0.519 411	0.348 0.000 412	0.317 0.000 412
cds4ads Agoraphobia: 6 mo. Diagnosis	-0.008 0.864 412	-0.007 0.889 412	0.144 0.003 412	.	-0.014 0.779 412	-0.029 0.554 412	.	0.120 0.015 412	-0.008 0.864 412	0.230 0.000 412	0.159 0.001 412
cds4als Agoraphobia: 6 mo. Impairment	-0.007 0.882 412	-0.006 0.904 412	0.120 0.014 412	.	-0.012 0.809 412	-0.025 0.609 412	.	0.143 0.004 412	-0.007 0.882 412	0.225 0.000 412	0.192 0.000 412
cds4jds Avoidant Disorder: 6 mo. Diagnosis	0.126 0.011 412	0.161 0.001 412	0.099 0.044 412	.	0.093 0.059 412	0.033 0.498 412	.	0.030 0.543 412	-0.018 0.719 412	-0.000 0.995 411	-0.013 0.792 411
cds4jls Avoidant Disorder: 6 mo. Impairment	0.163 0.001 412	0.205 0.000 412	0.127 0.010 412	.	0.128 0.009 412	0.068 0.169 412	.	0.054 0.278 412	-0.014 0.774 412	0.008 0.875 411	0.010 0.844 411
cds4ccm Conduct Disorder: 6 mo. Criterion Count	0.244 0.000 411	0.281 0.000 411	0.385 0.000 411	.	0.072 0.146 411	0.001 0.986 411	.	0.141 0.004 411	-0.010 0.840 411	0.569 0.000 412	0.471 0.000 412
cds4ccy Conduct Disorder: Year Criterion Count	0.229 0.000 411	0.266 0.000 411	0.416 0.000 411	.	0.098 0.046 411	0.019 0.703 411	.	0.166 0.001 411	0.011 0.830 411	0.597 0.000 412	0.500 0.000 412
cds4cdy Conduct Disorder: Year diagnosis	0.253 0.000 411	0.318 0.000 411	0.326 0.000 411	.	0.027 0.583 411	0.025 0.617 411	.	0.153 0.002 411	-0.019 0.703 411	0.535 0.000 412	0.464 0.000 412
cds4dcs Dysthymia: 6 mo. Criterion Count	0.249 0.000 412	0.212 0.000 412	0.967 0.000 412	.	0.146 0.003 412	0.148 0.003 412	.	0.123 0.012 412	0.003 0.949 412	0.354 0.000 411	0.286 0.000 411
cds4dds Dysthymia: 6 mo. Diagnosis	0.328 0.000 412	-0.006 0.904 412	0.209 0.000 412	.	-0.012 0.809 412	0.122 0.013 412	.	-0.016 0.752 412	-0.007 0.882 412	0.121 0.014 411	0.192 0.000 411
cds4dls Dysthymia: 6 mo. Impairment	-0.006 0.904 412	-0.005 0.921 412	0.134 0.006 412	.	-0.010 0.843 412	-0.021 0.677 412	.	-0.013 0.797 412	-0.006 0.904 412	0.162 0.001 411	0.245 0.000 411

Pearson Correlation Coefficients											
Prob > r under H0: Rho=0											
Number of Observations											
	cds4rds	cds4rls	cds4drs	cds4mds	cds4mns	cds4qds	cds4qls	cds4bcs	cds4bds	cds4ocs	cds4ods
cds4ecs Eating Disorder: 6 mo. Criterion Count	0.067 0.174 412	0.036 0.471 412	0.340 0.000 412	.	-0.013 0.785 412	0.094 0.058 412	.	0.209 0.000 412	-0.027 0.590 412	0.303 0.000 411	0.258 0.000 411
cds4eds Eating Disorder: 6 mo. Diagnosis
cds4gcs GA: 6 mo. Criterion Count	0.248 0.000 412	0.301 0.000 412	0.411 0.000 412	.	-0.026 0.602 412	0.069 0.162 412	.	0.252 0.000 412	-0.006 0.899 412	0.435 0.000 411	0.367 0.000 411
cds4gds GA: 6 mo. Diagnosis	0.228 0.000 412	0.283 0.000 412	0.272 0.000 412	.	-0.017 0.731 412	0.017 0.738 412	.	0.147 0.003 412	-0.010 0.833 412	0.319 0.000 411	0.273 0.000 411
cds4gls GA: 6 mo. Impairment	0.251 0.000 412	0.311 0.000 412	0.275 0.000 412	.	-0.015 0.754 412	0.025 0.618 412	.	0.165 0.001 412	-0.009 0.848 412	0.278 0.000 411	0.220 0.000 411
cds4nds Hypomania: 6 mo. Diagnosis	-0.006 0.904 412	-0.005 0.921 412	0.113 0.022 412	.	0.690 0.000 412	0.160 0.001 412	.	-0.013 0.797 412	-0.006 0.904 412	0.015 0.765 411	-0.020 0.686 411
cds4rcs Major Depression: 6 mo. Criterion Count	0.569 0.000 412	0.464 0.000 412	0.712 0.000 412	.	0.114 0.021 412	0.201 0.000 412	.	0.184 0.000 412	-0.006 0.897 412	0.363 0.000 411	0.272 0.000 411
cds4rds Major Depression: 6 mo. Diagnosis	1.000 0.816 412	0.816 0.000 412	0.369 0.000 412	.	-0.012 0.809 412	0.122 0.013 412	.	0.064 0.196 412	-0.007 0.882 412	0.104 0.035 411	0.084 0.090 411
cds4rls Major Depression: 6 mo. Impairment	0.816 0.000 412	1.000 0.000 412	0.330 0.000 412	.	-0.010 0.843 412	-0.021 0.677 412	.	0.084 0.087 412	-0.006 0.904 412	0.141 0.004 411	0.112 0.023 411
cds4drs Maj.Dep/Dys.: Nonoverlapping 6 mo. CC	0.369 0.000 412	0.330 0.000 412	1.000 0.000 412	.	0.142 0.004 412	0.148 0.003 412	.	0.143 0.004 412	-0.004 0.936 412	0.385 0.000 411	0.305 0.000 411
cds4mds Mania: 6 mo. Diagnosis
cds4mns Mania/Hyp: 6 mo. Criterion Count	-0.012 0.809 412	-0.010 0.843 412	0.142 0.004 412	.	1.000 0.000 412	0.179 0.000 412	.	-0.025 0.606 412	-0.012 0.809 412	0.026 0.601 411	0.006 0.902 411
cds4qds Nocturnal Enuresis: 6 mo. Diagnosis	0.122 0.013 412	-0.021 0.677 412	0.148 0.003 412	.	0.179 0.000 412	1.000 0.000 412	.	-0.019 0.703 412	-0.025 0.609 412	0.059 0.236 411	0.058 0.237 411
cds4qls Nocturnal Enuresis: 6 mo. Impairment
cds4bcs Obsessive Compulsive: 6 mo. Criterion Count	0.064 0.196 412	0.084 0.087 412	0.143 0.004 412	.	-0.025 0.606 412	-0.019 0.703 412	.	1.000 0.000 412	0.699 0.000 412	0.067 0.175 411	0.050 0.309 411
cds4bds Obsessive Compulsive: 6 mo. Diagnosis	-0.007 0.882 412	-0.006 0.904 412	-0.004 0.936 412	.	-0.012 0.809 412	-0.025 0.609 412	.	0.699 0.000 412	1.000 0.000 412	-0.034 0.497 411	-0.024 0.621 411
cds4ocs Oppositional Defiant Disorder: 6 mo. Criterion Count	0.104 0.035 411	0.141 0.004 411	0.385 0.000 411	.	0.026 0.601 411	0.059 0.236 411	.	0.067 0.175 411	-0.034 0.497 411	1.000 0.000 412	0.899 0.000 412

Pearson Correlation Coefficients											
Prob > r under H0: Rho=0											
Number of Observations											
	cds4rds	cds4rls	cds4drs	cds4mds	cds4mns	cds4qds	cds4qls	cds4bcs	cds4bds	cds4ocs	cds4ods
cds4ods Oppositional Defiant Disorder: 6 mo. Diagnosis	0.084 0.090 411	0.112 0.023 411	0.305 0.000 411	.	0.006 0.902 411	0.058 0.237 411	.	0.050 0.309 411	-0.024 0.621 411	0.899 0.000 412	1.000 0.000 412
cds4ods2 OD, No conduct Disorder: 6 mo. Diagnosis	-0.019 0.703 411	-0.015 0.756 411	0.160 0.001 411	.	-0.002 0.970 411	0.025 0.617 411	.	-0.040 0.416 411	-0.019 0.703 411	0.598 0.000 412	0.771 0.000 412
cds4kds Other Elimination Disorder: 6 mo. Diagnosis	-0.010 0.847 410	-0.008 0.875 410	-0.055 0.263 410	.	-0.016 0.753 410	0.082 0.098 410	.	-0.020 0.682 410	-0.010 0.847 410	-0.016 0.740 409	-0.032 0.521 409
cds4kls Other Elimination Disorder: 6 mo. Impairment	-0.009 0.864 411	-0.007 0.889 411	-0.040 0.413 411	.	-0.014 0.779 411	0.035 0.483 411	.	-0.018 0.715 411	-0.009 0.864 411	-0.009 0.860 410	-0.028 0.567 410
cds4wcs Overanxious Disorder: 6 mo. Criterion Count	0.112 0.023 412	0.161 0.001 412	0.493 0.000 412	.	0.017 0.736 412	0.030 0.543 412	.	0.186 0.000 412	0.038 0.442 412	0.358 0.000 411	0.244 0.000 411
cds4wds Overanxious Disorder: 6 mo. Diagnosis	-0.014 0.774 412	-0.012 0.815 412	0.248 0.000 412	.	-0.023 0.639 412	-0.010 0.841 412	.	0.095 0.053 412	-0.014 0.774 412	0.180 0.000 411	0.124 0.012 411
cds4wls Overanxious Disorder: 6 mo. Impairment	-0.012 0.807 412	-0.010 0.842 412	0.194 0.000 412	.	-0.020 0.691 412	0.004 0.936 412	.	0.121 0.014 412	-0.012 0.807 412	0.157 0.001 411	0.093 0.059 411
cds4pcs Panic Disorder: 6 mo. Criterion Count	-0.009 0.862 412	-0.007 0.887 412	0.026 0.604 412	.	0.009 0.858 412	0.049 0.321 412	.	-0.018 0.711 412	-0.009 0.862 412	0.041 0.401 412	0.041 0.412 412
cds4pds Panic Disorder: 6 mo. Diagnosis
cds4pls Panic Disorder: 6 mo. Impairment
cds4xcs SA Disorder: 6 mo. Criterion Count	0.092 0.063 412	0.119 0.015 412	0.377 0.000 412	.	-0.028 0.574 412	-0.003 0.954 412	.	0.225 0.000 412	0.001 0.982 412	0.228 0.000 411	0.142 0.004 411
cds4xds SA Disorder: 6 mo. Diagnosis	0.113 0.021 411	0.147 0.003 411	0.309 0.000 411	.	-0.030 0.538 411	-0.038 0.447 411	.	0.210 0.000 411	-0.019 0.695 411	0.212 0.000 410	0.154 0.002 410
cds4xls SA Disorder: 6 mo. Impairment	0.141 0.004 411	0.180 0.000 411	0.245 0.000 411	.	-0.025 0.609 411	-0.055 0.262 411	.	0.227 0.000 411	-0.016 0.745 411	0.167 0.001 410	0.102 0.039 410
cds4scs Simple Phobia: 6 mo. Criterion Count	-0.027 0.582 412	-0.068 0.168 412	0.096 0.053 412	.	0.012 0.804 412	0.017 0.735 412	.	0.027 0.582 412	0.018 0.719 412	0.186 0.000 412	0.197 0.000 412
cds4sds Simple Phobia: 6 mo. Diagnosis	0.037 0.451 412	-0.032 0.522 412	0.123 0.013 412	.	0.034 0.493 412	0.050 0.308 412	.	0.061 0.214 412	0.037 0.451 412	0.178 0.000 412	0.189 0.000 412
cds4sls Simple Phobia: 6 mo. Impairment	-0.014 0.785 412	-0.011 0.824 412	0.127 0.010 412	.	-0.022 0.655 412	-0.047 0.346 412	.	0.103 0.037 412	-0.014 0.785 412	0.252 0.000 412	0.254 0.000 412
cds4lcs Social Phobia: 6 mo. Criterion Count	0.149 0.002 412	0.201 0.000 412	0.247 0.000 412	.	-0.005 0.912 412	0.050 0.316 412	.	0.215 0.000 412	0.052 0.296 412	0.123 0.013 412	0.065 0.191 412

Pearson Correlation Coefficients											
Prob > r under H0: Rho=0											
Number of Observations											
	cds4rds	cds4rls	cds4drs	cds4mds	cds4mns	cds4qds	cds4qls	cds4bcs	cds4bds	cds4ocs	cds4ods
cds4lds Social Phobia: 6 mo. Diagnosis	0.158 0.001 412	0.205 0.000 412	0.274 0.000 412	.	0.072 0.147 412	0.084 0.088 412	.	0.159 0.001 412	0.064 0.194 412	0.154 0.002 412	0.110 0.026 412
cds4lls Social Phobia: 6 mo. Impairment	0.185 0.000 412	0.237 0.000 412	0.265 0.000 412	.	0.093 0.059 412	0.029 0.563 412	.	0.170 0.001 412	0.080 0.105 412	0.160 0.001 412	0.119 0.015 412
cds4ucs Substance Abuse: 6 mo. Criterion Count	-0.004 0.932 412	-0.003 0.944 412	0.080 0.107 412	.	-0.007 0.889 412	-0.015 0.768 412	.	0.128 0.009 412	-0.004 0.932 412	0.010 0.833 411	-0.014 0.776 411
cds4uds Substance Abuse: 6 mo. Diagnosis
cds4vcs Tic Disorder: 6 mo. Criterion Count	0.072 0.146 412	0.096 0.052 412	0.227 0.000 412	.	-0.033 0.508 412	0.012 0.813 412	.	0.196 0.000 412	0.164 0.001 412	0.196 0.000 411	0.111 0.025 411
cds4vds Tic Disorder: 6 mo. Diagnosis	0.136 0.006 412	0.173 0.000 412	0.257 0.000 412	.	-0.027 0.582 412	-0.024 0.630 412	.	0.145 0.003 412	0.136 0.006 412	0.166 0.001 411	0.092 0.063 411
cds4vls Tic Disorder: 6 mo. Impairment	0.195 0.000 412	0.243 0.000 412	0.260 0.000 412	.	-0.020 0.691 412	-0.042 0.401 412	.	0.072 0.143 412	-0.012 0.807 412	0.104 0.035 411	0.026 0.593 411

Pearson Correlation Coefficients												
Prob > r under H0: Rho=0												
Number of Observations												
	cds4ods2	cds4kds	cds4kls	cds4wcs	cds4wds	cds4wls	cds4pcs	cds4pds	cds4pls	cds4xcs	cds4xds	cds4xls
cds4hcs ADHD-H: 6 mo. Criterion Count	0.371 0.000 412	0.003 0.944 409	0.012 0.802 410	0.307 0.000 411	0.151 0.002 411	0.093 0.060 411	0.061 0.218 412	.	.	0.299 0.000 411	0.262 0.000 410	0.157 0.001 410
cds4hds ADHD-H: 6 mo. Diagnosis	0.179 0.000 412	-0.018 0.709 409	-0.016 0.739 410	0.091 0.064 411	0.066 0.182 411	-0.023 0.637 411	0.097 0.050 412	.	.	0.034 0.493 411	0.032 0.512 410	0.052 0.294 410
cds4ics ADHD-I: 6 mo. Criterion Count	0.208 0.000 412	0.079 0.110 409	0.105 0.034 410	0.311 0.000 411	0.184 0.000 411	0.177 0.000 411	0.024 0.621 412	.	.	0.234 0.000 411	0.120 0.015 410	0.115 0.019 410
cds4ids ADHD-I: 6 mo. Diagnosis	-0.043 0.387 412	-0.021 0.673 409	-0.019 0.696 410	0.132 0.008 411	0.048 0.330 411	0.066 0.178 411	0.110 0.025 412	.	.	0.060 0.224 411	0.016 0.744 410	0.035 0.481 410
cds4zcs ADHD-Combined: 6 mo. Criterion Count	0.319 0.000 412	0.045 0.367 409	0.064 0.197 410	0.339 0.000 411	0.184 0.000 411	0.148 0.003 411	0.047 0.341 412	.	.	0.293 0.000 411	0.211 0.000 410	0.150 0.002 410
cds4zds ADHD-Combined: 6 mo. Diagnosis	0.242 0.000 412	0.067 0.177 409	0.081 0.102 410	0.120 0.015 411	0.152 0.002 411	0.115 0.020 411	-0.025 0.613 412	.	.	0.135 0.006 411	0.088 0.074 410	0.068 0.172 410
cds4yds ADHD-Any: 6 mo. Diagnosis	0.237 0.000 412	0.027 0.580 409	0.039 0.433 410	0.207 0.000 411	0.169 0.001 411	0.109 0.027 411	0.093 0.059 412	.	.	0.148 0.003 411	0.089 0.073 410	0.094 0.057 410
cds4ads Agoraphobia: 6 mo. Diagnosis	0.096 0.051 412	-0.010 0.847 410	-0.010 0.843 411	0.207 0.000 412	0.137 0.005 412	0.165 0.001 412	-0.010 0.841 413	.	.	0.248 0.000 412	0.208 0.000 411	0.255 0.000 411

Pearson Correlation Coefficients												
Prob > r under H0: Rho=0												
Number of Observations												
	cds4ods2	cds4kds	cds4kls	cds4wcs	cds4wds	cds4wls	cds4pcs	cds4pds	cds4pls	cds4xcs	cds4xds	cds4xls
cds4als Agoraphobia: 6 mo. Impairment	0.117 0.017 412	-0.008 0.875 410	-0.009 0.864 411	0.186 0.000 412	0.163 0.001 412	0.195 0.000 412	-0.009 0.862 413	.	.	0.201 0.000 412	0.246 0.000 411	0.299 0.000 411
cds4jds Avoidant Disorder: 6 mo. Diagnosis	0.012 0.801 411	-0.022 0.651 410	-0.021 0.677 411	0.159 0.001 412	0.193 0.000 412	0.236 0.000 412	0.102 0.039 412	.	.	0.153 0.002 412	0.123 0.012 411	0.163 0.001 411
cds4jls Avoidant Disorder: 6 mo. Impairment	0.035 0.476 411	-0.018 0.710 410	-0.016 0.740 411	0.208 0.000 412	0.253 0.000 412	0.304 0.000 412	-0.017 0.737 412	.	.	0.111 0.025 412	0.103 0.038 411	0.135 0.006 411
cds4ccm Conduct Disorder: 6 mo. Criterion Count	0.053 0.280 412	-0.046 0.356 409	-0.041 0.410 410	0.242 0.000 411	0.092 0.062 411	0.051 0.300 411	-0.001 0.987 412	.	.	0.266 0.000 411	0.242 0.000 410	0.212 0.000 410
cds4ccy Conduct Disorder: Year Criterion Count	0.090 0.068 412	-0.030 0.541 409	-0.023 0.646 410	0.267 0.000 411	0.132 0.008 411	0.072 0.143 411	0.018 0.719 412	.	.	0.277 0.000 411	0.241 0.000 410	0.206 0.000 410
cds4cdy Conduct Disorder: Year diagnosis	-0.048 0.328 412	-0.025 0.620 409	-0.022 0.659 410	0.215 0.000 411	0.107 0.030 411	0.053 0.285 411	-0.022 0.655 412	.	.	0.265 0.000 411	0.228 0.000 410	0.222 0.000 410
cds4dcs Dysthymia: 6 mo. Criterion Count	0.163 0.001 411	-0.054 0.276 410	-0.038 0.446 411	0.492 0.000 412	0.259 0.000 412	0.212 0.000 412	0.002 0.975 412	.	.	0.340 0.000 412	0.248 0.000 411	0.175 0.000 411
cds4dds Dysthymia: 6 mo. Diagnosis	0.253 0.000 411	-0.010 0.847 410	-0.009 0.864 411	-0.011 0.821 412	-0.014 0.774 412	-0.012 0.807 412	-0.009 0.862 412	.	.	0.056 0.261 412	0.113 0.021 411	-0.016 0.745 411
cds4dls Dysthymia: 6 mo. Impairment	0.318 0.000 411	-0.008 0.875 410	-0.007 0.889 411	0.011 0.825 412	-0.012 0.815 412	-0.010 0.842 412	-0.007 0.887 412	.	.	0.075 0.129 412	0.147 0.003 411	-0.013 0.791 411
cds4ecs Eating Disorder: 6 mo. Criterion Count	0.064 0.192 411	0.002 0.971 410	0.010 0.843 411	0.254 0.000 412	0.195 0.000 412	0.129 0.009 412	0.049 0.325 412	.	.	0.272 0.000 412	0.282 0.000 411	0.293 0.000 411
cds4eds Eating Disorder: 6 mo. Diagnosis
cds4gcs GA: 6 mo. Criterion Count	0.229 0.000 411	-0.038 0.448 410	-0.034 0.493 411	0.537 0.000 412	0.345 0.000 412	0.365 0.000 412	0.025 0.618 412	.	.	0.433 0.000 412	0.453 0.000 411	0.450 0.000 411
cds4gds GA: 6 mo. Diagnosis	0.166 0.001 411	-0.014 0.785 410	-0.012 0.807 411	0.368 0.000 412	0.483 0.000 412	0.570 0.000 412	-0.012 0.805 412	.	.	0.182 0.000 412	0.255 0.000 411	0.313 0.000 411
cds4gls GA: 6 mo. Impairment	0.081 0.100 411	-0.012 0.803 410	-0.011 0.824 411	0.361 0.000 412	0.532 0.000 412	0.627 0.000 412	-0.011 0.822 412	.	.	0.203 0.000 412	0.284 0.000 411	0.346 0.000 411
cds4nds Hypomania: 6 mo. Diagnosis	-0.015 0.756 411	-0.008 0.875 410	-0.007 0.889 411	0.011 0.825 412	-0.012 0.815 412	-0.010 0.842 412	-0.007 0.887 412	.	.	0.008 0.867 412	-0.016 0.749 411	-0.013 0.791 411
cds4rcs Major Depression: 6 mo. Criterion Count	0.061 0.217 411	-0.023 0.640 410	-0.016 0.749 411	0.349 0.000 412	0.160 0.001 412	0.155 0.002 412	0.072 0.144 412	.	.	0.353 0.000 412	0.319 0.000 411	0.330 0.000 411
cds4rds Major Depression: 6 mo. Diagnosis	-0.019 0.703 411	-0.010 0.847 410	-0.009 0.864 411	0.112 0.023 412	-0.014 0.774 412	-0.012 0.807 412	-0.009 0.862 412	.	.	0.092 0.063 412	0.113 0.021 411	0.141 0.004 411

Pearson Correlation Coefficients												
Prob > r under H0: Rho=0												
Number of Observations												
	cds4ods2	cds4kds	cds4kls	cds4wcs	cds4wds	cds4wls	cds4pcs	cds4pds	cds4pls	cds4xcs	cds4xds	cds4xls
cds4rls Major Depression: 6 mo. Impairment	-0.015 0.756 411	-0.008 0.875 410	-0.007 0.889 411	0.161 0.001 412	-0.012 0.815 412	-0.010 0.842 412	-0.007 0.887 412	.	.	0.119 0.015 412	0.147 0.003 411	0.180 0.000 411
cds4drs Maj.Dep/Dys.: Nonoverlapping 6 mo. CC	0.160 0.001 411	-0.055 0.263 410	-0.040 0.413 411	0.493 0.000 412	0.248 0.000 412	0.194 0.000 412	0.026 0.604 412	.	.	0.377 0.000 412	0.309 0.000 411	0.245 0.000 411
cds4mds Mania: 6 mo. Diagnosis
cds4mns Mania/Hyp: 6 mo. Criterion Count	-0.002 0.970 411	-0.016 0.753 410	-0.014 0.779 411	0.017 0.736 412	-0.023 0.639 412	-0.020 0.691 412	0.009 0.858 412	.	.	-0.028 0.574 412	-0.030 0.538 411	-0.025 0.609 411
cds4qds Nocturnal Enuresis: 6 mo. Diagnosis	0.025 0.617 411	0.082 0.098 410	0.035 0.483 411	0.030 0.543 412	-0.010 0.841 412	0.004 0.936 412	0.049 0.321 412	.	.	-0.003 0.954 412	-0.038 0.447 411	-0.055 0.262 411
cds4qls Nocturnal Enuresis: 6 mo. Impairment
cds4bcs Obsessive Compulsive: 6 mo. Criterion Count	-0.040 0.416 411	-0.020 0.682 410	-0.018 0.715 411	0.186 0.000 412	0.095 0.053 412	0.121 0.014 412	-0.018 0.711 412	.	.	0.225 0.000 412	0.210 0.000 411	0.227 0.000 411
cds4bds Obsessive Compulsive: 6 mo. Diagnosis	-0.019 0.703 411	-0.010 0.847 410	-0.009 0.864 411	0.038 0.442 412	-0.014 0.774 412	-0.012 0.807 412	-0.009 0.862 412	.	.	0.001 0.982 412	-0.019 0.695 411	-0.016 0.745 411
cds4ocs Oppositional Defiant Disorder: 6 mo. Criterion Count	0.598 0.000 412	-0.016 0.740 409	-0.009 0.860 410	0.358 0.000 411	0.180 0.000 411	0.157 0.001 411	0.041 0.401 412	.	.	0.228 0.000 411	0.212 0.000 410	0.167 0.001 410
cds4ods Oppositional Defiant Disorder: 6 mo. Diagnosis	0.771 0.000 412	-0.032 0.521 409	-0.028 0.567 410	0.244 0.000 411	0.124 0.012 411	0.093 0.059 411	0.041 0.412 412	.	.	0.142 0.004 411	0.154 0.002 410	0.102 0.039 410
cds4ods2 OD, No conduct Disorder: 6 mo. Diagnosis	1.000 412	-0.025 0.620 409	-0.022 0.659 410	0.185 0.000 411	0.107 0.030 411	0.053 0.285 411	0.065 0.188 412	.	.	0.044 0.369 411	0.058 0.243 410	-0.041 0.403 410
cds4kds Other Elimination Disorder: 6 mo. Diagnosis	-0.025 0.620 409	1.000 410	0.893 0.000 410	-0.040 0.423 410	-0.018 0.710 410	-0.016 0.752 410	-0.011 0.821 410	.	.	-0.007 0.883 410	-0.025 0.620 409	-0.020 0.684 409
cds4kls Other Elimination Disorder: 6 mo. Impairment	-0.022 0.659 410	0.893 0.000 410	1.000 411	-0.027 0.584 411	-0.016 0.740 411	-0.014 0.778 411	-0.010 0.840 411	.	.	-0.004 0.938 411	-0.022 0.650 410	-0.019 0.706 410
cds4wcs Overanxious Disorder: 6 mo. Criterion Count	0.185 0.000 411	-0.040 0.423 410	-0.027 0.584 411	1.000 412	0.571 0.000 412	0.492 0.000 412	0.016 0.750 412	.	.	0.297 0.000 412	0.259 0.000 411	0.237 0.000 411
cds4wds Overanxious Disorder: 6 mo. Diagnosis	0.107 0.030 411	-0.018 0.710 410	-0.016 0.740 411	0.571 0.000 412	1.000 412	0.850 0.000 412	-0.017 0.737 412	.	.	0.120 0.015 412	0.103 0.038 411	0.135 0.006 411
cds4wls Overanxious Disorder: 6 mo. Impairment	0.053 0.285 411	-0.016 0.752 410	-0.014 0.778 411	0.492 0.000 412	0.850 0.000 412	1.000 412	-0.014 0.775 412	.	.	0.106 0.031 412	0.132 0.007 411	0.168 0.001 411
cds4pcs Panic Disorder: 6 mo. Criterion Count	0.065 0.188 412	-0.011 0.821 410	-0.010 0.840 411	0.016 0.750 412	-0.017 0.737 412	-0.014 0.775 412	1.000 413	.	.	0.032 0.514 412	-0.023 0.646 411	-0.019 0.703 411

Pearson Correlation Coefficients Prob > r under H0: Rho=0 Number of Observations											
	cds4scs	cds4sds	cds4sls	cds4lcs	cds4lds	cds4lls	cds4ucs	cds4uds	cds4vcs	cds4vds	cds4vls
cds4hcs ADHD-H: 6 mo. Criterion Count	0.138 0.005 412	0.108 0.028 412	0.146 0.003 412	0.129 0.009 412	0.141 0.004 412	0.172 0.000 412	0.116 0.018 411	.	0.274 0.000 411	0.252 0.000 411	0.202 0.000 411
cds4hds ADHD-H: 6 mo. Diagnosis	0.058 0.237 412	0.126 0.011 412	0.072 0.146 412	0.052 0.289 412	0.138 0.005 412	0.173 0.000 412	-0.008 0.869 411	.	0.058 0.241 411	0.048 0.330 411	0.086 0.082 411
cds4ics ADHD-I: 6 mo. Criterion Count	0.083 0.091 412	0.025 0.606 412	0.110 0.025 412	0.234 0.000 412	0.184 0.000 412	0.211 0.000 412	-0.017 0.735 411	.	0.242 0.000 411	0.162 0.001 411	0.114 0.021 411
cds4ids ADHD-I: 6 mo. Diagnosis	0.036 0.471 412	-0.019 0.702 412	-0.031 0.535 412	0.129 0.009 412	0.101 0.041 412	0.134 0.007 412	-0.010 0.846 411	.	0.038 0.446 411	0.031 0.527 411	0.066 0.178 411
cds4zcs ADHD-Combined: 6 mo. Criterion Count	0.122 0.013 412	0.074 0.134 412	0.141 0.004 412	0.199 0.000 412	0.179 0.000 412	0.210 0.000 412	0.056 0.260 411	.	0.283 0.000 411	0.228 0.000 411	0.174 0.000 411
cds4zds ADHD-Combined: 6 mo. Diagnosis	0.032 0.522 412	-0.030 0.547 412	0.163 0.001 412	0.135 0.006 412	0.082 0.097 412	0.079 0.108 412	-0.012 0.804 411	.	0.342 0.000 411	0.284 0.000 411	0.190 0.000 411
cds4yds ADHD-Any: 6 mo. Diagnosis	0.072 0.145 412	0.030 0.547 412	0.135 0.006 412	0.196 0.000 412	0.184 0.000 412	0.219 0.000 412	-0.018 0.710 411	.	0.295 0.000 411	0.245 0.000 411	0.217 0.000 411
cds4ads Agoraphobia: 6 mo. Diagnosis	0.206 0.000 413	0.153 0.002 413	0.145 0.003 413	0.206 0.000 413	0.126 0.010 413	0.153 0.002 413	-0.005 0.921 412	.	0.056 0.253 412	0.113 0.022 412	0.165 0.001 412
cds4als Agoraphobia: 6 mo. Impairment	0.231 0.000 413	0.189 0.000 413	0.172 0.000 413	0.253 0.000 413	0.155 0.002 413	0.185 0.000 413	-0.004 0.932 412	.	-0.020 0.685 412	-0.017 0.736 412	-0.012 0.807 412
cds4jds Avoidant Disorder: 6 mo. Diagnosis	0.043 0.383 412	0.004 0.941 412	0.047 0.346 412	0.444 0.000 412	0.288 0.000 412	0.343 0.000 412	-0.010 0.836 412	.	-0.009 0.850 412	0.025 0.615 412	0.059 0.230 412
cds4jls Avoidant Disorder: 6 mo. Impairment	0.034 0.486 412	0.005 0.915 412	0.072 0.146 412	0.459 0.000 412	0.387 0.000 412	0.450 0.000 412	-0.008 0.869 412	.	0.010 0.845 412	0.048 0.329 412	0.086 0.082 412
cds4ccm Conduct Disorder: 6 mo. Criterion Count	0.031 0.530 412	0.066 0.179 412	0.159 0.001 412	0.209 0.000 412	0.172 0.000 412	0.188 0.000 412	0.199 0.000 411	.	0.104 0.034 411	0.115 0.019 411	0.083 0.095 411
cds4ccy Conduct Disorder: Year Criterion Count	0.037 0.451 412	0.070 0.159 412	0.145 0.003 412	0.221 0.000 412	0.202 0.000 412	0.227 0.000 412	0.188 0.000 411	.	0.155 0.002 411	0.157 0.001 411	0.117 0.017 411
cds4cdy Conduct Disorder: Year diagnosis	0.005 0.919 412	0.024 0.630 412	0.116 0.019 412	0.238 0.000 412	0.186 0.000 412	0.191 0.000 412	0.224 0.000 411	.	0.135 0.006 411	0.143 0.004 411	0.137 0.005 411
cds4dcs Dysthymia: 6 mo. Criterion Count	0.122 0.013 412	0.127 0.010 412	0.115 0.019 412	0.244 0.000 412	0.262 0.000 412	0.249 0.000 412	0.061 0.217 412	.	0.233 0.000 412	0.249 0.000 412	0.237 0.000 412
cds4dds Dysthymia: 6 mo. Diagnosis	0.085 0.084 412	0.113 0.021 412	-0.014 0.785 412	0.008 0.865 412	0.064 0.194 412	0.080 0.105 412	-0.004 0.932 412	.	0.164 0.001 412	0.136 0.006 412	-0.012 0.807 412
cds4dls Dysthymia: 6 mo. Impairment	0.070 0.159 412	0.061 0.214 412	-0.011 0.824 412	0.029 0.559 412	0.090 0.067 412	0.108 0.028 412	-0.003 0.944 412	.	0.208 0.000 412	0.173 0.000 412	-0.010 0.842 412

Pearson Correlation Coefficients Prob > r under H0: Rho=0 Number of Observations											
	cds4scs	cds4sds	cds4sls	cds4lcs	cds4lds	cds4lls	cds4ucs	cds4uds	cds4vcs	cds4vds	cds4vls
cds4ecs Eating Disorder: 6 mo. Criterion Count	0.072 0.143 412	0.082 0.096 412	0.184 0.000 412	0.172 0.000 412	0.180 0.000 412	0.099 0.045 412	0.146 0.003 412	. . 412	0.119 0.015 412	0.216 0.000 412	0.158 0.001 412
cds4eds Eating Disorder: 6 mo. Diagnosis	. . 412	. . 412	. . 412	. . 412	. . 412	. . 412	. . 412	. . 412	. . 412	. . 412	. . 412
cds4gcs GA: 6 mo. Criterion Count	0.156 0.001 412	0.161 0.001 412	0.284 0.000 412	0.392 0.000 412	0.304 0.000 412	0.300 0.000 412	0.003 0.951 412	. . 412	0.112 0.022 412	0.096 0.052 412	0.059 0.236 412
cds4gds GA: 6 mo. Diagnosis	0.137 0.005 412	0.107 0.030 412	0.244 0.000 412	0.273 0.000 412	0.290 0.000 412	0.337 0.000 412	-0.006 0.903 412	. . 412	0.037 0.458 412	-0.024 0.632 412	-0.017 0.729 412
cds4gls GA: 6 mo. Impairment	0.084 0.088 412	0.068 0.169 412	0.127 0.010 412	0.310 0.000 412	0.325 0.000 412	0.376 0.000 412	-0.005 0.912 412	. . 412	0.045 0.359 412	-0.022 0.663 412	-0.016 0.752 412
cds4nds Hypomania: 6 mo. Diagnosis	0.001 0.988 412	0.061 0.214 412	-0.011 0.824 412	0.029 0.559 412	0.090 0.067 412	0.108 0.028 412	-0.003 0.944 412	. . 412	-0.016 0.741 412	-0.014 0.784 412	-0.010 0.842 412
cds4rcs Major Depression: 6 mo. Criterion Count	-0.021 0.675 412	0.049 0.325 412	0.174 0.000 412	0.210 0.000 412	0.212 0.000 412	0.212 0.000 412	0.079 0.109 412	. . 412	0.156 0.002 412	0.207 0.000 412	0.226 0.000 412
cds4rds Major Depression: 6 mo. Diagnosis	-0.027 0.582 412	0.037 0.451 412	-0.014 0.785 412	0.149 0.002 412	0.158 0.001 412	0.185 0.000 412	-0.004 0.932 412	. . 412	0.072 0.146 412	0.136 0.006 412	0.195 0.000 412
cds4rls Major Depression: 6 mo. Impairment	-0.068 0.168 412	-0.032 0.522 412	-0.011 0.824 412	0.201 0.000 412	0.205 0.000 412	0.237 0.000 412	-0.003 0.944 412	. . 412	0.096 0.052 412	0.173 0.000 412	0.243 0.000 412
cds4drs Maj.Dep/Dys.: Nonoverlapping 6 mo. CC	0.096 0.053 412	0.123 0.013 412	0.127 0.010 412	0.247 0.000 412	0.274 0.000 412	0.265 0.000 412	0.080 0.107 412	. . 412	0.227 0.000 412	0.257 0.000 412	0.260 0.000 412
cds4mds Mania: 6 mo. Diagnosis	. . 412	. . 412	. . 412	. . 412	. . 412	. . 412	. . 412	. . 412	. . 412	. . 412	. . 412
cds4mns Mania/Hyp: 6 mo. Criterion Count	0.012 0.804 412	0.034 0.493 412	-0.022 0.655 412	-0.005 0.912 412	0.072 0.147 412	0.093 0.059 412	-0.007 0.889 412	. . 412	-0.033 0.508 412	-0.027 0.582 412	-0.020 0.691 412
cds4qds Nocturnal Enuresis: 6 mo. Diagnosis	0.017 0.735 412	0.050 0.308 412	-0.047 0.346 412	0.050 0.316 412	0.084 0.088 412	0.029 0.563 412	-0.015 0.768 412	. . 412	0.012 0.813 412	-0.024 0.630 412	-0.042 0.401 412
cds4qls Nocturnal Enuresis: 6 mo. Impairment	. . 412	. . 412	. . 412	. . 412	. . 412	. . 412	. . 412	. . 412	. . 412	. . 412	. . 412
cds4bcs Obsessive Compulsive: 6 mo. Criterion Count	0.027 0.582 412	0.061 0.214 412	0.103 0.037 412	0.215 0.000 412	0.159 0.001 412	0.170 0.001 412	0.128 0.009 412	. . 412	0.196 0.000 412	0.145 0.003 412	0.072 0.143 412
cds4bds Obsessive Compulsive: 6 mo. Diagnosis	0.018 0.719 412	0.037 0.451 412	-0.014 0.785 412	0.052 0.296 412	0.064 0.194 412	0.080 0.105 412	-0.004 0.932 412	. . 412	0.164 0.001 412	0.136 0.006 412	-0.012 0.807 412
cds4ocs Oppositional Defiant Disorder: 6 mo. Criterion Count	0.186 0.000 412	0.178 0.000 412	0.252 0.000 412	0.123 0.013 412	0.154 0.002 412	0.160 0.001 412	0.010 0.833 411	. . 411	0.196 0.000 411	0.166 0.001 411	0.104 0.035 411

Pearson Correlation Coefficients Prob > r under H0: Rho=0 Number of Observations											
	cds4scs	cds4sds	cds4sls	cds4lcs	cds4lds	cds4lls	cds4ucs	cds4uds	cds4vcs	cds4vds	cds4vls
cds4ods Oppositional Defiant Disorder: 6 mo. Diagnosis	0.197 0.000 412	0.189 0.000 412	0.254 0.000 412	0.065 0.191 412	0.110 0.026 412	0.119 0.015 412	-0.014 0.776 411	.	0.111 0.025 411	0.092 0.063 411	0.026 0.593 411
cds4ods2 OD, No conduct Disorder: 6 mo. Diagnosis	0.251 0.000 412	0.209 0.000 412	0.191 0.000 412	-0.044 0.375 412	0.036 0.461 412	0.063 0.202 412	-0.011 0.826 411	.	0.097 0.049 411	0.081 0.102 411	0.053 0.285 411
cds4kds Other Elimination Disorder: 6 mo. Diagnosis	-0.065 0.192 410	-0.050 0.313 410	-0.018 0.723 410	-0.008 0.874 410	0.034 0.486 410	-0.033 0.507 410	-0.005 0.912 410	.	-0.026 0.598 410	-0.022 0.662 410	-0.016 0.752 410
cds4kls Other Elimination Disorder: 6 mo. Impairment	-0.077 0.118 411	-0.045 0.364 411	-0.016 0.752 411	-0.053 0.287 411	-0.034 0.493 411	-0.029 0.554 411	-0.005 0.921 411	.	-0.023 0.638 411	-0.019 0.697 411	-0.014 0.778 411
cds4wcs Overanxious Disorder: 6 mo. Criterion Count	0.188 0.000 412	0.160 0.001 412	0.147 0.003 412	0.396 0.000 412	0.382 0.000 412	0.385 0.000 412	-0.035 0.482 412	.	0.165 0.001 412	0.176 0.000 412	0.128 0.009 412
cds4wds Overanxious Disorder: 6 mo. Diagnosis	0.153 0.002 412	0.085 0.083 412	0.072 0.146 412	0.334 0.000 412	0.337 0.000 412	0.395 0.000 412	-0.008 0.869 412	.	0.107 0.031 412	0.129 0.009 412	0.086 0.082 412
cds4wls Overanxious Disorder: 6 mo. Impairment	0.147 0.003 412	0.077 0.119 412	0.092 0.062 412	0.338 0.000 412	0.297 0.000 412	0.347 0.000 412	-0.007 0.888 412	.	0.080 0.104 412	0.067 0.178 412	-0.020 0.689 412
cds4pcs Panic Disorder: 6 mo. Criterion Count	-0.054 0.270 413	-0.045 0.359 413	-0.016 0.749 413	0.008 0.874 413	-0.035 0.483 413	-0.030 0.549 413	-0.005 0.920 412	.	0.133 0.007 412	0.143 0.004 412	-0.014 0.775 412
cds4pds Panic Disorder: 6 mo. Diagnosis
cds4pls Panic Disorder: 6 mo. Impairment
cds4xcs SA Disorder: 6 mo. Criterion Count	0.183 0.000 412	0.152 0.002 412	0.179 0.000 412	0.255 0.000 412	0.199 0.000 412	0.203 0.000 412	0.116 0.019 412	.	0.142 0.004 412	0.126 0.010 412	0.140 0.005 412
cds4xds SA Disorder: 6 mo. Diagnosis	0.144 0.003 411	0.138 0.005 411	0.258 0.000 411	0.260 0.000 411	0.181 0.000 411	0.183 0.000 411	0.218 0.000 411	.	0.129 0.009 411	0.137 0.005 411	0.050 0.312 411
cds4xls SA Disorder: 6 mo. Impairment	0.113 0.023 411	0.129 0.009 411	0.319 0.000 411	0.326 0.000 411	0.199 0.000 411	0.191 0.000 411	-0.009 0.851 411	.	0.042 0.394 411	0.035 0.479 411	-0.026 0.593 411
cds4scs Simple Phobia: 6 mo. Criterion Count	1.000 413	0.662 0.000 413	0.275 0.000 413	0.116 0.018 413	0.094 0.056 413	0.115 0.020 413	0.030 0.548 412	.	0.055 0.267 412	0.035 0.476 412	-0.005 0.912 412
cds4sds Simple Phobia: 6 mo. Diagnosis	0.662 0.000 413	1.000 413	0.349 0.000 413	0.048 0.327 413	0.032 0.513 413	0.081 0.100 413	-0.022 0.652 412	.	0.019 0.704 412	0.016 0.753 412	-0.017 0.733 412
cds4sls Simple Phobia: 6 mo. Impairment	0.275 0.000 413	0.349 0.000 413	1.000 413	0.116 0.018 413	0.048 0.333 413	0.070 0.157 413	-0.008 0.875 412	.	0.014 0.780 412	0.054 0.278 412	-0.022 0.653 412
cds4lcs Social Phobia: 6 mo. Criterion Count	0.116 0.018 413	0.048 0.327 413	0.116 0.018 413	1.000 413	0.715 0.000 413	0.648 0.000 413	-0.026 0.594 412	.	0.183 0.000 412	0.147 0.003 412	0.112 0.024 412

Pearson Correlation Coefficients											
Prob > r under H0: Rho=0											
Number of Observations											
	cds4scs	cds4sds	cds4sls	cds4lcs	cds4lds	cds4lls	cds4ucs	cds4uds	cds4vcs	cds4vds	cds4vls
cds4lds Social Phobia: 6 mo. Diagnosis	0.094 0.056 413	0.032 0.513 413	0.048 0.333 413	0.715 0.000 413	1.000 0.000 413	0.853 0.000 413	-0.017 0.733 412	.	0.099 0.045 412	0.103 0.036 412	0.067 0.174 412
cds4lls Social Phobia: 6 mo. Impairment	0.115 0.020 413	0.081 0.100 413	0.070 0.157 413	0.648 0.000 413	0.853 0.000 413	1.000 0.000 413	-0.015 0.768 412	.	0.132 0.007 412	0.134 0.007 412	0.088 0.074 412
cds4ucs Substance Abuse: 6 mo. Criterion Count	0.030 0.548 412	-0.022 0.652 412	-0.008 0.875 412	-0.026 0.594 412	-0.017 0.733 412	-0.015 0.768 412	1.000 0.000 412	.	0.147 0.003 412	0.254 0.000 412	0.351 0.000 412
cds4uds Substance Abuse: 6 mo. Diagnosis
cds4vcs Tic Disorder: 6 mo. Criterion Count	0.055 0.267 412	0.019 0.704 412	0.014 0.780 412	0.183 0.000 412	0.099 0.045 412	0.132 0.007 412	0.147 0.003 412	.	1.000 0.000 412	0.830 0.000 412	0.589 0.000 412
cds4vds Tic Disorder: 6 mo. Diagnosis	0.035 0.476 412	0.016 0.753 412	0.054 0.278 412	0.147 0.003 412	0.103 0.036 412	0.134 0.007 412	0.254 0.000 412	.	0.830 0.000 412	1.000 0.000 412	0.724 0.000 412
cds4vls Tic Disorder: 6 mo. Impairment	-0.005 0.912 412	-0.017 0.733 412	-0.022 0.653 412	0.112 0.024 412	0.067 0.174 412	0.088 0.074 412	0.351 0.000 412	.	0.589 0.000 412	0.724 0.000 412	1.000 0.000 412