Post-Visit Reaction Inventory—Child Interviewer Version

Grade 8/Year 9
Fast Track Project Technical Report
Cynthia Rains
January 31, 2003

Table of Contents

I. Scale Description

II. Report Sample

III. Scaling

IV. Differences Between Groups

V. Recommendations for Use

VI. Item and Scale Means and SDs

VII. Item and Scale Correlations

Citation

Instrument

Conduct Problems Prevention Research Group (CPPRG). (1990). *Post-Visit Reaction Inventory* [On-line]. Available: http://www.fasttrackproject.org/

Report

Rains, C. (2002). *Post-Visit Reaction Inventory* (Fast Track Project Technical Report). Available from the Fast Track Project website: http://www.fasttrackproject.org/

Data Sources

Raw: 09D

Scored: PVIC9

I. Scale Description

The Post-Visit Reaction Inventory originally was a 60-item checklist that was completed by interviewers within 24 hours after each visit. It was developed to provide staff ratings of the family's physical environment, the child's behavior toward the parent during the visit, the mother's and father's behavior toward the child during the visit, parental behavior toward the visitors and probable validity of the data, and the child's and parents' apparent need for intervention. Parent interviewers completed this same measure (see separate technical reports for more detailed information).

During years one and two of the study, the full measure was completed by the child interviewer as well as by the parent interviewer. Starting in year 3, a modified version of the measure was completed by child interviewers. This modified version consisted of only 5 questions (see technical reports for more details).

II. Report Sample

These analyses were conducted on the first cohort on the control sample (n = 155) and the normative sample (n = 387, 463 with overlap) from the ninth year of the study. 97 records were missing the complete measure. 30 records were missing from the control sample (5 from Durham, 9 from Nashville, 8 from Pennsylvania, and 8 from Washington) and 83 records were missing from the normative sample (15 from Durham, 30 from Nashville, 19 from Pennsylvania, and 19 from Washington). These numbers may reflect some overlap between the two samples.

III. Scaling

For years 8 and on of the study, the measure for the child interviewers consists of only 5 items: item 51--how receptive the child was toward the visitors, item 53--the level of validity for the visit, item 55--whether the child appeared to need academic interventions, item 56--whether the child appeared to need behavioral interventions, and item 57--whether the child appeared to need social skills interventions.

Item 51 is measured on a scale of 0=can't rate, 1=hostile, 2=withdrawn, 3=average, and 4=very well behaved. Item 53 is measured on a scale of 0=can't rate, 1=probably valid, 2=child responses possibly valid, 3=parent responses possibly invalid, and 4=definitely reasons to doubt validity. Items 55-57 are measured as follows: 0=can't rate, 1=not at all, 2=probably not, 3=probably yes, and 4=definitely yes.

For any item whose choices included "Can't rate" as a response, these responses were converted to missing for the purpose of analysis.

IV. <u>Differences Between Groups</u>

A series of t-tests between the high-risk control sample and the normative sample (excluding the overlap) indicated significant differences for one item: how receptive the child was toward the visitors (O9DRV1). In addition, the mean for the normative sample was greater than the mean for the control sample for item O9DRV1, how receptive the child was toward the visitors.

Post-Visit Inventory—Items: Normative vs. Control

Variable	Norm San		Control Sample		DF	t Value	Pr > t	
	Mean	Std Dev	Mean	Std Dev				
O9DRV1	3.55	0.62	3.35	0.76	364	-2.64	0.0086	
O9DRV2	1.03	0.33	1.12	0.56	364	1.94	0.0534	
O9DRV3	1.51	0.91	1.62	1.14	364	1.08	0.2831	
O9DRV4	1.58	0.73	1.69	1.00	364	1.21	0.2256	
O9DRV5	1.51	0.75	1.67	0.92	364	1.76	0.0792	

V. Recommendations for Use

This measure was specifically designed for the gathering of general data for use with the Fast Track project. It was not meant for widespread use.

VI. <u>Item and Subscale Means and SDs</u>

Post-Visit Reaction Inventory—Child Interviewer Items Year 9 Normative Sample

Variable	Label	N	Mean	Std Dev	Minimum	Maximum
O9DRV1	TCs Receptivity Toward Visitors	304	3.4934211	0.6699265	0	4.0000000
O9DRV2	Doubt Validity of Interview and Visit	304	1.0361842	0.4005029	0	4.0000000
O9DRV3	Does Child Need Academic Intervention	304	1.5131579	0.9815919	0	4.0000000
O9DRV4	Does Child Need Behavioral Intervention	304	1.5756579	0.8089023	0	4.0000000
O9DRV5	Does Child Need Social Skills Intervention	304	1.5230263	0.7956955	0	4.0000000

Post-Visit Reaction Inventory—Child Interviewer Items Year 9 Control Sample

Variable	Label	N	Mean	Std Dev	Minimum	Maximum
O9DRV1	TCs Receptivity Toward Visitors	125	3.3520000	0.7647053	0	4.0000000
O9DRV2	Doubt Validity of Interview and Visit	125	1.1200000	0.5622535	0	4.0000000
O9DRV3	Does Child Need Academic Intervention	125	1.6240000	1.1406280	0	4.0000000
O9DRV4	Does Child Need Behavioral Intervention	125	1.6880000	1.0033492	0	4.0000000
O9DRV5	Does Child Need Social Skills Intervention	125	1.6720000	0.9226190	0	4.0000000

VI. <u>Item and Scale Correlations</u>

Post-Visit Reaction Inventory—Child Interviewer Items Year 9 Report Sample

Pearson Correlation Coefficients, N = 366 Prob > r under H0: Rho=0						
	O9DRV1	O9DRV2	O9DRV3	O9DRV4	O9DRV5	
O9DRV1	1.00000	-0.18534	-0.18793	-0.36080	-0.36299	
TCs Receptivity Toward Visitors		0.0004	0.0003	<.0001	<.0001	
O9DRV2	-0.18534	1.00000	0.19330	0.16545	0.26381	
Doubt Validity of Interview and Visit	0.0004		0.0002	0.0015	<.0001	
O9DRV3	-0.18793	0.19330	1.00000	0.49039	0.47859	
Does Child Need Academic Intervention	0.0003	0.0002		<.0001	<.0001	
O9DRV4	-0.36080	0.16545	0.49039	1.00000	0.63975	
Does Child Need Behavioral Intervention	<.0001	0.0015	<.0001		<.0001	
O9DRV5	-0.36299	0.26381	0.47859	0.63975	1.00000	
Does Child Need Social Skills Intervention	<.0001	<.0001	<.0001	<.0001		