

SACA/Service-Use Assessments
Grades 6-8/Years 7-9

FAST Track Project Technical Report
Damon Jones
December 2000

Table of Contents

I.	Scale Description
II.	Report Sample
III.	Scaling
IV.	Differences Between Groups
V.	Recommendations for Use
VI.	Means
VII.	Correlations

Citation

Instrument

Stiffman, A. R., Horwitz, S. M., Hoagwood, K., Compton, W., Cottler, L., Bean, D. L., Narrow, W. E., & Weisz, J.R. (2000). The Service Assessment for Children and Adolescents (SACA): Adult and child reports. *Journal of the American Academy of Child and Adolescent Psychiatry*, 39(8), 1032-1039.

Conduct Problems Prevention Research Group. (1998). Brief SACA Interview.

Conduct Problems Prevention Research Group. (1999). Services Instrument.

Report

Jones, D. E. (2000). SACA/Service-Use Assessments:Grades 6-8/Years 7-9 (Technical Report). Available: <http://www.fasttrackproject.org>

Data Sources

<i>Raw:</i>	p7w	(SACA-Cohorts 1 and 2)
	p8ac	(SACA Brief-Cohort 1)
	p7ad	(SACA Not-So-Brief Cohort 3)
	p8ad	(SACA Not-So-Brief Cohort 2)
	p9ad	(SACA Not-So-Brief Cohort 3)
<i>Scored:</i>	mhu7	
	mhb8	
	mhn9	

I. Scale Description

The SACA (Stiffman et al., 2000) was used by Fast Track to collect parents' reports of their children's mental health service-use history. The instrument asks a maximum of 331 questions on service use by their child (plus 10 introductory demographic questions). The initial 24 of the 331 are 'gate-level' questions which ask the parent about the child's lifetime use covering 23 different categories of inpatient

and outpatient service use. If the parent indicates that their child had never received any services in the presented categories, they would only be asked these initial 24 questions. A positive response on lifetime service-use for a particular category (e.g., psychiatric hospital) would lead to a separate section that asked more in-depth questions about service use in the past 12 months for that category, including when child first received services, name and address of most recent service provider, total number of days served, child's reaction to service, who referred child to service and how the service was paid for. The number and type of follow-up questions might vary slightly between categories. The original version of the SACA was only used in year-7 for cohorts 1 and 2.

In year-8, a very brief/temporary questionnaire consisting of 27 items culled from the original instrument was given in place of the original SACA (labeled as the "Brief SACA Interview"). This version was only given to cohort 1. Sample/missing data characteristics will be the only information presented on this brief version in this technical report.

In year-9, a new survey of service use ("Services Instrument") was created by the Fast Track Project which was based on the original SACA. This version asks the parent a possible total of 154 questions covering 17 categories of service use. As with the original SACA, parents are asked a minimum of one question per category and answer more detailed questions if they indicate that their children had experience with a particular service-type. Questions within categories are similar to the original SACA (e.g., extent of service use in past year, amount of money spent on services, payment sources (type of insurance, how much family paid, etc.), address information for facilities/providers used). One distinction between this new version and the old version of the SACA is that, in the newer version, service-use is recorded regardless of whether the child was seen for emotional/behavioral problems. Within general health-type service categories (e.g., emergency room or family doctor), a separate question asks the parent if the child's visit was for emotional/behavioral reasons to help distinguish reasons for service use.

II. Report Sample

Numbers presented on this instrument involve the Cohort 1 normative and high-risk samples in years 7-9 (N=463).

Original SACA: 391 families (84.4%) provided data for the year-7 SACA. In the low-risk group, 254 subjects had data while 54 (17.5%) were missing data; in the high-risk group, 137 provided data while 18 (11.6%) were missing this data. Examination of missing data by site revealed that Durham was missing 14 of 125 (11.2%) from the total sample, Nashville was missing 13 of 105 (12.4%), Penn was missing 18 of 124 (14.5%) and Seattle was missing 27 of 109 (24.8%).

Brief SACA: 283 families provided data while 180 (38.9%) of the sample are missing data on this instrument. Of the low-risk group, 184 subjects provide data while 124 (40.3%) are missing. Of the high-risk group, 99 subjects provided data while 56 (36.1%) were missing. Out of the total sample, Durham was missing 13 of 125 (10.4%), Nashville was missing 23 of 105 (21.9%), and Seattle was missing 22 of 109 (20.2%). For unknown reasons, only 2 of the 124 subjects at Penn were given the Brief SACA. Because of the degree of missing data on this instrument at one site in addition to the limited amount of information, these data will probably not be of much use for analyses. No further statistics will be presented for the Brief SACA in this technical report.

Services Instrument (Not-So-Brief SACA): 368 cohort-1 families provided data in year-9 for the Services Instrument, while 95 (20.5%) of the sample are missing data. Of the low-risk group, 242 subjects provided data while 66 (21.4%) are missing. Of the high-risk group, 126 subjects provided data while 29 (18.7%) were missing. For the total sample by site, Durham was missing 18 of 125 (14.4%), Nashville was missing 33 of 105 (31.4%), Penn was missing 20 of 124 (16.1%) and Seattle was missing 24 of 109 (22.0%).

III. Scaling

No scales were derived for this instrument.

IV. Differences Between Groups

Group differences are most effectively observed through the 2 x 2 contingency table of high-risk status by lifetime service use (whether or not the child has used a certain type of service). Chi-square statistics were generated to test group differences. All results below are based on unweighted frequencies. Only results for questions on lifetime service use are presented here for the sake of brevity and because lifetime questions are the only ones for which there are data for everyone who received the SACA.

Original SACA: Significant differences existed between low- and high-risk subjects regarding likelihood of service use for emotional, behavioral, drug or alcohol problems (within lifetime) in the following categories. In all cases, the high-risk group had a higher prevalence rate of service use: Overnight in a Psychiatric Hospital, Help from a Mental Health Center, Help from a Mental Health Professional, Help from an In-Home Therapist, Help from a Family Doctor, Help from a Self-help Group, Help from a School Counselor ($p < .001$); Overnight in a General Hospital, Overnight in an Emergency Shelter, Help from a Day Treatment Center, ($p < .05$). High-risk children were also significantly more likely to have had police intervention ($p < .001$). Overall, significant differences at (at least) the $p < .05$ level occurred in 11 of 24 service categories. Due to the low amount of response on the 12-month service use assessment, results for those variables are not presented here.

Services Instrument: High- and low-risk groups also showed several significant differences in the rate of services use in year 9. Chi-square tests revealed that high-risk children were significantly more likely than low-risk children to have ever used Inpatient mental health services, Outpatient mental health services, or Special-Ed services from their school ($p < .001$). For specific lifetime service use questions, high-risk children had a significantly higher rate of use ($p < .001$, except where noted) in the following categories: Overnight in a Psychiatric Hospital, Overnight in Other Facility ($p < .05$), Help from a Mental Health Center, Help from a Day Treatment Center, Help from an In-Home Therapist/Family Preservationist, Help from a Other Counselor/Therapist, Help from a School Counselor, and Police Contact. Overall, for the lifetime service-use questions significant differences occurred in 8 of 17 categories in the revised version of the SACA.

V. Recommendations for Use

The SACA/Services Instrument data provides much information on mental health service use. Besides lifetime service use, it solicits more detailed information regarding recent service use (past 12 months) if the subject has indicated service use at some point in the lifetime, as described above. Analysts can examine group differences in degree and pattern of mental health service use as well as examine the relationship between characteristics of service use with predictors from other instruments. Data recording names/addresses of providers will allow for following up and seeking more detailed information for specific subjects regarding what services were delivered and how these services were paid for.

Reported use of services is somewhat limited in early years of the SACA, especially in more specialized service categories. This is especially true for the 12-month questions. Analysts should note the degree of response for services before generating descriptive statistics or using outcomes in statistical models. In general, most distributions will be 'zero-modal' so examination of distribution characteristics is highly advised.

There are also several logistical problems with the original SACA data at the time of this technical report. First, variables are inconsistent as to their numeric/character status. Binary indicators of service use are often character and had to be converted in order to generate usage rates (presented below). Inconsistencies in variable-types (as to their numeric/character status) between cohorts also lead to merging problems between cohorts, including such basic variables as the COHORT variable. Also,

subjects' data for service use in the past 12-months is set to missing if that subject had indicated they had never received that service; thus, 12-month data has misleadingly high rates of missing data, even though those subjects truly did not receive services in the past 12-months. These missing values (for subjects who indeed did receive the SACA) should be set to zero in order to obtain accurate 12-month rates of service use.

VI. Service Use Rates (Means)

SACA (Year7): Lifetime Service Use Variables - Normative Sample

Variable	Label	N	Mean	Minimum	Maximum
P7W1OVN	Overnight in Any Type Activity	254	0.008	0.000	1.000
P7W2OVN	Overnight in Psychiatric Hospital	254	0.000	0.000	0.000
P7W3OVN	Overnight in General Hospital	254	0.004	0.000	1.000
P7W4OVN	Overnight in Treatment Unit	254	0.000	0.000	0.000
P7W5OVN	Overnight in Residential TC	254	0.000	0.000	0.000
P7W6OVN	Overnight in Group Home	254	0.000	0.000	0.000
P7W7OVN	Overnight in Foster Home	254	0.004	0.000	1.000
P7W8OVN	Overnight in Detention Center	254	0.000	0.000	0.000
P7W9OVN	Overnight in Emergency Shelter	254	0.000	0.000	0.000
P7W10OVN	Overnight in Boarding School	254	0.000	0.000	0.000
P7W1HLP	Help from Mental Health Facility	254	0.063	0.000	1.000
P7W2HLP	Help from a Professional	254	0.098	0.000	1.000
P7W3HLP	Help from a Day Treatment Program	254	0.024	0.000	1.000
P7W4HLP	Help from Drug/Alcohol Clinic	254	0.004	0.000	1.000
P7W5HLP	Help from In-home Therapist	254	0.008	0.000	1.000
P7W6HLP	Help from Emergency Room	254	0.004	0.000	1.000
P7W7HLP	Help from Family Doctor	254	0.043	0.000	1.000
P7W8HLP	Help from Probation Officer	254	0.016	0.000	1.000
P7W9HLP	Help from Priest, etc.	254	0.012	0.000	1.000
P7W10HLP	Help from Healer, etc.	254	0.004	0.000	1.000
P7W11HLP	Help from Acupuncturist/chiropractor	254	0.024	0.000	1.000
P7W12HLP	Help from Self-help Group	254	0.004	0.000	1.000
P7W13HLP	Help from Respite Care Provider	254	0.004	0.000	1.000
P7W14HLP	Received any Services at School	254	0.063	0.000	1.000
P7W1PL1	Ever arrested/picked up/warning by polic	254	0.051	0.000	1.000

SACA (Year7): Lifetime Service Use Variables - High-risk Sample

Variable	Label	N	Mean	Minimum	Maximum
P7W1OVN	Overnight in Any Type Activity	137	0.088	0.000	1.000
P7W2OVN	Overnight in Psychiatric Hospital	137	0.051	0.000	1.000
P7W3OVN	Overnight in General Hospital	137	0.015	0.000	1.000
P7W4OVN	Overnight in Treatment Unit	137	0.000	0.000	0.000
P7W5OVN	Overnight in Residential TC	137	0.007	0.000	1.000
P7W6OVN	Overnight in Group Home	137	0.015	0.000	1.000
P7W7OVN	Overnight in Foster Home	137	0.022	0.000	1.000
P7W8OVN	Overnight in Detention Center	137	0.007	0.000	1.000
P7W9OVN	Overnight in Emergency Shelter	137	0.029	0.000	1.000
P7W10OVN	Overnight in Boarding School	137	0.000	0.000	0.000
P7W1HLP	Help from Mental Health Facility	137	0.248	0.000	1.000
P7W2HLP	Help from a Professional	137	0.336	0.000	1.000
P7W3HLP	Help from a Day Treatment Program	137	0.058	0.000	1.000
P7W4HLP	Help from Drug/Alcohol Clinic	137	0.000	0.000	0.000
P7W5HLP	Help from In-home Therapist	137	0.175	0.000	1.000
P7W6HLP	Help from Emergency Room	137	0.007	0.000	1.000
P7W7HLP	Help from Family Doctor	137	0.161	0.000	1.000
P7W8HLP	Help from Probation Officer	137	0.022	0.000	1.000
P7W9HLP	Help from Priest, etc.	137	0.051	0.000	1.000
P7W10HLP	Help from Healer, etc.	137	0.000	0.000	0.000
P7W11HLP	Help from Acupuncturist/chiropractor	137	0.007	0.000	1.000
P7W12HLP	Help from Self-help Group	137	0.058	0.000	1.000
P7W13HLP	Help from Respite Care Provider	137	0.015	0.000	1.000
P7W14HLP	Received any Services at School	137	0.263	0.000	1.000
P7W1PL1	Ever arrested/picked up/warning by polic	137	0.175	0.000	1.000

SERVICES INSTRUMENT (Year9): Lifetime Service Use Variables -- Normative Sample

Variable	Label	N	Mean	Minimum	Maximum
P9AD6	Evr Rec Inpatient Srvces	242	0.004	0.000	1.000
P9AD7	Evr Rec Outpatient Srvces	242	0.140	0.000	1.000
P9AD8	Evr Rec SpecEduc Srvces	242	0.190	0.000	1.000
P9AD9	Evr Rec PsychHosp Srvces	242	0.000	0.000	0.000
P9AD54	Has Your Chld Ever Stayd Ovrnght In A Ge	242	0.116	0.000	1.000
P9AD101	Has Chld Ever Rec ResTreatCntrSrvces	242	0.004	0.000	1.000
P9AD146	Has Your Chld Ever Rec Group Home Srvces	242	0.008	0.000	1.000
P9AD191	Has Chld Ever Rec Foster Home Srvces	242	0.021	0.000	1.000
P9AD224	Has Chld Stayd Ovrngt In Any Othr Facili	242	0.004	0.000	1.000
P9AD216	Has Chld Ever Rec Emerg Shltr Srvces	242	0.008	0.000	1.000
P9AD276	Has Chld Rec Mntl Hlth Srvces	242	0.066	0.000	1.000
P9AD303	Evr Rec DayTrtmnt Srvces	242	0.004	0.000	1.000
P9AD347	Evr Usd DrgAlcClinic	242	0.008	0.000	1.000
P9AD374	Evr Usd In-HmeFamPres	241	0.012	0.000	1.000
P9AD418	Evr Usd RespCare	242	0.004	0.000	1.000
P9AD445	Evr Usd Any Othr CnslrThrpst	242	0.087	0.000	1.000
P9AD489	Evr Used A SchlCnslr	242	0.207	0.000	1.000
P9AD508	Evr Rec Trtmnt From EmrgRm	242	0.380	0.000	1.000
P9AD536	Ever Usd FamilyDoctor	242	0.607	0.000	1.000
P9AD565	Evr Arrestd or Wrned by Police	242	0.087	0.000	1.000

SERVICES INSTRUMENT (Year9): Lifetime Service Use Variables - High-risk Sample

Variable	Label	N	Mean	Minimum	Maximum
P9AD6	Evr Rec Inpatient Srvces	126	0.063	0.000	1.000
P9AD7	Evr Rec Outpatient Srvces	126	0.357	0.000	1.000
P9AD8	Evr Rec SpecEduc Srvces	126	0.452	0.000	1.000
P9AD9	Evr Rec PsychHosp Srvces	125	0.064	0.000	1.000
P9AD54	Has Your Chld Ever Stayd Ovrnght In A Ge	125	0.144	0.000	1.000
P9AD101	Has Chld Ever Rec ResTreatCntrSrvces	125	0.016	0.000	1.000
P9AD146	Has Your Chld Ever Rec Group Home Srvces	125	0.024	0.000	1.000
P9AD191	Has Chld Ever Rec Foster Home Srvces	125	0.040	0.000	1.000
P9AD224	Has Chld Stayd Ovrngt In Any Othr Facili	126	0.032	0.000	1.000
P9AD216	Has Chld Ever Rec Emerg Shltr Srvces	125	0.016	0.000	1.000
P9AD276	Has Chld Rec Mntl Hlth Srvces	126	0.183	0.000	1.000
P9AD303	Evr Rec DayTrtmnt Srvces	126	0.056	0.000	1.000
P9AD347	Evr Usd DrgAlcClinic	126	0.024	0.000	1.000
P9AD374	Evr Usd In-HmeFamPres	126	0.103	0.000	1.000
P9AD418	Evr Usd RespCare	126	0.016	0.000	1.000
P9AD445	Evr Usd Any Othr CnslrThrpst	126	0.246	0.000	1.000
P9AD489	Evr Used A SchlCnslr	124	0.363	0.000	1.000
P9AD508	Evr Rec Trtmnt From EmrgRm	125	0.432	0.000	1.000
P9AD536	Ever Usd FamilyDoctor	126	0.571	0.000	1.000
P9AD565	Evr Arrestd or Wrned by Police	126	0.254	0.000	1.000

VII. Item Correlations

SACA (Year7): Lifetime Service Use Variables* -- Full Sample

Correlation Analysis

Pearson Correlation Coefficients / Prob > |R| under Ho: Rho=0 / N = 391

	P7W2OVN	P7W3OVN	P7W5OVN	P7W6OVN	P7W7OVN
P7W2OVN Overnight in Psychiatric Hospital	1.00000 0.0	0.20918 0.0001	0.37505 0.0001	0.26070 0.0001	0.36963 0.0001
P7W3OVN Overnight in General Hospital	0.20918 0.0001	1.00000 0.0	-0.00445 0.9301	0.40457 0.0001	-0.00894 0.8601
P7W5OVN Overnight in Residential TC	0.37505 0.0001	-0.00445 0.9301	1.00000 0.0	-0.00363 0.9429	0.49807 0.0001
P7W6OVN Overnight in Group Home	0.26070 0.0001	0.40457 0.0001	-0.00363 0.9429	1.00000 0.0	-0.00729 0.8857
P7W7OVN Overnight in Foster Home	0.36963 0.0001	-0.00894 0.8601	0.49807 0.0001	-0.00729 0.8857	1.00000 0.0
P7W8OVN Overnight in Detention Center	-0.00684 0.8928	0.57587 0.0001	-0.00256 0.9597	-0.00363 0.9429	-0.00515 0.9192
P7W9OVN Overnight in Emergency Shelter	0.56131 0.0001	-0.00894 0.8601	0.49807 0.0001	-0.00729 0.8857	0.49483 0.0001
P7W1HLP Help from Mental Health Facility	0.23708 0.0001	0.14187 0.0049	0.13224 0.0088	-0.02746 0.5883	0.26550 0.0001
P7W2HLP Help from a Professional	0.13654 0.0069	0.11064 0.0287	0.10750 0.0336	0.15223 0.0025	0.14990 0.0030
P7W3HLP Help from a Day Treatment Program	0.07779 0.1246	0.14080 0.0053	0.26277 0.0001	-0.01382 0.7853	0.11720 0.0204
P7W4HLP Help from Drug/Alcohol Clinic	-0.00684 0.8928	-0.00445 0.9301	-0.00256 0.9597	-0.00363 0.9429	-0.00515 0.9192
P7W5HLP Help from In-home Therapist	0.35104 0.0001	0.21182 0.0001	0.18973 0.0002	0.26866 0.0001	0.17689 0.0004
P7W6HLP Help from Emergency Room	-0.00968 0.8487	-0.00630 0.9011	-0.00363 0.9429	-0.00514 0.9193	-0.00729 0.8857
P7W7HLP Help from Family Doctor	0.02839 0.5757	-0.02670 0.5987	-0.01537 0.7619	-0.02177 0.6678	0.06056 0.2321
P7W8HLP Help from Probation Officer	0.12723 0.0118	-0.01187 0.8150	-0.00684 0.8928	-0.00968 0.8487	-0.01373 0.7867
P7W9HLP Help from Priest, etc.	0.10031 0.0475	-0.01425 0.7789	-0.00820 0.8715	-0.01162 0.8189	-0.01647 0.7454
P7W10HLP Help from Healer, etc.	-0.00684 0.8928	-0.00445 0.9301	-0.00256 0.9597	-0.00363 0.9429	-0.00515 0.9192
P7W11HLP Help from Acupuncturist/chiropractor	-0.01823 0.7193	-0.01187 0.8150	-0.00684 0.8928	-0.00968 0.8487	-0.01373 0.7867
P7W12HLP Help from Self-help Group	0.23652 0.0001	-0.01350 0.7902	-0.00777 0.8782	-0.01101 0.8283	0.15388 0.0023

* Two variables removed due to zero reported service use within total sample

SACA (Year7): Lifetime Service Use Variables -- Full Sample

Correlation Analysis

Pearson Correlation Coefficients / Prob > |R| under Ho: Rho=0 / N = 391

	P7W2OVN	P7W3OVN	P7W5OVN	P7W6OVN	P7W7OVN
P7W13HLP	0.20918	-0.00773	-0.00445	-0.00630	0.57363
Help from Respite Care Provider	0.0001	0.8789	0.9301	0.9011	0.0001
P7W14HLP	0.17433	0.22451	0.12929	0.18308	0.03503
Received any Services at School	0.0005	0.0001	0.0105	0.0003	0.4898
P7W1PL1	0.35173	0.27199	0.15663	0.22179	0.22763
Ever arrested/picked up/warning by polic	0.0001	0.0001	0.0019	0.0001	0.0001

SACA (Year7): Lifetime Service Use Variables -- Full Sample

Correlation Analysis

Pearson Correlation Coefficients / Prob > |R| under Ho: Rho=0 / N = 391

	P7W8OVN	P7W9OVN	P7W1HLP	P7W2HLP	P7W3HLP
P7W2OVN Overnight in Psychiatric Hospital	-0.00684 0.8928	0.56131 0.0001	0.23708 0.0001	0.13654 0.0069	0.07779 0.1246
P7W3OVN Overnight in General Hospital	0.57587 0.0001	-0.00894 0.8601	0.14187 0.0049	0.11064 0.0287	0.14080 0.0053
P7W5OVN Overnight in Residential TC	-0.00256 0.9597	0.49807 0.0001	0.13224 0.0088	0.10750 0.0336	0.26277 0.0001
P7W6OVN Overnight in Group Home	-0.00363 0.9429	-0.00729 0.8857	-0.02746 0.5883	0.15223 0.0025	-0.01382 0.7853
P7W7OVN Overnight in Foster Home	-0.00515 0.9192	0.49483 0.0001	0.26550 0.0001	0.14990 0.0030	0.11720 0.0204
P7W8OVN Overnight in Detention Center	1.00000 0.0	-0.00515 0.9192	0.13224 0.0088	0.10750 0.0336	0.26277 0.0001
P7W9OVN Overnight in Emergency Shelter	-0.00515 0.9192	1.00000 0.0	0.26550 0.0001	0.14990 0.0030	0.11720 0.0204
P7W1HLP Help from Mental Health Facility	0.13224 0.0088	0.26550 0.0001	1.00000 0.0	0.37588 0.0001	0.17351 0.0006
P7W2HLP Help from a Professional	0.10750 0.0336	0.14990 0.0030	0.37588 0.0001	1.00000 0.0	0.30199 0.0001
P7W3HLP Help from a Day Treatment Program	0.26277 0.0001	0.11720 0.0204	0.17351 0.0006	0.30199 0.0001	1.00000 0.0
P7W4HLP Help from Drug/Alcohol Clinic	-0.00256 0.9597	-0.00515 0.9192	0.13224 0.0088	0.10750 0.0336	0.26277 0.0001
P7W5HLP Help from In-home Therapist	0.18973 0.0002	0.27891 0.0001	0.35888 0.0001	0.46010 0.0001	0.16956 0.0008
P7W6HLP Help from Emergency Room	-0.00363 0.9429	-0.00729 0.8857	0.18725 0.0002	0.15223 0.0025	0.17914 0.0004
P7W7HLP Help from Family Doctor	-0.01537 0.7619	-0.03087 0.5428	0.10414 0.0396	0.28657 0.0001	0.04052 0.4242
P7W8HLP Help from Probation Officer	-0.00684 0.8928	0.17795 0.0004	0.12157 0.0162	0.03647 0.4721	0.07779 0.1246
P7W9HLP Help from Priest, etc.	-0.00820 0.8715	0.14453 0.0042	0.08350 0.0992	0.21786 0.0001	0.05597 0.2695
P7W10HLP Help from Healer, etc.	-0.00256 0.9597	-0.00515 0.9192	0.13224 0.0088	0.10750 0.0336	-0.00976 0.8475
P7W11HLP Help from Acupuncturist/chiropractor	-0.00684 0.8928	-0.01373 0.7867	0.00606 0.9050	0.03647 0.4721	-0.02602 0.6080
P7W12HLP Help from Self-help Group	-0.00777 0.8782	0.32337 0.0001	0.34978 0.0001	0.28162 0.0001	-0.02958 0.5598

SACA (Year7): Lifetime Service Use Variables -- Full Sample

Correlation Analysis

Pearson Correlation Coefficients / Prob > |R| under Ho: Rho=0 / N = 391

	P7W8OVN	P7W9OVN	P7W1HLP	P7W2HLP	P7W3HLP
P7W13HLP	-0.00445	0.28234	0.14187	0.18668	-0.01694
Help from Respite Care Provider	0.9301	0.0001	0.0049	0.0002	0.7384
P7W14HLP	0.12929	0.10988	0.27854	0.44072	0.16774
Received any Services at School	0.0105	0.0298	0.0001	0.0001	0.0009
P7W1PL1	0.15663	0.22763	0.26867	0.21037	0.17283
Ever arrested/picked up/warning by polic	0.0019	0.0001	0.0001	0.0001	0.0006

SACA (Year7): Lifetime Service Use Variables -- Full Sample

Correlation Analysis

Pearson Correlation Coefficients / Prob > |R| under Ho: Rho=0 / N = 391

	P7W4HLP	P7W5HLP	P7W6HLP	P7W7HLP	P7W8HLP
P7W2OVN Overnight in Psychiatric Hospital	-0.00684 0.8928	0.35104 0.0001	-0.00968 0.8487	0.02839 0.5757	0.12723 0.0118
P7W3OVN Overnight in General Hospital	-0.00445 0.9301	0.21182 0.0001	-0.00630 0.9011	-0.02670 0.5987	-0.01187 0.8150
P7W5OVN Overnight in Residential TC	-0.00256 0.9597	0.18973 0.0002	-0.00363 0.9429	-0.01537 0.7619	-0.00684 0.8928
P7W6OVN Overnight in Group Home	-0.00363 0.9429	0.26866 0.0001	-0.00514 0.9193	-0.02177 0.6678	-0.00968 0.8487
P7W7OVN Overnight in Foster Home	-0.00515 0.9192	0.17689 0.0004	-0.00729 0.8857	0.06056 0.2321	-0.01373 0.7867
P7W8OVN Overnight in Detention Center	-0.00256 0.9597	0.18973 0.0002	-0.00363 0.9429	-0.01537 0.7619	-0.00684 0.8928
P7W9OVN Overnight in Emergency Shelter	-0.00515 0.9192	0.27891 0.0001	-0.00729 0.8857	-0.03087 0.5428	0.17795 0.0004
P7W1HLP Help from Mental Health Facility	0.13224 0.0088	0.35888 0.0001	0.18725 0.0002	0.10414 0.0396	0.12157 0.0162
P7W2HLP Help from a Professional	0.10750 0.0336	0.46010 0.0001	0.15223 0.0025	0.28657 0.0001	0.03647 0.4721
P7W3HLP Help from a Day Treatment Program	0.26277 0.0001	0.16956 0.0008	0.17914 0.0004	0.04052 0.4242	0.07779 0.1246
P7W4HLP Help from Drug/Alcohol Clinic	1.00000 0.0	-0.01351 0.7899	-0.00363 0.9429	-0.01537 0.7619	0.37505 0.0001
P7W5HLP Help from In-home Therapist	-0.01351 0.7899	1.00000 0.0	0.12476 0.0136	0.10360 0.0406	-0.03603 0.4774
P7W6HLP Help from Emergency Room	-0.00363 0.9429	0.12476 0.0136	1.00000 0.0	0.10720 0.0341	-0.00968 0.8487
P7W7HLP Help from Family Doctor	-0.01537 0.7619	0.10360 0.0406	0.10720 0.0341	1.00000 0.0	-0.04099 0.4189
P7W8HLP Help from Probation Officer	0.37505 0.0001	-0.03603 0.4774	-0.00968 0.8487	-0.04099 0.4189	1.00000 0.0
P7W9HLP Help from Priest, etc.	-0.00820 0.8715	0.21686 0.0001	-0.01162 0.8189	0.18393 0.0003	-0.02187 0.6663
P7W10HLP Help from Healer, etc.	-0.00256 0.9597	-0.01351 0.7899	-0.00363 0.9429	-0.01537 0.7619	-0.00684 0.8928
P7W11HLP Help from Acupuncturist/chiropractor	-0.00684 0.8928	-0.03603 0.4774	-0.00968 0.8487	-0.04099 0.4189	-0.01823 0.7193
P7W12HLP Help from Self-help Group	-0.00777 0.8782	0.36975 0.0001	-0.01101 0.8283	0.01475 0.7713	-0.02072 0.6829

SACA (Year7): Lifetime Service Use Variables -- Full Sample

Correlation Analysis

Pearson Correlation Coefficients / Prob > |R| under Ho: Rho=0 / N = 391

	P7W4HLP	P7W5HLP	P7W6HLP	P7W7HLP	P7W8HLP
P7W13HLP	-0.00445	0.21182	-0.00630	-0.02670	-0.01187
Help from Respite Care Provider	0.9301	0.0001	0.9011	0.5987	0.8150
P7W14HLP	0.12929	0.37915	0.07750	0.20622	0.11753
Received any Services at School	0.0105	0.0001	0.1261	0.0001	0.0201
P7W1PL1	-0.01637	0.22935	-0.02318	0.09044	0.15404
Ever arrested/picked up/warning by polic	0.7469	0.0001	0.6477	0.0741	0.0023

SACA (Year7): Lifetime Service Use Variables -- Full Sample

Correlation Analysis

Pearson Correlation Coefficients / Prob > |R| under Ho: Rho=0 / N = 391

	P7W9HLP	P7W10HLP	P7W11HLP	P7W12HLP	P7W13HLP
P7W2OVN Overnight in Psychiatric Hospital	0.10031 0.0475	-0.00684 0.8928	-0.01823 0.7193	0.23652 0.0001	0.20918 0.0001
P7W3OVN Overnight in General Hospital	-0.01425 0.7789	-0.00445 0.9301	-0.01187 0.8150	-0.01350 0.7902	-0.00773 0.8789
P7W5OVN Overnight in Residential TC	-0.00820 0.8715	-0.00256 0.9597	-0.00684 0.8928	-0.00777 0.8782	-0.00445 0.9301
P7W6OVN Overnight in Group Home	-0.01162 0.8189	-0.00363 0.9429	-0.00968 0.8487	-0.01101 0.8283	-0.00630 0.9011
P7W7OVN Overnight in Foster Home	-0.01647 0.7454	-0.00515 0.9192	-0.01373 0.7867	0.15388 0.0023	0.57363 0.0001
P7W8OVN Overnight in Detention Center	-0.00820 0.8715	-0.00256 0.9597	-0.00684 0.8928	-0.00777 0.8782	-0.00445 0.9301
P7W9OVN Overnight in Emergency Shelter	0.14453 0.0042	-0.00515 0.9192	-0.01373 0.7867	0.32337 0.0001	0.28234 0.0001
P7W1HLP Help from Mental Health Facility	0.08350 0.0992	0.13224 0.0088	0.00606 0.9050	0.34978 0.0001	0.14187 0.0049
P7W2HLP Help from a Professional	0.21786 0.0001	0.10750 0.0336	0.03647 0.4721	0.28162 0.0001	0.18668 0.0002
P7W3HLP Help from a Day Treatment Program	0.05597 0.2695	-0.00976 0.8475	-0.02602 0.6080	-0.02958 0.5598	-0.01694 0.7384
P7W4HLP Help from Drug/Alcohol Clinic	-0.00820 0.8715	-0.00256 0.9597	-0.00684 0.8928	-0.00777 0.8782	-0.00445 0.9301
P7W5HLP Help from In-home Therapist	0.21686 0.0001	-0.01351 0.7899	-0.03603 0.4774	0.36975 0.0001	0.21182 0.0001
P7W6HLP Help from Emergency Room	-0.01162 0.8189	-0.00363 0.9429	-0.00968 0.8487	-0.01101 0.8283	-0.00630 0.9011
P7W7HLP Help from Family Doctor	0.18393 0.0003	-0.01537 0.7619	-0.04099 0.4189	0.01475 0.7713	-0.02670 0.5987
P7W8HLP Help from Probation Officer	-0.02187 0.6663	-0.00684 0.8928	-0.01823 0.7193	-0.02072 0.6829	-0.01187 0.8150
P7W9HLP Help from Priest, etc.	1.00000 0.0	-0.00820 0.8715	0.10031 0.0475	0.19120 0.0001	-0.01425 0.7789
P7W10HLP Help from Healer, etc.	-0.00820 0.8715	1.00000 0.0	-0.00684 0.8928	0.32990 0.0001	-0.00445 0.9301
P7W11HLP Help from Acupuncturist/chiropractor	0.10031 0.0475	-0.00684 0.8928	1.00000 0.0	-0.02072 0.6829	-0.01187 0.8150
P7W12HLP Help from Self-help Group	0.19120 0.0001	0.32990 0.0001	-0.02072 0.6829	1.00000 0.0	0.18196 0.0003

SACA (Year7): Lifetime Service Use Variables -- Full Sample

Correlation Analysis

Pearson Correlation Coefficients / Prob > |R| under Ho: Rho=0 / N = 391

	P7W9HLP	P7W10HLP	P7W11HLP	P7W12HLP	P7W13HLP
P7W13HLP	-0.01425	-0.00445	-0.01187	0.18196	1.00000
Help from Respite Care Provider	0.7789	0.9301	0.8150	0.0003	0.0
P7W14HLP	0.17510	-0.01983	0.06072	0.24124	-0.03444
Received any Services at School	0.0005	0.6958	0.2309	0.0001	0.4971
P7W1PL1	0.05832	-0.01637	0.08814	0.06691	0.07171
Ever arrested/picked up/warning by polic	0.2499	0.7469	0.0817	0.1867	0.1570

SACA (Year7): Lifetime Service Use Variables -- Full Sample

Correlation Analysis

Pearson Correlation Coefficients / Prob > |R| under Ho: Rho=0 / N = 391

	P7W14HLP	P7W1PL1
P7W2OVN Overnight in Psychiatric Hospital	0.17433 0.0005	0.35173 0.0001
P7W3OVN Overnight in General Hospital	0.22451 0.0001	0.27199 0.0001
P7W5OVN Overnight in Residential TC	0.12929 0.0105	0.15663 0.0019
P7W6OVN Overnight in Group Home	0.18308 0.0003	0.22179 0.0001
P7W7OVN Overnight in Foster Home	0.03503 0.4898	0.22763 0.0001
P7W8OVN Overnight in Detention Center	0.12929 0.0105	0.15663 0.0019
P7W9OVN Overnight in Emergency Shelter	0.10988 0.0298	0.22763 0.0001
P7W1HLP Help from Mental Health Facility	0.27854 0.0001	0.26867 0.0001
P7W2HLP Help from a Professional	0.44072 0.0001	0.21037 0.0001
P7W3HLP Help from a Day Treatment Program	0.16774 0.0009	0.17283 0.0006
P7W4HLP Help from Drug/Alcohol Clinic	0.12929 0.0105	-0.01637 0.7469
P7W5HLP Help from In-home Therapist	0.37915 0.0001	0.22935 0.0001
P7W6HLP Help from Emergency Room	0.07750 0.1261	-0.02318 0.6477
P7W7HLP Help from Family Doctor	0.20622 0.0001	0.09044 0.0741
P7W8HLP Help from Probation Officer	0.11753 0.0201	0.15404 0.0023
P7W9HLP Help from Priest, etc.	0.17510 0.0005	0.05832 0.2499
P7W10HLP Help from Healer, etc.	-0.01983 0.6958	-0.01637 0.7469
P7W11HLP Help from Acupuncturist/chiropractor	0.06072 0.2309	0.08814 0.0817
P7W12HLP Help from Self-help Group	0.24124 0.0001	0.06691 0.1867

SACA (Year7): Lifetime Service Use Variables -- Full Sample

Correlation Analysis

Pearson Correlation Coefficients / Prob > |R| under Ho: Rho=0 / N = 391

	P7W14HLP	P7W1PL1
P7W13HLP	-0.03444	0.07171
Help from Respite Care Provider	0.4971	0.1570
P7W14HLP	1.00000	0.31082
Received any Services at School	0.0	0.0001
P7W1PL1	0.31082	1.00000
Ever arrested/picked up/warning by polic	0.0001	0.0

SERVICES INSTRUMENT (Year9): Lifetime Service Use Variables -- Full Sample

Correlation Analysis

Pearson Correlation Coefficients / Prob > |R| under Ho: Rho=0 / Number of Observations

	P9AD9	P9AD54	P9AD101	P9AD146	P9AD191
P9AD9	1.00000	0.16892	0.40092	0.30439	0.09692
Evr Rec PsychHosp Srvces	0.0	0.0012	0.0001	0.0001	0.0640
	367	367	367	367	366
P9AD54	0.16892	1.00000	0.05703	0.02650	0.04624
Has Your Chld Ever Stayd Ovrnght In A Ge	0.0012	0.0	0.2759	0.6128	0.3777
	367	367	367	367	366
P9AD101	0.40092	0.05703	1.00000	0.25038	0.18123
Has Chld Ever Rec ResTreatCntrSrvces	0.0001	0.2759	0.0	0.0001	0.0005
	367	367	367	367	366
P9AD146	0.30439	0.02650	0.25038	1.00000	-0.01869
Has Your Chld Ever Rec Group Home Srvces	0.0001	0.6128	0.0001	0.0	0.7216
	367	367	367	367	366
P9AD191	0.09692	0.04624	0.18123	-0.01869	1.00000
Has Chld Ever Rec Foster Home Srvces	0.0640	0.3777	0.0005	0.7216	0.0
	366	366	366	366	367
P9AD224	0.30439	0.02650	0.25038	0.18895	-0.01967
Has Chld Stayd Ovrngt In Any Othr Facili	0.0001	0.6128	0.0001	0.0003	0.7072
	367	367	367	367	367
P9AD216	-0.01567	0.03952	-0.00953	0.21405	-0.01669
Has Chld Ever Rec Emerg Shltr Srvces	0.7648	0.4503	0.8556	0.0001	0.7503
	367	367	367	367	366
P9AD276	0.13017	-0.02372	0.06689	0.18829	0.10521
Has Chld Rec Mntl Hlth Srvces	0.0126	0.6506	0.2011	0.0003	0.0440
	367	367	367	367	367
P9AD303	0.52486	0.06754	0.42981	0.15545	0.20424
Evr Rec DayTrtmnt Srvces	0.0001	0.1967	0.0001	0.0028	0.0001
	367	367	367	367	367
P9AD347	0.30439	0.02650	0.51142	0.39171	-0.01967
Evr Usd DrgAlcClinic	0.0001	0.6128	0.0001	0.0001	0.7072
	367	367	367	367	367
P9AD374	0.33360	0.08018	0.27698	0.08996	0.22490
Evr Usd In-HmeFamPres	0.0001	0.1257	0.0001	0.0857	0.0001
	366	366	366	366	366
P9AD418	0.19368	0.14842	-0.00824	-0.01067	0.35656
Evr Usd RespCare	0.0002	0.0044	0.8750	0.8386	0.0001
	367	367	367	367	367
P9AD445	0.15338	0.03498	0.13667	0.15445	0.12630
Evr Usd Any Othr CnslrThrpst	0.0032	0.5041	0.0088	0.0030	0.0155
	367	367	367	367	367
P9AD489	0.12443	0.03814	0.01516	-0.01619	0.05468
Evr Used A SchlCnslr	0.0174	0.4675	0.7729	0.7579	0.2975
	365	365	365	365	365

SERVICES INSTRUMENT (Year9): Lifetime Service Use Variables -- Full Sample

Correlation Analysis

Pearson Correlation Coefficients / Prob > |R| under Ho: Rho=0 / Number of Observations

	P9AD9	P9AD54	P9AD101	P9AD146	P9AD191
P9AD508	0.06929	0.21354	0.04987	0.04855	0.08682
Evr Rec Trtmnt From EmrgRm	0.1854	0.0001	0.3408	0.3537	0.0972
	367	367	367	367	366
P9AD536	0.04664	0.17699	0.01294	0.04870	0.03523
Ever Usd FamilyDoctor	0.3730	0.0007	0.8048	0.3522	0.5010
	367	367	367	367	367
P9AD565	0.15338	0.01138	0.04989	0.22186	0.07408
Evr Arrestd or Wrned by Police	0.0032	0.8280	0.3405	0.0001	0.1567
	367	367	367	367	367

SERVICES INSTRUMENT (Year9): Lifetime Service Use Variables -- Full Sample

Correlation Analysis

Pearson Correlation Coefficients / Prob > |R| under Ho: Rho=0 / Number of Observations

	P9AD224	P9AD216	P9AD276	P9AD303	P9AD347
P9AD9	0.30439	-0.01567	0.13017	0.52486	0.30439
Evr Rec PsychHosp Srvces	0.0001 367	0.7648 367	0.0126 367	0.0001 367	0.0001 367
P9AD54	0.02650	0.03952	-0.02372	0.06754	0.02650
Has Your Chld Ever Stayd Ovrnght In A Ge	0.6128 367	0.4503 367	0.6506 367	0.1967 367	0.6128 367
P9AD101	0.25038	-0.00953	0.06689	0.42981	0.51142
Has Chld Ever Rec ResTreatCntrSrvces	0.0001 367	0.8556 367	0.2011 367	0.0001 367	0.0001 367
P9AD146	0.18895	0.21405	0.18829	0.15545	0.39171
Has Your Chld Ever Rec Group Home Srvces	0.0003 367	0.0001 367	0.0003 367	0.0028 367	0.0001 367
P9AD191	-0.01967	-0.01669	0.10521	0.20424	-0.01967
Has Chld Ever Rec Foster Home Srvces	0.7072 367	0.7503 366	0.0440 367	0.0001 367	0.7072 367
P9AD224	1.00000	-0.01234	0.11211	0.30442	0.39174
Has Chld Stayd Ovrnght In Any Othr Facili	0.0 368	0.8138 367	0.0316 368	0.0001 368	0.0001 368
P9AD216	-0.01234	1.00000	0.13411	-0.01464	-0.01234
Has Chld Ever Rec Emerg Shltr Srvces	0.8138 367	0.0 367	0.0101 367	0.7799 367	0.8138 367
P9AD276	0.11211	0.13411	1.00000	0.13029	0.03585
Has Chld Rec Mntl Hlth Srvces	0.0316 368	0.0101 367	0.0 368	0.0124 368	0.4930 368
P9AD303	0.30442	-0.01464	0.13029	1.00000	0.30442
Evr Rec DayTrtmnt Srvces	0.0001 368	0.7799 367	0.0124 368	0.0 368	0.0001 368
P9AD347	0.39174	-0.01234	0.03585	0.30442	1.00000
Evr Usd DrgAlcClinic	0.0001 368	0.8138 367	0.4930 368	0.0001 368	0.0 368
P9AD374	0.32024	-0.02248	0.27783	0.33366	0.32024
Evr Usd In-HmeFamPres	0.0001 367	0.6682 366	0.0001 367	0.0001 367	0.0001 367
P9AD418	-0.01064	-0.00953	0.06696	0.19371	-0.01064
Evr Usd RespCare	0.8388 368	0.8556 367	0.2000 368	0.0002 368	0.8388 368
P9AD445	0.22193	0.10786	0.26583	0.20700	0.15455
Evr Usd Any Othr CnslrThrpst	0.0001 368	0.0389 367	0.0001 368	0.0001 368	0.0030 368
P9AD489	0.03770	-0.00246	0.20711	0.08199	-0.01599
Evr Used A SchlCnslr	0.4721 366	0.9626 365	0.0001 366	0.1174 366	0.7605 366

SERVICES INSTRUMENT (Year9): Lifetime Service Use Variables -- Full Sample

Correlation Analysis

Pearson Correlation Coefficients / Prob > |R| under Ho: Rho=0 / Number of Observations

	P9AD224	P9AD216	P9AD276	P9AD303	P9AD347
P9AD508	0.14459	0.07553	0.06295	0.13086	0.09657
Evr Rec Trtmnt From EmrgRm	0.0055 367	0.1487 367	0.2289 367	0.0121 367	0.0646 367
P9AD536	0.04899	0.08629	0.05019	-0.02888	0.09681
Ever Usd FamilyDoctor	0.3487 368	0.0988 367	0.3370 368	0.5807 368	0.0636 368
P9AD565	0.08556	0.18311	0.23592	0.25728	0.08556
Evr Arrestd or Wrned by Police	0.1013 368	0.0004 367	0.0001 368	0.0001 368	0.1013 368

SERVICES INSTRUMENT (Year9): Lifetime Service Use Variables -- Full Sample

Correlation Analysis

Pearson Correlation Coefficients / Prob > |R| under Ho: Rho=0 / Number of Observations

	P9AD374	P9AD418	P9AD445	P9AD489	P9AD508
P9AD9	0.33360	0.19368	0.15338	0.12443	0.06929
Evr Rec PsychHosp Srvces	0.0001 366	0.0002 367	0.0032 367	0.0174 365	0.1854 367
P9AD54	0.08018	0.14842	0.03498	0.03814	0.21354
Has Your Chld Ever Stayd Ovrnght In A Ge	0.1257 366	0.0044 367	0.5041 367	0.4675 365	0.0001 367
P9AD101	0.27698	-0.00824	0.13667	0.01516	0.04987
Has Chld Ever Rec ResTreatCntrSrvces	0.0001 366	0.8750 367	0.0088 367	0.7729 365	0.3408 367
P9AD146	0.08996	-0.01067	0.15445	-0.01619	0.04855
Has Your Chld Ever Rec Group Home Srvces	0.0857 366	0.8386 367	0.0030 367	0.7579 365	0.3537 367
P9AD191	0.22490	0.35656	0.12630	0.05468	0.08682
Has Chld Ever Rec Foster Home Srvces	0.0001 366	0.0001 367	0.0155 367	0.2975 365	0.0972 366
P9AD224	0.32024	-0.01064	0.22193	0.03770	0.14459
Has Chld Stayd Ovrngt In Any Othr Facili	0.0001 367	0.8388 368	0.0001 368	0.4721 366	0.0055 367
P9AD216	-0.02248	-0.00953	0.10786	-0.00246	0.07553
Has Chld Ever Rec Emerg Shltr Srvces	0.6682 366	0.8556 367	0.0389 367	0.9626 365	0.1487 367
P9AD276	0.27783	0.06696	0.26583	0.20711	0.06295
Has Chld Rec Mntl Hlth Srvces	0.0001 367	0.2000 368	0.0001 368	0.0001 366	0.2289 367
P9AD303	0.33366	0.19371	0.20700	0.08199	0.13086
Evr Rec DayTrtmnt Srvces	0.0001 367	0.0002 368	0.0001 368	0.1174 366	0.0121 367
P9AD347	0.32024	-0.01064	0.15455	-0.01599	0.09657
Evr Usd DrgAlcClinic	0.0001 367	0.8388 368	0.0030 368	0.7605 366	0.0646 367
P9AD374	1.00000	-0.01580	0.22284	0.21054	0.10003
Evr Usd In-HmeFamPres	0.0 367	0.7628 367	0.0001 367	0.0001 365	0.0559 366
P9AD418	-0.01580	1.00000	0.13673	0.08442	0.11169
Evr Usd RespCare	0.7628 367	0.0 368	0.0086 368	0.1069 366	0.0324 367
P9AD445	0.22284	0.13673	1.00000	0.16964	0.16464
Evr Usd Any Othr CnslrThrpst	0.0001 367	0.0086 368	0.0 368	0.0011 366	0.0016 367
P9AD489	0.21054	0.08442	0.16964	1.00000	0.10540
Evr Used A SchlCnslr	0.0001 365	0.1069 366	0.0011 366	0.0 366	0.0442 365

SERVICES INSTRUMENT (Year9): Lifetime Service Use Variables -- Full Sample

Correlation Analysis

Pearson Correlation Coefficients / Prob > |R| under Ho: Rho=0 / Number of Observations

	P9AD374	P9AD418	P9AD445	P9AD489	P9AD508
P9AD508	0.10003	0.11169	0.16464	0.10540	1.00000
Evr Rec Trtmnt From EmrgRm	0.0559 366	0.0324 367	0.0016 367	0.0442 365	0.0 367
P9AD536	0.09499	0.07478	0.12800	0.04012	0.42985
Ever Usd FamilyDoctor	0.0691 367	0.1522 368	0.0140 368	0.4441 366	0.0001 367
P9AD565	0.14006	0.04888	0.07801	0.11057	0.03693
Evr Arrestd or Wrned by Police	0.0072 367	0.3497 368	0.1353 368	0.0345 366	0.4806 367

SERVICES INSTRUMENT (Year9): Lifetime Service Use Variables -- Full Sample

Correlation Analysis

Pearson Correlation Coefficients / Prob > |R| under Ho: Rho=0 / Number of Observations

	P9AD536	P9AD565
P9AD9	0.04664	0.15338
Evr Rec PsychHosp Srvces	0.3730 367	0.0032 367
P9AD54	0.17699	0.01138
Has Your Chld Ever Stayd Ovrnght In A Ge	0.0007 367	0.8280 367
P9AD101	0.01294	0.04989
Has Chld Ever Rec ResTreatCntrSrvces	0.8048 367	0.3405 367
P9AD146	0.04870	0.22186
Has Your Chld Ever Rec Group Home Srvces	0.3522 367	0.0001 367
P9AD191	0.03523	0.07408
Has Chld Ever Rec Foster Home Srvces	0.5010 367	0.1567 367
P9AD224	0.04899	0.08556
Has Chld Stayd Ovrngt In Any Othr Facili	0.3487 368	0.1013 368
P9AD216	0.08629	0.18311
Has Chld Ever Rec Emerg Shltr Srvces	0.0988 367	0.0004 367
P9AD276	0.05019	0.23592
Has Chld Rec Mntl Hlth Srvces	0.3370 368	0.0001 368
P9AD303	-0.02888	0.25728
Evr Rec DayTrtmnt Srvces	0.5807 368	0.0001 368
P9AD347	0.09681	0.08556
Evr Usd DrgAlcClinic	0.0636 368	0.1013 368
P9AD374	0.09499	0.14006
Evr Usd In-HmeFamPres	0.0691 367	0.0072 367
P9AD418	0.07478	0.04888
Evr Usd RespCare	0.1522 368	0.3497 368
P9AD445	0.12800	0.07801
Evr Usd Any Othr CnslrThrpst	0.0140 368	0.1353 368
P9AD489	0.04012	0.11057
Evr Used A SchlCnslr	0.4441 366	0.0345 366

SERVICES INSTRUMENT (Year9): Lifetime Service Use Variables -- Full Sample

Correlation Analysis

Pearson Correlation Coefficients / Prob > |R| under Ho: Rho=0 / Number of Observations

	P9AD536	P9AD565
P9AD508	0.42985	0.03693
Evr Rec Trtmnt From EmrgRm	0.0001	0.4806
	367	367
P9AD536	1.00000	-0.05583
Ever Usd FamilyDoctor	0.0	0.2855
	368	368
P9AD565	-0.05583	1.00000
Evr Arrestd or Wrned by Police	0.2855	0.0
	368	368