

Tobacco, Alcohol and Drugs – Revised

Year 14

Fast Track Project Technical Report

José Miguel Sandoval

August 7, 2011

Table of Contents

- I. Scale Description
- II. Report Sample
- III. Frequencies and descriptive statistics by sections
- IV. Recommendations for Use

Citation

Instrument

Bureau of Labor Statistics, U.S. Department of Labor. National Longitudinal Survey of Youth 1997 cohort, 1997-2001. 2002. Produced by the National Opinion Research Center, the University of Chicago and distributed by the Center for Human Resource Research, The Ohio State University.

Elliot, D.S., Huizinga, D. & Ageton, S.S., 1985, Explaining delinquency and drug use. Beverly Hills, CA: Sage.

Report

Sandoval, J. M. (2011) Tobacco, Alcohol and Drugs (Fast Track Project Technical Report). Available from the Fast Track Project Web site, <http://www.fasttrackproject.org>

Data Sources

Raw: C14BO

Scored: TDR14

I. Survey Description

The Tobacco, Alcohol and Drugs - Revised is a 142-item instrument based on measures used in the National Longitudinal Study of Adolescent Health. The original version of this measure was first added to the Fast Track Protocol in study year 8. This measure assesses tobacco, alcohol and illegal drug use. Report of the use of legal and illegal drugs prompts further questions about frequency of use and the type of substances used. The response options vary based on the type of question asked (e.g., yes-no and open-ended numeric responses). This version of the original instrument is an extended questionnaire with detail questions probing alcohol, tobacco and drug use.

II. Report Sample

These analyses were conducted on the first cohort on the high-risk Control sample (n = 125) and the Normative sample (n = 254) for the fourteenth year of the study. The distribution of respondents by site was as follows: for the Control sample, 31 were from Durham, 21 were from Nashville, 31 were from Pennsylvania and 20 were from Washington. For the Normative sample, 75 were from Durham, 42 were from Nashville, 64 were from Pennsylvania and 58 were from Washington.

III. Frequencies and descriptive statistics by section

Tables in this section follow the themes included in the questionnaire. Tables display counts of respondents who used tobacco, drug and alcohol by sample type. Only yes/no frequencies are reported below. Other questions probe respondents' frequency of use. The user is encouraged to investigate those. Each section is followed by descriptive statistics for continuous variables included in each section.

Section A, Tobacco Products and Drugs.

Note: Value 'S' corresponds to "Skipped", 'N' "No answer", 'R' "Refused", . "Missing".

	High or low risk sample	
	HI	LO
Have you ever tried CIGARETTE smoking, even just 1 or 2 puffs?		
S	2	1
No	34	87
Yes	67	151
Have you ever tried CIGARS, even just 1 or 2 puffs?		
S	2	1
No	62	154
Yes	39	84
Have you ever tried CHEWING TOBACCO or SNUFF?		
S	2	1
No	83	210
Yes	18	28
Have you had a drink of beer, wine, wine coolers, or hard liquors like vodka, gin, or whiskey-not just a sip or a taste of someone elses drink-more than 2 or 3 times in your life?		
S	2	1
No	28	63
Yes	73	175

High or low risk sample	Variable	Label	Mean	Std Dev	Min	Max
HI	C14BOa05	During your life, how many times have you used MARIJUANA (grass, weed, pot) or HASHISH?	856.49	5287.64	0.00	50000.00
	C14BOa06	During your life, how many times have you used STIMULANTS or AMPHETAMINES. They include drugs such as Benzedrine, Methamphetamine, diet pills, speed, and so on.	1.32	10.00	0.00	100.00
	C14BOa07	During your life, how many times have you used SEDATIVES/TRANQUILIZERS? They include drugs such as sleeping pills, barbiturates, Seconal, Librium, Valium, Xanax, Ativan, Quaaludes, and so on.	2.67	13.37	0.00	120.00
	C14BOa08	During your life, how many times have you used COCAINE or CRACK?	3.85	30.17	0.00	300.00
	C14BOa09	During your life, how many times have you used HEROIN?	3.02	29.85	0.00	300.00
	C14BOa10	During your life, how many times have you used OXYCONTIN? It is sometimes called oxy, OC, ox, oxycotton, oxy 80s, hillbilly heroin, or poor mans heroin.	3.07	29.85	0.00	300.00
	C14BOa11	During your life, how many times have you used other OPIATES? These include drugs such as methadone, opium, morphine, codeine, Percodan, Darvon, Dilaudid, Demerol, Talwin, and so on.	3.40	29.92	0.00	300.00
	C14BOa12	During your life, how many times have you used PCP or ANGEL DUST?	3.03	29.85	0.00	300.00
	C14BOa13	During your life, how many times have you used ECSTASY/MDMA?	3.04	29.85	0.00	300.00
	C14BOa14	During your life, how many times have you used HALLUCINOGENS? This includes LSD, acid, mescaline, peyote, DMT, psilocybin, and so on.	1.97	13.31	0.00	100.00
	C14BOa15	During your life, how many times have you used AMYL NITRATE or POPPERS? They are sometimes called whippets, odorizers, or rush.	0.44	3.14	0.00	30.00
	C14BOa16	During your life, how many times have you used INHALANTS, such as glue, cleaning fluid, gasoline, or paint to get high?	0.11	0.51	0.00	4.00
	C14BOa17	During your life, how many times have you used STEROIDS not including medicines you used when a doctor prescribed them for a specific medical purpose?	0.01	0.10	0.00	1.00
	C14BOa18	During your life, how many times have you used ROHYPNOL (rophies, roofies)?	0.01	0.10	0.00	1.00

High or low risk sample	Variable	Label	Mean	Std Dev	Min	Max
LO	C14BOa05	During your life, how many times have you used MARIJUANA (grass, weed, pot) or HASHISH?	145.50	972.16	0.00	10000.00
	C14BOa06	During your life, how many times have you used STIMULANTS or AMPHETAMINES. They include drugs such as Benzedrine, Methamphetamine, diet pills, speed, and so on.	0.21	1.54	0.00	15.00
	C14BOa07	During your life, how many times have you used SEDATIVES/TRANQUILIZERS? They include drugs such as sleeping pills, barbiturates, Seconal, Librium, Valium, Xanax, Ativan, Quaaludes, and so on.	0.33	3.50	0.00	50.00
	C14BOa08	During your life, how many times have you used COCAINE or CRACK?	0.29	1.89	0.00	20.00
	C14BOa09	During your life, how many times have you used HEROIN?	8.42	129.64	0.00	2000.00
	C14BOa10	During your life, how many times have you used OXYCONTIN? It is sometimes called oxy, OC, ox, oxycotton, oxy 80s, hillbilly heroin, or poor mans heroin.	0.50	3.46	0.00	35.00
	C14BOa11	During your life, how many times have you used other OPIATES? These include drugs such as methadone, opium, morphine, codeine, Percodan, Darvon, Dilaudid, Demerol, Talwin, and so on.	0.63	6.80	0.00	100.00
	C14BOa12	During your life, how many times have you used PCP or ANGEL DUST?	0.01	0.11	0.00	1.00
	C14BOa13	During your life, how many times have you used ECSTASY/MDMA?	0.08	0.71	0.00	10.00
	C14BOa14	During your life, how many times have you used HALLUCINOGENS? This includes LSD, acid, mescaline, peyote, DMT, psilocybin, and so on.	0.30	3.27	0.00	50.00
	C14BOa15	During your life, how many times have you used AMYL NITRATE or POPPERS? They are sometimes called whippets, odorizers, or rush.	0.07	0.69	0.00	10.00
	C14BOa16	During your life, how many times have you used INHALANTS, such as glue, cleaning fluid, gasoline, or paint to get high?	0.01	0.19	0.00	3.00
	C14BOa17	During your life, how many times have you used STEROIDS not including medicines you used when a doctor prescribed them for a specific medical purpose?	0.00	0.00	0.00	0.00
	C14BOa18	During your life, how many times have you used ROHYPNOL (rophies, roofies)?	0.00	0.00	0.00	0.00

Section B, Cigarettes.

		High or low risk sample	
		HI	LO
Have you ever smoked cigarettes regularly, that is, at least 1 cigarette every day for 30 days?			
S	N	45	118
No	N	15	54
Yes	N	43	67
Have you smoked 100 or more cigarettes in your life?			
S	N	45	118
No	N	10	54
Yes	N	48	67

High or low risk sample	Variable	Label	Mean	Std Dev	Min	Max	
HI	C14BOb01	How old were you when you smoked a whole cigarette for the first time? Enter your age when you first smoked a whole cigarette. If you have never smoked a whole cigarette, enter 0.	11.88	5.53	0.00	19.00	
	C14BOb03	How old were you when you first started smoking cigarettes regularly (at least 1 cigarette every day for 30 days)? [Enter your age when you first started smoking cigarettes regularly]	15.35	2.06	9.00	18.00	
	C14BOb05	About how many cigarettes have you smoked in your whole life?	5616.65	10800.91	0.00	50000.00	
	C14BOb06	During the past 12 months, on how many days did you smoke cigarettes?	195.22	163.50	0.00	365.00	
	C14BOb07	During the past 12 months, on the days you smoked, how many cigarettes did you smoke each day?	11.24	8.57	1.00	40.00	
	C14BOb08	During the past 30 days, on how many days did you smoke cigarettes?	23.29	11.00	0.00	30.00	
	C14BOb09	During the past 30 days, on the days you smoked, how many cigarettes did you smoke each day?	10.91	7.02	1.00	30.00	
	C14BOb10	During the past 6 months, have you tried to quit smoking cigarettes?	0.48	0.50	0.00	1.00	
	C14BOb11	How long ago did you quit smoking cigarettes?	0.73	1.35	0.00	5.00	
	C14BOb12	Of your 3 best friends, how many smoke at least 1 cigarette a day?	1.19	1.13	0.00	3.00	
	LO	C14BOb01	How old were you when you smoked a whole cigarette for the first time? Enter your age when you first smoked a whole cigarette. If you have never smoked a whole cigarette, enter 0.	12.32	6.53	0.00	19.00
		C14BOb03	How old were you when you first started smoking cigarettes regularly (at least 1 cigarette every day for 30 days)? [Enter your age when you first started smoking cigarettes regularly]	15.82	2.74	1.00	19.00
C14BOb05		About how many cigarettes have you smoked in your whole life?	2083.56	6396.45	1.00	50000.00	
C14BOb06		During the past 12 months, on how many days did you smoke cigarettes?	123.25	151.22	0.00	365.00	
C14BOb07		During the past 12 months, on the days you smoked, how many cigarettes did you smoke each day?	6.59	11.04	0.00	100.00	
C14BOb08		During the past 30 days, on how many days did you smoke cigarettes?	15.41	13.03	0.00	30.00	
C14BOb09		During the past 30 days, on the days you smoked, how many cigarettes did you smoke each day?	8.50	11.84	0.00	90.00	
C14BOb10		During the past 6 months, have you tried to quit smoking cigarettes?	0.41	0.49	0.00	1.00	
C14BOb11		How long ago did you quit smoking cigarettes?	0.76	1.26	0.00	5.00	
C14BOb12		Of your 3 best friends, how many smoke at least 1 cigarette a day?	0.87	0.99	0.00	3.00	

Section C, Cigars.

High or low risk sample	Variable	Label	Mean	Std Dev	Min	Max
HI	C14BOc01	How old were you when you smoked a cigar for the first time?	14.97	3.50	1.00	19.00
	C14BOc02	About how many cigars have you smoked in your lifetime?	216.64	859.02	0.00	5040.00
	C14BOc03	During the past 12 months, on how many days did you smoke cigars?	13.90	54.58	0.00	335.00
	C14BOc04	During the past 12 months, on the days you smoked cigars, how many cigars did you smoke each day?	1.55	2.24	0.00	10.00
	C14BOc05	During the past 30 days, on how many days did you smoke cigars?	1.50	1.68	0.00	6.00
	C14BOc06	During the past 30 days, on the days you smoked cigars, how many cigars did you smoke each day?	1.57	1.40	1.00	6.00
LO	C14BOc01	How old were you when you smoked a cigar for the first time?	15.69	3.93	0.00	20.00
	C14BOc02	About how many cigars have you smoked in your lifetime?	17.88	60.04	0.00	500.00
	C14BOc03	During the past 12 months, on how many days did you smoke cigars?	12.50	49.50	0.00	365.00
	C14BOc04	During the past 12 months, on the days you smoked cigars, how many cigars did you smoke each day?	1.16	1.39	0.00	10.00
	C14BOc05	During the past 30 days, on how many days did you smoke cigars?	2.22	6.18	0.00	30.00
	C14BOc06	During the past 30 days, on the days you smoked cigars, how many cigars did you smoke each day?	1.50	2.06	0.00	10.00

Section D, Chewing Tobacco or Snuff.

High or low risk sample	Variable	Label	Mean	Std Dev	Min	Max
HI	C14BOd01	How old were you when you used chewing tobacco or snuff for the first time?	12.17	5.29	0.00	18.00
	C14BOd02	During your life, on how many days have you used chewing tobacco or snuff?	773.28	2357.47	0.00	10000.00
	C14BOd03	During the past 12 months, on how many days did you use chewing tobacco or snuff?	13.28	30.67	0.00	100.00
	C14BOd04	During the past 30 days, on how many days did you use chewing tobacco or snuff?	4.25	10.43	0.00	30.00
LO	C14BOd01	How old were you when you used chewing tobacco or snuff for the first time?	14.43	4.42	0.00	19.00
	C14BOd02	During your life, on how many days have you used chewing tobacco or snuff?	487.25	1887.58	0.00	9999.00
	C14BOd03	During the past 12 months, on how many days did you use chewing tobacco or snuff?	82.29	145.77	0.00	365.00
	C14BOd04	During the past 30 days, on how many days did you use chewing tobacco or snuff?	15.15	14.52	0.00	30.00

Section E, Alcohol Products.

		High or low risk sample	
		HI	LO
Do you ever drink beer, wine, wine coolers, or hard liquors like vodka, gin, or whiskey- when you are not with your parents or other adults in your family?			
S	N	30	64
No	N	12	30
Yes	N	61	145

High or low risk sample	Variable	Label	Mean	Std Dev	Min	Max
HI	C14BOe02	Think about the first time you had a drink of beer, wine, wine coolers, or hard liquors like vodka, gin, or whiskey, when you were not with your parents or other adults in your family. How old were you then?	14.88	3.40	0.00	19.00
	C14BOe03	During the past 12 months, on how many days did you drink alcohol?	22.84	53.61	0.00	365.00
	C14BOe04	Think of all the times you had a drink during the past 12 months. How many drinks did you usually have each time? (A "drink" is a glass of wine, a can of beer, a wine cooler, a shot glass of liquor, or mixed drink with liquor in it.)	4.77	3.35	1.00	16.00
	C14BOe05	Over the past 12 months, on how many days did you drink five or more drinks in a row?	15.23	53.71	0.00	365.00
	C14BOe06	Over the past 12 months, on how many days have you gotten drunk or "very, very high" on alcohol?	17.70	52.78	0.00	365.00
	C14BOe07	During the past 30 days, on how many days did you drink alcohol?	3.82	5.63	0.00	26.00
	C14BOe08	Think of all the times you had a drink during the past 30 days. How many drinks did you usually have each time? (A "drink" is a glass of wine, a can of beer, a wine cooler, a shot glass of liquor, or a mixed drink?)	5.54	6.82	0.00	40.00
	C14BOe09	Over the past 30 days, on how many days did you drink five or more drinks in a row?	3.00	3.93	0.00	15.00
	C14BOe10	Over the past 30 days, on how many days have you gotten drunk or "very, very high" on alcohol?	3.37	4.77	0.00	20.00
	C14BOe11	In your lifetime, what is the most number of drinks you have consumed in a single day?	9.67	9.56	0.00	50.00
	C14BOe12	Which do you drink most often- beer, wine, wine coolers, straight liquor, or mixed drinks?	3.22	1.81	1.00	6.00
	C14BOe13	Over the past 12 months, how many times have you gotten into trouble with your parents because you had been drinking?	0.32	0.90	0.00	4.00
	C14BOe14	Over the past 12 months, how many times have you had problems at school, with school work, or at work because you had been drinking?	0.13	0.60	0.00	4.00
	C14BOe15	Over the past 12 months, how many times have you had problems with your friends because you had been drinking?	0.34	0.94	0.00	4.00
	C14BOe16	Over the past 12 months, how many times have you had problems with your partner (boyfriend, girlfriend, wife, husband) because you had been drinking?	0.21	0.59	0.00	3.00
	C14BOe17	Over the past 12 months, how many times did you do something you later regretted because you had been drinking?	0.43	0.91	0.00	4.00
	C14BOe18	Over the past 12 months, how many times were you hung over?	1.13	1.45	0.00	4.00
	C14BOe19	Over the past 12 months, how many times were you sick to your stomach or threw up after drinking?	0.84	1.20	0.00	4.00
	C14BOe20	Over the past 12 months, how many times did you get into a sexual situation that you later regretted because you had been drinking?	0.29	0.62	0.00	3.00
	C14BOe21	Over the past 12 months, how many times did you get into a physical fight because you had been drinking?	0.30	0.85	0.00	4.00
	C14BOe22	Of your 3 best friends, how many drink alcohol at least once a month?	1.10	1.10	0.00	3.00

High or low risk sample	Variable	Label	Mean	Std Dev	Min	Max
LO	C14BOe02	Think about the first time you had a drink of beer, wine, wine coolers, or hard liquors like vodka, gin, or whiskey, when you were not with your parents or other adults in your family. How old were you then?	15.21	4.08	0.00	21.00
	C14BOe03	During the past 12 months, on how many days did you drink alcohol?	27.54	50.68	0.00	255.00
	C14BOe04	Think of all the times you had a drink during the past 12 months. How many drinks did you usually have each time? (A "drink" is a glass of wine, a can of beer, a wine cooler, a shot glass of liquor, or mixed drink with liquor in it.)	4.82	5.64	1.00	52.00
	C14BOe05	Over the past 12 months, on how many days did you drink five or more drinks in a row?	9.56	24.16	0.00	200.00
	C14BOe06	Over the past 12 months, on how many days have you gotten drunk or "very, very high" on alcohol?	11.70	31.41	0.00	255.00
	C14BOe07	During the past 30 days, on how many days did you drink alcohol?	2.83	3.92	0.00	20.00
	C14BOe08	Think of all the times you had a drink during the past 30 days. How many drinks did you usually have each time? (A "drink" is a glass of wine, a can of beer, a wine cooler, a shot glass of liquor, or a mixed drink?)	3.92	2.36	1.00	12.00
	C14BOe09	Over the past 30 days, on how many days did you drink five or more drinks in a row?	1.93	3.32	0.00	15.00
	C14BOe10	Over the past 30 days, on how many days have you gotten drunk or "very, very high" on alcohol?	2.18	3.40	0.00	15.00
	C14BOe11	In your lifetime, what is the most number of drinks you have consumed in a single day?	7.50	6.54	0.00	28.00
	C14BOe12	Which do you drink most often- beer, wine, wine coolers, straight liquor, or mixed drinks?	3.46	1.88	1.00	6.00
	C14BOe13	Over the past 12 months, how many times have you gotten into trouble with your parents because you had been drinking?	0.19	0.61	0.00	4.00
	C14BOe14	Over the past 12 months, how many times have you had problems at school, with school work, or at work because you had been drinking?	0.08	0.43	0.00	4.00
	C14BOe15	Over the past 12 months, how many times have you had problems with your friends because you had been drinking?	0.09	0.48	0.00	4.00
	C14BOe16	Over the past 12 months, how many times have you had problems with your partner (boyfriend, girlfriend, wife, husband) because you had been drinking?	0.16	0.62	0.00	4.00
	C14BOe17	Over the past 12 months, how many times did you do something you later regretted because you had been drinking?	0.39	0.89	0.00	4.00
	C14BOe18	Over the past 12 months, how many times were you hung over?	1.00	1.45	0.00	4.00
	C14BOe19	Over the past 12 months, how many times were you sick to your stomach or threw up after drinking?	0.75	1.12	0.00	4.00
	C14BOe20	Over the past 12 months, how many times did you get into a sexual situation that you later regretted because you had been drinking?	0.25	0.73	0.00	4.00
	C14BOe21	Over the past 12 months, how many times did you get into a physical fight because you had been drinking?	0.16	0.67	0.00	4.00
	C14BOe22	Of your 3 best friends, how many drink alcohol at least once a month?	1.21	1.13	0.00	3.00

Sections F-I, Drugs. (below)

High or low risk sample	N Obs	Variable	Label	Mean	Std Dev	Min	Max	N Miss
HI	103	C14BOf01	How old were you when you first tried MARIJUANA (grass, weed, pot) or HASHISH for the first time?	13.70	4.04	0.00	19.00	47
		C14BOf02	For the following questions, when I say "marijuana," I mean both marijuana and hashish. During the past 12 months, how many times did you use marijuana?	406.98	1527.38	0.00	10000.00	47
		C14BOf03	During the past 30 days, how many times did you use marijuana?	22.68	68.71	0.00	420.00	62
		C14BOf04	Of your 3 best friends, how many use marijuana?	0.73	1.00	0.00	3.00	3
		C14BOg01	How old were you when you first tried any kind of STIMULANTS or AMPHETAMINES for the first time? They include drugs such as Benzedrine, Methamphetamine, speed, diet pills, and so on?	11.73	7.21	0.00	19.00	92
		C14BOg02	During the past 12 months, how many times did you use stimulants or amphetamines?	3.45	4.01	0.00	12.00	92
		C14BOg03	During the past 30 days, how many times did you use stimulants or amphetamines?	3.00	4.58	0.00	12.00	96
		C14BOh01	How old were you when you first tried SEDATIVES/TRANQUILIZERS for the first time? They include drugs such as sleeping pills, barbiturates, Seconal, Librium, Valium, Xanax, Ativan, Quaaludes, And so on.	15.00	3.94	3.00	18.00	90
		C14BOh02	During the past 12 months, how many times did you use sedatives/ tranquilizers?	3.85	6.20	0.00	20.00	90
		C14BOh03	During the past 30 days, how many times did you use sedatives/ tranquilizers?	2.33	4.80	0.00	12.00	97
		C14BOi01	How old were you when you first tried any kind of COCAINE or CRACK- for the first time?	13.70	5.46	3.00	18.00	93
		C14BOi02	During the past 12 months, how many times did you use cocaine or crack?	6.30	10.74	0.00	35.00	93
		C14BOi03	During the past 30 days, how many times did you use cocaine or crack?	3.00	4.58	0.00	12.00	96

High or low risk sample	N Obs	Variable	Label	Mean	Std Dev	Min	Max	N Miss
LO	239	C14BOf01	How old were you when you first tried MARIJUANA (grass, weed, pot) or HASHISH for the first time?	15.19	2.99	0.00	19.00	118
		C14BOf02	For the following questions, when I say "marijuana," I mean both marijuana and hashish. During the past 12 months, how many times did you use marijuana?	146.49	928.49	0.00	10000.00	119
		C14BOf03	During the past 30 days, how many times did you use marijuana?	128.92	1090.25	0.00	10000.00	155
		C14BOf04	Of your 3 best friends, how many use marijuana?	0.62	0.90	0.00	3.00	3
		C14BOg01	How old were you when you first tried any kind of STIMULANTS or AMPHETAMINES for the first time? They include drugs such as Benzedrine, Methamphetamine, speed, diet pills, and so on?	10.83	9.00	0.00	19.00	233
		C14BOg02	During the past 12 months, how many times did you use stimulants or amphetamines?	2.00	3.95	0.00	10.00	233
		C14BOg03	During the past 30 days, how many times did you use stimulants or amphetamines?	0.00	0.00	0.00	0.00	236
		C14BOh01	How old were you when you first tried SEDATIVES/TRANQUILIZERS for the first time? They include drugs such as sleeping pills, barbiturates, Seconal, Librium, Valium, Xanax, Ativan, Quaaludes, And so on.	16.50	1.38	15.00	18.00	233
		C14BOh02	During the past 12 months, how many times did you use sedatives/ tranquilizers?	1.00	2.00	0.00	5.00	233
		C14BOh03	During the past 30 days, how many times did you use sedatives/ tranquilizers?	0.00	0.00	0.00	0.00	237
		C14BOi01	How old were you when you first tried any kind of COCAINE or CRACK- for the first time?	17.50	1.43	15.00	19.00	229
		C14BOi02	During the past 12 months, how many times did you use cocaine or crack?	0.80	1.32	0.00	4.00	229
		C14BOi03	During the past 30 days, how many times did you use cocaine or crack?	1.00	2.00	0.00	4.00	235

Sections J-M, Drugs. (below)

High or low risk sample	N Obs	Variable	Label	Mean	Std Dev	Min	Max	N Miss
HI	103	C14BOj01	How old were you when you first tried any kind of HEROIN for the first time?	16.25	3.10	12.00	19.00	99
		C14BOj02	During the past 12 months, how many times did you use heroin?	78.00	148.11	0.00	300.00	99
		C14BOj03	During the past 30 days, how many times did you use heroin?	21.00	12.73	12.00	30.00	101
		C14BOK01	How old were you when you first tried any kind of OXYCONTIN for the first time? It is sometimes called oxy, OC, ox, oxycotton, oxy 80s, hillbilly heroin, or poor mans heroin?	16.67	2.50	12.00	19.00	97
		C14BOK02	During the past 12 months, how many times did you use oxycontin?	502.33	1223.61	0.00	3000.00	97
		C14BOK03	During the past 30 days, how many times did you use oxycontin?	4.00	5.66	0.00	12.00	99
		C14BOI01	How old were you when you first tried other OPIATES for the first time? These include drugs such as methadone, opium, morphine, codeine, Percodan, Darvan, Dilaudid, Demerol, Talwin, and so on.	11.80	7.25	0.00	18.00	93
		C14BOI02	During the past 12 months, how many times did you use opiates?	2.80	3.79	0.00	12.00	93
		C14BOI03	During the past 30 days, how many times did you use opiates?	2.43	4.47	0.00	12.00	96
		C14BOM01	How old were you when you first tried PCP or ANGEL DUST for the first time?	15.75	2.63	12.00	18.00	99
		C14BOM02	During the past 12 months, how many times did you use PCP or ANGEL DUST?	4.50	5.07	1.00	12.00	99
		C14BOM03	During the past 30 days, how many times did you use PCP or ANGEL DUST?	3.75	5.68	0.00	12.00	99
		LO	239	C14BOj01	How old were you when you first tried any kind of HEROIN for the first time?	16.50	0.71	16.00
C14BOj02	During the past 12 months, how many times did you use heroin?			0.00	0.00	0.00	0.00	237
C14BOj03	During the past 30 days, how many times did you use heroin?			239
C14BOK01	How old were you when you first tried any kind of OXYCONTIN for the first time? It is sometimes called oxy, OC, ox, oxycotton, oxy 80s, hillbilly heroin, or poor mans heroin?			14.78	5.85	0.00	18.00	230
C14BOK02	During the past 12 months, how many times did you use oxycontin?			3.11	6.55	0.00	20.00	230
C14BOK03	During the past 30 days, how many times did you use oxycontin?			0.25	0.50	0.00	1.00	235
C14BOI01	How old were you when you first tried other OPIATES for the first time? These include drugs such as methadone, opium, morphine, codeine, Percodan, Darvan, Dilaudid, Demerol, Talwin, and so on.			14.71	6.63	0.00	19.00	232
C14BOI02	During the past 12 months, how many times did you use opiates?			7.29	10.58	0.00	25.00	232
C14BOI03	During the past 30 days, how many times did you use opiates?			4.60	8.65	0.00	20.00	234
C14BOM01	How old were you when you first tried PCP or ANGEL DUST for the first time?			15.33	0.58	15.00	16.00	236
C14BOM02	During the past 12 months, how many times did you use PCP or ANGEL DUST?			0.00	0.00	0.00	0.00	236
C14BOM03	During the past 30 days, how many times did you use PCP or ANGEL DUST?			239

Sections N-S, Drugs. (below)

High or low risk sample	N Obs	Variable	Label	Mean	Std Dev	Min	Max	N Miss
HI	103	C14BO01	How old were you when you first tried ECSTASY/MDMA for the first time?	14.00	5.80	3.00	18.00	97
		C14BO02	During the past 12 months, how many times did you use ecstasy/MDMA?	3.00	4.65	0.00	12.00	97
		C14BO03	During the past 30 days, how many times did you use ecstasy/MDMA?	5.00	6.24	0.00	12.00	100
		C14BO01	How old were you when you first tried HALLUCINOGENS such as LSD, acid, mescaline, peyote, DMT, psilocybin, and so on for the first time?	14.60	5.21	1.00	18.00	93
		C14BO02	During the past 12 months, how many times did you use hallucinogens?	10.50	28.18	0.00	90.00	93
		C14BO03	During the past 30 days, how many times did you use hallucinogens?	4.20	5.17	0.00	12.00	98
		C14BOp01	How old were you when you first tried AMYL NITRATE or POPPERS (whippets, odorizers, rush) for the first time?	13.20	7.82	0.00	18.00	98
		C14BOp02	During the past 12 months, how many times did you use amyl nitrate or poppers?	5.60	8.26	0.00	20.00	98
		C14BOp03	During the past 30 days, how many times did you use amyl nitrate or poppers?	3.00	6.00	0.00	12.00	99
		C14BOq01	How old were you when you first tried any kind of INHALANTS, such as glue, cleaning fluid, gasoline, or paint to get high, for the first time?	7.33	7.42	0.00	15.00	97
		C14BOq02	During the past 12 months, how many times did you use inhalants?	2.00	4.90	0.00	12.00	97
		C14BOq03	During the past 30 days, how many times did you use inhalants?	12.00	.	12.00	12.00	102
		C14BOR01	How old were you when you first tried STEROIDS for the first time, NOT including medicines you used when a doctor prescribed them for a specific medical purpose?	0.00	.	0.00	0.00	102
		C14BOR02	During the past 12 months, how many times did you use steroids?	0.00	.	0.00	0.00	102
			During the past 30 days, how many times did you use steroids?	103
		C14BOR03	How old were you when you first tried ROHYPNOL (rophies, roofies) for the first time?	0.00	.	0.00	0.00	102
		C14BOs01	During the past 12 months, how many times did you use rohypnol?	0.00	.	0.00	0.00	102
		C14BOs02	During the past 30 days, how many times did you use rohypnol?	103

High or low risk sample	N Obs	Variable	Label	Mean	Std Dev	Min	Max	N Miss
LO	239	C14BO01	How old were you when you first tried ECSTASY/MDMA for the first time?	17.20	0.84	16.00	18.00	234
		C14BO02	During the past 12 months, how many times did you use ecstasy/MDMA?	0.60	0.89	0.00	2.00	234
		C14BO03	During the past 30 days, how many times did you use ecstasy/MDMA?	0.50	0.71	0.00	1.00	237
		C14BO01	How old were you when you first tried HALLUCINOGENS such as LSD, acid, mescaline, peyote, DMT, psilocybin, and so on for the first time?	15.40	5.64	0.00	19.00	229
		C14BO02	During the past 12 months, how many times did you use hallucinogens?	0.80	1.03	0.00	3.00	229
		C14BO03	During the past 30 days, how many times did you use hallucinogens?	0.20	0.45	0.00	1.00	234
		C14BOp01	How old were you when you first tried AMYL NITRATE or POPPERS (whippets, odorizers, rush) for the first time?	18.00	0.82	17.00	19.00	235
		C14BOp02	During the past 12 months, how many times did you use amyl nitrate or poppers?	1.25	0.96	0.00	2.00	235
		C14BOp03	During the past 30 days, how many times did you use amyl nitrate or poppers?	0.67	1.15	0.00	2.00	236
		C14BOq01	How old were you when you first tried any kind of INHALANTS, such as glue, cleaning fluid, gasoline, or paint to get high, for the first time?	13.00	.	13.00	13.00	238
		C14BOq02	During the past 12 months, how many times did you use inhalants?	0.00	.	0.00	0.00	238
		C14BOq03	During the past 30 days, how many times did you use inhalants?	239
		C14BOR01	How old were you when you first tried STEROIDS for the first time, NOT including medicines you used when a doctor prescribed them for a specific medical purpose?	239
		C14BOR02	During the past 12 months, how many times did you use steroids?	239
		C14BOR03	During the past 30 days, how many times did you use steroids?	239
		C14BOs01	How old were you when you first tried ROHYPNOL (rophies, roofies) for the first time?	239
		C14BOs02	During the past 12 months, how many times did you use rohypnol?	239
		C14BOs03	During the past 30 days, how many times did you use rohypnol?	239

Sections TA-TD, Drugs, (below).

High or low risk sample	N Obs	Variable	Label	Mean	Std Dev	Min	Max	N Miss
HI	103	C14BOta01	How many of the times when you have used ALCOHOL during the last 12 months did you use it along with each of the following drugs- that is, so that their effects overlapped? With any type of tobacco	2.63	1.76	1.00	5.00	63
		C14BOta02	How many of the times when you have used ALCOHOL during the last 12 months did you use it along with each of the following drugs- that is, so that their effects overlapped? With marijuana	2.25	1.24	1.00	5.00	71
		C14BOta03	How many of the times when you have used ALCOHOL during the last 12 months did you use it along with each of the following drugs- that is, so that their effects overlapped? With hallucinogens or psychedelics such as LSD	1.00	0.00	1.00	1.00	98
		C14BOta04	How many of the times when you have used ALCOHOL during the last 12 months did you use it along with each of the following drugs- that is, so that their effects overlapped? With stimulants/amphetamines	1.43	0.79	1.00	3.00	96
		C14BOta05	How many of the times when you have used ALCOHOL during the last 12 months did you use it along with each of the following drugs- that is, so that their effects overlapped? With sedatives/tranquilizers	1.80	1.30	1.00	4.00	98
		C14BOta06	How many of the times when you have used ALCOHOL during the last 12 months did you use it along with each of the following drugs- that is, so that their effects overlapped? With cocaine	1.86	1.21	1.00	4.00	96
		C14BOtb01	How many of the times when you have used any type of TOBACCO during the last year did you use it along with alcohol- that is, so that their effects overlapped?	2.45	1.62	1.00	5.00	63
		C14BOtc01	How many of the times when you have used MARIJUANA during the last year did you use it along with alcohol- that is, so that their effects overlapped?	2.03	1.28	1.00	5.00	71
		C14BOtd01	How many of the times when you used STIMULANTS OR AMPHETAMINES during the last year did you use them along with each of the following drugs- that is, so their effects overlapped? With alcohol	1.29	0.49	1.00	2.00	96
		C14BOtd02	How many of the times when you used STIMULANTS OR AMPHETAMINES during the last year did you use them along with each of the following drugs- that is, so their effects overlapped? With marijuana	1.14	0.38	1.00	2.00	96
		C14BOtd03	How many of the times when you used STIMULANTS OR AMPHETAMINES during the last year did you use them along with each of the following drugs- that is, so their effects overlapped? With hallucinogens or psychedelics	1.00	0.00	1.00	1.00	100

High or low risk sample	N Obs	Variable	Label	Mean	Std Dev	Min	Max	N Miss
LO	239	C14BOta01	How many of the times when you have used ALCOHOL during the last 12 months did you use it along with each of the following drugs- that is, so that their effects overlapped? With any type of tobacco	2.30	1.55	1.00	5.00	147
		C14BOta02	How many of the times when you have used ALCOHOL during the last 12 months did you use it along with each of the following drugs- that is, so that their effects overlapped? With marijuana	1.95	1.18	1.00	5.00	164
		C14BOta03	How many of the times when you have used ALCOHOL during the last 12 months did you use it along with each of the following drugs- that is, so that their effects overlapped? With hallucinogens or psychedelics such as LSD	1.20	0.45	1.00	2.00	234
		C14BOta04	How many of the times when you have used ALCOHOL during the last 12 months did you use it along with each of the following drugs- that is, so that their effects overlapped? With stimulants/amphetamines	1.00	0.00	1.00	1.00	236
		C14BOta05	How many of the times when you have used ALCOHOL during the last 12 months did you use it along with each of the following drugs- that is, so that their effects overlapped? With sedatives/tranquilizers	1.00	0.00	1.00	1.00	237
		C14BOta06	How many of the times when you have used ALCOHOL during the last 12 months did you use it along with each of the following drugs- that is, so that their effects overlapped? With cocaine	1.75	0.96	1.00	3.00	235
		C14BOtb01	How many of the times when you have used any type of TOBACCO during the last year did you use it along with alcohol- that is, so that their effects overlapped?	2.13	1.39	1.00	5.00	147
		C14BOtc01	How many of the times when you have used MARIJUANA during the last year did you use it along with alcohol- that is, so that their effects overlapped?	1.80	1.04	1.00	5.00	164
		C14BOtd01	How many of the times when you used STIMULANTS OR AMPHETAMINES during the last year did you use them along with each of the following drugs- that is, so their effects overlapped? With alcohol	1.00	0.00	1.00	1.00	236
		C14BOtd02	How many of the times when you used STIMULANTS OR AMPHETAMINES during the last year did you use them along with each of the following drugs- that is, so their effects overlapped? With marijuana	1.00	0.00	1.00	1.00	236
		C14BOtd03	How many of the times when you used STIMULANTS OR AMPHETAMINES during the last year did you use them along with each of the following drugs- that is, so their effects overlapped? With hallucinogens or psychedelics	3.00	2.83	1.00	5.00	237

Sections TE-TG, Drugs, (below).

High or low risk sample	N Obs	Variable	Label	Mean	Std Dev	Min	Max	N Miss
HI	103	C14BOte01	How many of the times when you used HALLUCINOGENS OR PSYCHEDELICS such as LSD during the last year did you use it along with each of the following drugs- that is, so that their effects overlapped? With alcohol	1.00	0.00	1.00	1.00	98
		C14BOte02	How many of the times when you used HALLUCINOGENS OR PSYCHEDELICS such as LSD during the last year did you use it along with each of the following drugs- that is, so that their effects overlapped? With marijuana	2.40	1.95	1.00	5.00	98
		C14BOtf01	How many of the times when you used SEDATIVES/ TRANQUILIZERS during the last year did you use it along with each of the following drugs- that is, so that their effects overlapped? With alcohol	2.00	1.41	1.00	4.00	98
		C14BOtf02	How many of the times when you used SEDATIVES/ TRANQUILIZERS during the last year did you use it along with each of the following drugs- that is, so that their effects overlapped? With marijuana	1.83	1.17	1.00	4.00	97
		C14BOtf03	How many of the times when you used SEDATIVES/ TRANQUILIZERS during the last year did you use it along with each of the following drugs- that is, so that their effects overlapped? With hallucinogens or psychedelics	1.00	0.00	1.00	1.00	101
		C14BOtf04	How many of the times when you used SEDATIVES/ TRANQUILIZERS during the last year did you use it along with each of the following drugs- that is, so that their effects overlapped? With stimulants or amphetamines	1.00	0.00	1.00	1.00	99
		C14BOtg01	How many of the times when you used COCAINE during the last year did you use it along with each of the following drugs- that is, so that their effects overlapped? With alcohol	1.71	1.11	1.00	4.00	96
		C14BOtg02	How many of the times when you used COCAINE during the last year did you use it along with each of the following drugs- that is, so that their effects overlapped? With stimulants or amphetamines	1.29	0.49	1.00	2.00	96
		C14BOtg03	How many of the times when you used COCAINE during the last year did you use it along with each of the following drugs- that is, so that their effects overlapped? With heroin	1.00	0.00	1.00	1.00	101

High or low risk sample	N Obs	Variable	Label	Mean	Std Dev	Min	Max	N Miss
LO	239	C14BOte01	How many of the times when you used HALLUCINOGENS OR PSYCHEDELICS such as LSD during the last year did you use it along with each of the following drugs- that is, so that their effects overlapped? With alcohol	1.20	0.45	1.00	2.00	234
		C14BOte02	How many of the times when you used HALLUCINOGENS OR PSYCHEDELICS such as LSD during the last year did you use it along with each of the following drugs- that is, so that their effects overlapped? With marijuana	2.80	2.05	1.00	5.00	234
		C14BOtf01	How many of the times when you used SEDATIVES/ TRANQUILIZERS during the last year did you use it along with each of the following drugs- that is, so that their effects overlapped? With alcohol	1.00	0.00	1.00	1.00	237
		C14BOtf02	How many of the times when you used SEDATIVES/ TRANQUILIZERS during the last year did you use it along with each of the following drugs- that is, so that their effects overlapped? With marijuana	1.00	0.00	1.00	1.00	237
		C14BOtf03	How many of the times when you used SEDATIVES/ TRANQUILIZERS during the last year did you use it along with each of the following drugs- that is, so that their effects overlapped? With hallucinogens or psychedelics	239
		C14BOtf04	How many of the times when you used SEDATIVES/ TRANQUILIZERS during the last year did you use it along with each of the following drugs- that is, so that their effects overlapped? With stimulants or amphetamines	1.00	.	1.00	1.00	238
		C14BOtg01	How many of the times when you used COCAINE during the last year did you use it along with each of the following drugs- that is, so that their effects overlapped? With alcohol	1.75	0.96	1.00	3.00	235
		C14BOtg02	How many of the times when you used COCAINE during the last year did you use it along with each of the following drugs- that is, so that their effects overlapped? With stimulants or amphetamines	1.00	.	1.00	1.00	238
		C14BOtg03	How many of the times when you used COCAINE during the last year did you use it along with each of the following drugs- that is, so that their effects overlapped? With heroin	239

Sections U-W, Driving while Using , Drug Use.

		High or low risk sample	
		HI	LO
Have you EVER driven a car, truck or motorcycle after you had been drinking or had used drugs?			
S	N	28	56
No	N	62	156
Yes	N	13	27

		High or low risk sample	
		HI	LO
Have you EVER been a passenger in a car or truck or on a motorcycle driven by someone who had been drinking or who had used drugs prior to driving?			
S	N	2	1
No	N	70	178
Yes	N	31	60
During your life, have you ever injected (shot up with a needle) any illegal drugs, such as heroin or cocaine?			
S	N	46	118
No	N	55	117
Yes	N	2	4
Do you own your own needle and syringe or works?			
S	N	101	235
No	N	1	4
Yes	N	1	.
Have you ever shared a needle and syringe with another person?			
S	N	101	235
No	N	1	3
Yes	N	1	1
Do you always bleach the needle and syringe you are using before you use them?			
S	N	101	235
No	N	.	3
Yes	N	2	1

High or low risk sample	Variable	Label	Mean	Std Dev	Min	Max
HI	C14BOu02	During the past 12 months, how many times have you driven a car, truck or motorcycle after...Drinking alcohol or using drugs?	7.15	20.46	0.00	75.00
	C14BOu03	During the past 12 months, how many times have you driven a car, truck or motorcycle after... Having 5 or more drinks in a row?	0.86	1.21	0.00	3.00
	C14BOu04	During the past 30 days, how many times have you driven a car, truck or motorcycle after...Drinking alcohol or using drugs?	1.25	1.67	0.00	5.00
	C14BOu05	During the past 30 days, how many times have you driven a car, truck or motorcycle after...Having 5 or more drinks in a row?	0.50	0.58	0.00	1.00
	C14BOv02	During the past 12 months, how many times (if any) have you been a passenger in a car or truck or on a motorcycle...When the driver had been drinking or using drugs?	10.81	24.62	0.00	120.00
	C14BOv03	During the past 12 months, how many times (if any) have you been a passenger in a car or truck or on a motorcycle...When you think the driver had 5 or more drinks?	2.50	9.75	0.00	50.00
	C14BOv04	During the past 30 days, how many times (if any) have you been a passenger in a car or truck or on a motorcycle...When you think the driver had been drinking or using drugs?	1.35	2.19	0.00	10.00
	C14BOv05	During the past 30 days, how many times (if any) have you been a passenger in a car or truck or on a motorcycle... When you think the driver had 5 or more drinks?	0.57	0.85	0.00	3.00
	C14BOw02	How often have you taken such a drug using a needle?	1.00	0.00	1.00	1.00
	C14BOw03	How old were you the first time you took an illegal drug using a needle?	8.50	10.61	1.00	16.00
	C14BOw04	During the past 12 months, how many times did you take an illegal drug using a needle?	0.50	0.71	0.00	1.00
	C14BOw05	During the past 30 days, how often did you take an illegal drug using a needle?	1.00	.	1.00	1.00
	LO	C14BOu02	During the past 12 months, how many times have you driven a car, truck or motorcycle after...Drinking alcohol or using drugs?	2.74	3.80	0.00
C14BOu03		During the past 12 months, how many times have you driven a car, truck or motorcycle after... Having 5 or more drinks in a row?	0.92	1.66	0.00	5.00
C14BOu04		During the past 30 days, how many times have you driven a car, truck or motorcycle after...Drinking alcohol or using drugs?	0.59	0.85	0.00	3.00
C14BOu05		During the past 30 days, how many times have you driven a car, truck or motorcycle after...Having 5 or more drinks in a row?	0.00	0.00	0.00	0.00
C14BOv02		During the past 12 months, how many times (if any) have you been a passenger in a car or truck or on a motorcycle...When the driver had been drinking or using drugs?	5.05	12.81	0.00	91.00
C14BOv03		During the past 12 months, how many times (if any) have you been a passenger in a car or truck or on a motorcycle...When you think the driver had 5 or more drinks?	2.46	5.29	0.00	30.00
C14BOv04		During the past 30 days, how many times (if any) have you been a passenger in a car or truck or on a motorcycle...When you think the driver had been drinking or using drugs?	0.84	2.18	0.00	15.00
C14BOv05		During the past 30 days, how many times (if any) have you been a passenger in a car or truck or on a motorcycle... When you think the driver had 5 or more drinks?	0.45	0.74	0.00	3.00
C14BOw02		How often have you taken such a drug using a needle?	1.50	1.00	1.00	3.00
C14BOw03		How old were you the first time you took an illegal drug using a needle?	16.25	2.50	13.00	19.00
C14BOw04		During the past 12 months, how many times did you take an illegal drug using a needle?	0.25	0.50	0.00	1.00
C14BOw05		During the past 30 days, how often did you take an illegal drug using a needle?	0.00	.	0.00	0.00

V. Recommendations for Use

The tables above display frequencies for dichotomous items and means and standard deviations for each of the sections of the questionnaire. The user is encouraged to test association and differences in means, respectively. The user must be aware that there are respondents with extremely high responses for some items. The values for these respondents, for all variables, must be evaluated properly. The user must become acquainted with the extremely low counts on all variables probing drug use. The user is encouraged to check the tables include a column of missing values.