Overview of Sexual Experiences

Year 19

Fast Track Project Technical Report José Miguel Sandoval May 28, 2011

Table of Contents

- I. Scale Description
- II. Report Sample
- III. Scaling
- IV. Item Means and Standard Deviations and Frequency Tables
- V. Recommendations for Use

Citation

Instrument

Capaldi, Deborah, (2002), Heterosexual Risk Behaviors in At-Risk Young Men from Early Adolescence to Young Adulthood: Prevalence, Prediction, and Association with STD Contraction, Developmental Psychology, 2002, Vol. 38, No. 3, 394–406.

Report

Sandoval, J. M. (2011) Overview of Sexual Experiences (Fast Track Project Technical Report), Available from the Fast Track Project Web site, http://www.fasttrackproject.org

Data Sources

Raw: C19CJ

Scored: OSE19

I. Survey Description

Overview of Sexual Experiences is a 37-item questionnaire used in Wave XIX. The participant answers questions about sexual intercourse and the partner's gender; knowledge about contraceptives; forced sexual contact; sexual orientation; comfort in discussing contraceptives and safe sex with partners; whether the participant has been diagnosed with any sexually transmitted diseases and/or has been tested for HIV or other sexually transmitted diseases.

II. Report Sample

These analyses were conducted on the first cohort on the high-risk control sample (n = 125) and the normative sample (n = 254) for the nineteenth year of the study. The distribution of respondents by site was as follows: for the control sample, 36 were from Durham, 26 were from Nashville, 36 were from Pennsylvania and 27 were from Washington. For the normative sample, 75 were from Durham, 47 were from Nashville, 73 were from Pennsylvania and 59 were from Washington.

III. Scaling

No scales are constructed for this measure.

VI. Items Frequency Tables and Means and Standard Deviations

The tables below follow the logic of the questionnaire by displaying frequencies by sample type (High and Low Risk) and sexual experiences. This is followed by means and standard deviations for the continuous variables measuring number of sexual partners and frequency of diseases by sample group (normative and control).

	High or low risk sample	
	Н	LO
Q491. Which of the following best describes your CURRENT situation at the moment?		
Married and living together with spouse	16	34
Living with a partner	30	55
Engaged and living together	10	19
Engaged and not living together	3	14
Have one girlfriend/boyfriend/dating one person regularly	20	50
Dating one or more people (at least once a week)	6	4
Dating one or more people (one or more times a month)	6	6
Not dating and have no girlfriend/boyfriend	26	63
Divorced	1	2
Separated from spouse	3	1
Prefer not to answer	4	6

Q492. How many times have you been married? If you have never been married, please enter		
"0" .		
0	98	207
1	25	44
2	2	2
10		1
Q493. How many times have you been forced to perform a sex act against your will? [If you have never been forced to do so, please enter "0".] 999=don't know		
0	117	238
1	3	10
2	2	1
3	1	2
4		1
5	1	
6		1
15	1	
9999		1
Q494. How many times have you forced another person to perform a sex act against his/her will? [If you have never forced someone else to do so, please enter "0".]		
0	125	252
1		2
Q495. Have you ever been diagnosed with a sexually transmitted disease (STD) such as gonorrhea (clap), syphilis, herpes, Chlamydia, or AIDS/HIV, etc?		
Yes	19	39
No	105	213
I prefer not to answer	1	2
Q496. Do you feel that you are:		
Heterosexual	115	231
Homosexual	5	9
Bi-sexual	3	9
Not sure	2	5
Q497_1. Kind of birth control or protection you or your partner(s) use? Check all that apply. Never have sex		
No	117	242
Yes	8	12

Q497_2. Kind of birth control or protection you or your partner(s) use? Check all that apply		
No	98	195
Yes	27	59
Q497_3. Kind of birth control or protection you or your partner(s) use? Check all that apply Condom with spermicidal		
No	82	168
Yes	43	86
Q497_4. Kind of birth control or protection you or your partner(s) use? Check all that applyCondom without spermicidal		
No	90	201
Yes	35	53
Q497_5. Kind of birth control or protection you or your partner(s) use? Check all that applyBirth control pill		
No	77	158
Yes	48	96
Q497_6. Kind of birth control or protection you or your partner(s) use? Check all that applySpermicidal alone including foam		
No	124	252
Yes	1	2
Q497_7. Kind of birth control or protection you or your partner(s) use? Check all that applyWithdrawal (we stop before ejaculation)		
No	111	201
Yes	14	53
Q497_8. Kind of birth control or protection you or your partner(s) use? Check all that applyRhythm (we don't have sex when the woman can get pregnant)		
No	123	250
Yes	2	4
Q497_9. Kind of birth control or protection you or your partner(s) use? Check all that applyI.U.D. (intrauterine device)		
No	116	241
Yes	9	13
Q497_10. Kind of birth control or protection you or your partner(s) use? Check all that apply Diaphragm		
No	123	252
Yes	2	2

Q497_11. Kind of birth control or protection you or your partner(s) use? Check all that apply Sponges		
No	125	254
Q497_12. Kind of birth control or protection you or your partner(s) use? Check all that apply Norplant		
No	124	254
Yes	1	
Q497_13. Kind of birth control or protection you or your partner(s) use? Check all that apply Depo-Provera shots		
No	113	230
Yes	12	24
Q497_14. Kind of birth control or protection you or your partner(s) use? Check all that apply Other		
No	116	239
Yes	9	15

Q498. If answered "Other", kind of birth control or protection that you use that is not in the list.		
Missing	117	233
0	2	5
9		1
He can't have any children		1
I am gay	1	
Nuva Ring	1	1
Tubes Tied		1
Vasectomy		1
condoms		1
injection		1
mirena	1	
my wife got her tubes tide		1
nuva ring		1
ortho-evra patch		1
pull-out method		1
tubal ligation		1
tubes are tied		1
tubes tided		1
tubes tied	2	1
vaginal hormone implant - marana		1
voscetmy	1	
Q501. On average, HOW frequently in the last year have you had any kind of sexual intercourse?		
Never	13	24
Once or twice	5	14
Less than once a month	13	12
1-4 times per month	18	49
Once a week	12	38
2-3 times a week	31	81
Most days of the week	33	36

Q502. How old were you the first time you were forced to perform a sex act against your will?	?	
Missing	117	238
0		1
3	1	
5	1	
7		1
9		1
12		1
13		1
15		1
16	1	
17		2
18	1	2
19	1	2
20	1	1
22		2
23		1
24	2	
Q503. Was the person who forced you to perform a sex act a male or female?		
Missing	117	238
Male	5	13
Female	3	3
Q504. How old were you the first time you forced someone to perform a sex act against his/her will?		
Missing	125	252
0		1
18		1
Q505. Was the person you forced to perform a sex act a male or female?		
Missing	125	252
Male		1
Female		1

Q506_1. Genital herpes- Yes		
No	124	251
Yes	1	3
Q506_2. Genital herpes- No		
No No	110	221
Yes	15	33
Q507_1. Genital warts- Yes		
No .	123	250
Yes	2	4
Q507_2. Genital warts- No	-	
No	111	223
Yes	14	31
Q508_1. AIDS/HIV- Yes		
No	125	254
Q508_2. AIDS/HIV- No	1.20	
No No	109	221
Yes	16	33
Q509_1. Hepatitis B- Yes		
No	125	254
Q509_2. Hepatitis B- No		
No	109	221
Yes	16	33
Q510_1. Gonorrhea (clap)- Yes		
No	121	247
Yes	4	7
Q510_2. Gonorrhea (clap)- No		
No	112	225
Yes	13	29
Q512_1. syphilis- Yes		
No .	125	252
Yes	<u> </u>	2

Q512_2. syphilis- No		
No	109	223
Yes	16	31
Q514_1. Chlamydia- Yes		
No	116	229
Yes	9	25
Q514_2. Chlamydia- No		
No	117	243
Yes	8	11
Q516_1. Other- Yes		
No	120	249
Yes	5	5
Q516_2. Other- No		
No	115	230
Yes	10	24
Indicate if any of the following diseases: Genital herpes		
Missing	109	219
Yes	1	3
No	15	32
Indicate if any of the following diseases: Genital warts		
Missing	109	219
Yes	2	4
No	14	31
Indicate if any of the following diseases: AIDS/HIV		
Missing	109	221
No	16	33
Indicate if any of the following diseases: Hepatitis B		
Missing	109	221
No	16	33
Indicate if any of the following diseases: Gonorrhea (clap)		
Missing	108	218
Yes	4	7
No	13	29

Q511. Had any of the following diseases and number of times you have EVER experienced symptoms Gonorrhea (clap)		
Missing	122	248
0		1
1	3	4
2		1
Indicate if any of the following diseases: Syphilis		
Missing	109	221
Yes		2
No	16	31
Q513. Had any of the following diseases and number of times you have EVER experienced symptoms Syphilis		
Missing	125	252
0		1
1		1
Indicate if any of the following diseases: Chlamydia		
Missing	108	218
Yes	9	25
No	8	11
Q515. Had any of the following diseases and number of times you have EVER experienced symptoms Chlamydia		
Missing	117	230
0	1	2
1	6	18
2	1	3
4		1
Indicate if any of the following diseases: Other		
Missing	110	225
Yes	5	5
No	10	24

Q517. Had any of the following diseases and number of times you have EVER experienced symptoms Other		
Missing	122	251
0	1	1
1	2	1
2		1
Q518. If you answered "Other", please type the name of the disease.		
Missing	120	249
Don't Know/Isn't sure		1
HPV	1	2
Human Papilloma Virus	1	
Tric	1	
Crabs	1	
Tich		1
Tric	1	
Trichamonous		1

Q520. In last year, when you have had any kind of sexual intercourse, how often did you use a condom (rubber)?		
Missing	13	24
Never	42	90
Sometimes	25	49
About half	5	14
Most times	15	32
Every time	25	45
Q521. THE LAST TIME you had any kind of sexual intercourse, did you use a condom (rubber)?		
Missing	13	24
Yes	44	83
No	67	146
I prefer not to answer	1	1
Q522. Sexual intercourse with a NEW PARTNER for the first time, how often do you use a condom (rubber)?		
Missing	13	24
Never	6	13
Sometimes	6	5
About half	3	3
Most times	13	12
Every time	47	75
No new partner this year	35	118
I prefer not to answer	2	4
Q523. In last year, have you had a regular sexual partner (for 2 months or longer)? [If you select "No", please skip to the next page.]		
Missing	13	24
Yes	90	204
No	20	25
I prefer not to answer	2	1

Q524. When you have had intercourse with your partner, how often do/did you or your partner use a condom (rubber)?		
Missing	25	49
Never	43	96
Sometimes	24	36
About half	7	15
Most times	7	25
Every time	19	33
Q525. When you have had intercourse with your partner, how often do/did you or your partner use some kind of birth control?		
Missing	26	47
Never	31	59
Sometimes	9	19
About half	4	8
Most times	11	23
Every time	44	98
Q526. While you were/have been seeing your partner, did you also have sex with other persons?		
Missing	27	50
Yes	19	21
No	79	183
Q527. If you had intercourse with another person who was not your regular partner, how often did you use a condom (rubber)?		
Missing	59	122
Never	29	65
Sometimes	5	7
About half	2	4
Most times	6	6
Every time	24	50

High or low					
risk sample	N	Variable	Label	Mean	Std Dev
HI	125	c19cj500	Q500. ENTIRE LIFETIME, how many DIFFERENT PERSONS have you had any kind of sexual intercourse (refers to penetration, anal, and oral sex). 999=don't know	17.10	20.70
		c19cj511	Q511. Had any of the following diseases and number of times you have EVER experienced symptoms Gonorrhea (clap)	1.00	0.00
		c19cj513	Q513. Had any of the following diseases and number of times you have EVER experienced symptoms Syphilis		
		c19cj515	Q515. Had any of the following diseases and number of times you have EVER experienced symptoms Chlamydia	1.00	0.53
		c19cj517	Q517. Had any of the following diseases and number of times you have EVER experienced symptoms Other	0.67	0.58
LO	254	c19cj500	Q500. ENTIRE LIFETIME, how many DIFFERENT PERSONS have you had any kind of sexual intercourse (refers to penetration, anal, and oral sex). 999=don't know	14.19	29.66
		c19cj511	Q511. Had any of the following diseases and number of times you have EVER experienced symptoms Gonorrhea (clap)	1.00	0.63
		c19cj513	Q513. Had any of the following diseases and number of times you have EVER experienced symptoms Syphilis	0.50	0.71
		c19cj515	Q515. Had any of the following diseases and number of times you have EVER experienced symptoms Chlamydia	1.17	0.76
		c19cj517	Q517. Had any of the following diseases and number of times you have EVER experienced symptoms Other	1.00	1.00

V. Recommendations for Use

The user is warned that a single respondent reports having being married 10 times. The user is encouraged to test for associations for variables measuring discrete characteristics regarding sexual experiences.